

pEpJNIAdapter-Java

Generated by Doxygen 1.8.15

1 Namespace Index	1
1.1 Packages	1
2 Hierarchical Index	3
2.1 Class Hierarchy	3
3 Class Index	7
3.1 Class List	7
4 File Index	11
4.1 File List	11
5 Namespace Documentation	15
5.1 Package foundation	15
5.2 Package foundation.pEp	15
5.3 Package foundation.pEp.jniadapter	15
6 Class Documentation	19
6.1 foundation.pEp.jniadapter._Blob Class Reference	19
6.1.1 Member Function Documentation	19
6.1.1.1 dataToXER()	19
6.2 foundation.pEp.jniadapter._Identity Class Reference	19
6.2.1 Constructor & Destructor Documentation	20
6.2.1.1 _Identity() [1/3]	20
6.2.1.2 _Identity() [2/3]	20
6.2.1.3 _Identity() [3/3]	20
6.2.2 Member Data Documentation	20
6.2.2.1 address	20
6.2.2.2 comm_type	21
6.2.2.3 flags	21
6.2.2.4 fpr	21
6.2.2.5 lang	21
6.2.2.6 me	21
6.2.2.7 user_id	21
6.2.2.8 username	21
6.3 foundation.pEp.jniadapter.Blob Class Reference	22
6.3.1 Constructor & Destructor Documentation	22
6.3.1.1 Blob()	22
6.3.2 Member Function Documentation	22
6.3.2.1 toString()	22
6.3.3 Member Data Documentation	22
6.3.3.1 data	23
6.3.3.2 filename	23
6.3.3.3 mime_type	23

6.4 foundation.pEp.jniadapter.CipherSuite Enum Reference	23
6.4.1 Member Function Documentation	23
6.4.1.1 getByInt()	24
6.4.2 Member Data Documentation	24
6.4.2.1 pEpCipherSuiteCv25519	24
6.4.2.2 pEpCipherSuiteDefault	24
6.4.2.3 pEpCipherSuiteP256	24
6.4.2.4 pEpCipherSuiteP384	24
6.4.2.5 pEpCipherSuiteP521	24
6.4.2.6 pEpCipherSuiteRsa2k	24
6.4.2.7 pEpCipherSuiteRsa3k	25
6.4.2.8 pEpCipherSuiteRsa4k	25
6.4.2.9 pEpCipherSuiteRsa8k	25
6.4.2.10 value	25
6.5 foundation.pEp.jniadapter.Color Enum Reference	25
6.5.1 Member Function Documentation	25
6.5.1.1 getByInt()	26
6.5.2 Member Data Documentation	26
6.5.2.1 PEPColorGreen	26
6.5.2.2 PEPColorNoColor	26
6.5.2.3 PEPColorRed	26
6.5.2.4 PEPColorYellow	26
6.5.2.5 value	26
6.6 foundation.pEp.jniadapter.CommType Enum Reference	26
6.6.1 Constructor & Destructor Documentation	27
6.6.1.1 CommType()	27
6.6.2 Member Data Documentation	28
6.6.2.1 PEP_ct_b0rken_crypto	28
6.6.2.2 PEP_ct_CMS	28
6.6.2.3 PEP_ct_CMS_unconfirmed	28
6.6.2.4 PEP_ct_compromized	28
6.6.2.5 PEP_ct_confirmed	28
6.6.2.6 PEP_ct_confirmed_enc_anon	28
6.6.2.7 PEP_ct_confirmed_encryption	28
6.6.2.8 PEP_ct_key_b0rken	29
6.6.2.9 PEP_ct_key_expired	29
6.6.2.10 PEP_ct_key_not_found	29
6.6.2.11 PEP_ct_key_revoked	29
6.6.2.12 PEP_ct_key_too_short	29
6.6.2.13 PEP_ct_mistrusted	29
6.6.2.14 PEP_ct_my_key_not_included	29
6.6.2.15 PEP_ct_no_encrypted_channel	29

6.6.2.16 PEP_ct_no_encryption	30
6.6.2.17 PEP_ct_OpenPGP	30
6.6.2.18 PEP_ct_OpenPGP_unconfirmed	30
6.6.2.19 PEP_ct_OpenPGP_weak	30
6.6.2.20 PEP_ct_OpenPGP_weak_unconfirmed	30
6.6.2.21 PEP_ct_OTR	30
6.6.2.22 PEP_ct_OTR_unconfirmed	30
6.6.2.23 PEP_ct_pEp	30
6.6.2.24 PEP_ct_PEP_unconfirmed	31
6.6.2.25 PEP_ct_security_by_obscurity	31
6.6.2.26 PEP_ct_SMIME	31
6.6.2.27 PEP_ct_SMIME_unconfirmed	31
6.6.2.28 PEP_ct_strong_but_unconfirmed	31
6.6.2.29 PEP_ct_strong_encryption	31
6.6.2.30 PEP_ct_to_be_checked	31
6.6.2.31 PEP_ct_to_be_checked_confirmed	31
6.6.2.32 PEP_ct_unconfirmed_enc_anon	32
6.6.2.33 PEP_ct_unconfirmed_encryption	32
6.6.2.34 PEP_ct_unknown	32
6.6.2.35 value	32
6.7 foundation.pEp.jniadapter.Engine.decrypt_message_Return Class Reference	32
6.7.1 Member Data Documentation	32
6.7.1.1 dst	32
6.7.1.2 flags	33
6.7.1.3 rating	33
6.8 foundation.pEp.jniadapter.DecryptFlags Enum Reference	33
6.8.1 Member Function Documentation	33
6.8.1.1 getByInt()	33
6.8.2 Member Data Documentation	33
6.8.2.1 pEpDecryptFlagConsumed	34
6.8.2.2 pEpDecryptFlagDontTriggerSync	34
6.8.2.3 pEpDecryptFlagIgnored	34
6.8.2.4 pEpDecryptFlagOwnPrivateKey	34
6.8.2.5 pEpDecryptFlagSrcModified	34
6.8.2.6 pEpDecryptFlagUntrustedServer	34
6.8.2.7 value	34
6.9 foundation.pEp.jniadapter.Sync.DefaultCallback Class Reference	35
6.9.1 Member Function Documentation	35
6.9.1.1 messageToSend()	35
6.9.1.2 needsFastPollCallFromC()	35
6.9.1.3 notifyHandshake()	35
6.10 foundation.pEp.jniadapter.Message.Direction Enum Reference	36

6.10.1 Member Function Documentation	36
6.10.1.1 getByInt()	36
6.10.2 Member Data Documentation	36
6.10.2.1 Incoming	36
6.10.2.2 Outgoing	36
6.10.2.3 value	36
6.11 foundation.pEp.jniadapter.Message.EncFormat Enum Reference	37
6.11.1 Member Function Documentation	37
6.11.1.1 getByInt()	37
6.11.2 Member Data Documentation	37
6.11.2.1 Inline	37
6.11.2.2 None	37
6.11.2.3 PEP	38
6.11.2.4 PGP/MIME	38
6.11.2.5 SMIME	38
6.11.2.6 value	38
6.12 foundation.pEp.jniadapter.Engine Class Reference	38
6.12.1 Constructor & Destructor Documentation	39
6.12.1.1 Engine()	40
6.12.2 Member Function Documentation	40
6.12.2.1 blacklist_add()	40
6.12.2.2 blacklist_delete()	40
6.12.2.3 blacklist_is_listed()	40
6.12.2.4 blacklist_retrieve()	40
6.12.2.5 config_cipher_suite()	40
6.12.2.6 config_passive_mode()	41
6.12.2.7 config_unencrypted_subject()	41
6.12.2.8 decrypt_message()	41
6.12.2.9 deliverHandshakeResult()	41
6.12.2.10 disable_identity_for_sync()	41
6.12.2.11 enable_identity_for_sync()	41
6.12.2.12 encrypt_message()	42
6.12.2.13 encrypt_message_and_add_priv_key()	42
6.12.2.14 encrypt_message_for_self()	42
6.12.2.15 get_identity()	42
6.12.2.16 get_languagelist()	42
6.12.2.17 get_message_trustwords()	42
6.12.2.18 get_trustwords()	43
6.12.2.19 get_trustwords_for_fprs()	43
6.12.2.20 getCrashdumpLog()	43
6.12.2.21 identity_rating()	43
6.12.2.22 importKey()	43

6.12.2.23 key_reset_all_own_keys()	43
6.12.2.24 key_reset_identity()	44
6.12.2.25 key_reset_trust()	44
6.12.2.26 key_reset_user()	44
6.12.2.27 keyMistrusted()	44
6.12.2.28 keyResetTrust()	44
6.12.2.29 leave_device_group()	44
6.12.2.30 myself()	44
6.12.2.31 OpenPGP_list_keyinfo()	45
6.12.2.32 outgoing_message_rating()	45
6.12.2.33 outgoing_message_rating_preview()	45
6.12.2.34 own_identities_retrieve()	45
6.12.2.35 own_message_private_key_details()	45
6.12.2.36 re_evaluate_message_rating()	45
6.12.2.37 set_identity_flags()	45
6.12.2.38 setOwnKey()	46
6.12.2.39 trustOwnKey()	46
6.12.2.40 trustPersonalKey()	46
6.12.2.41 trustwords()	46
6.12.2.42 unset_identity_flags()	46
6.12.2.43 updateIdentity()	46
6.13 foundation.pEp.jniadapter.Identity Class Reference	47
6.13.1 Constructor & Destructor Documentation	47
6.13.1.1 Identity() [1/3]	47
6.13.1.2 Identity() [2/3]	47
6.13.1.3 Identity() [3/3]	47
6.13.2 Member Function Documentation	48
6.13.2.1 getRating()	48
6.13.2.2 toString()	48
6.13.3 Member Data Documentation	48
6.13.3.1 address	48
6.13.3.2 comm_type	48
6.13.3.3 flags	48
6.13.3.4 fpr	48
6.13.3.5 lang	49
6.13.3.6 me	49
6.13.3.7 user_id	49
6.13.3.8 username	49
6.14 foundation.pEp.jniadapter.IdentityFlags Enum Reference	49
6.14.1 Member Function Documentation	49
6.14.1.1 getByInt()	50
6.14.2 Member Data Documentation	50

6.14.2.1 pEpldfDevicegroup	50
6.14.2.2 pEpldfList	50
6.14.2.3 pEpldfNotForSync	50
6.14.2.4 value	50
6.15 foundation.pEp.jniadapter.Message Class Reference	50
6.15.1 Constructor & Destructor Documentation	52
6.15.1.1 Message() [1/2]	52
6.15.1.2 Message() [2/2]	52
6.15.2 Member Function Documentation	52
6.15.2.1 _encodeMIME()	52
6.15.2.2 close()	52
6.15.2.3 encodeMIME()	52
6.15.2.4 getAttachments()	52
6.15.2.5 getBcc()	53
6.15.2.6 getCc()	53
6.15.2.7 getComments()	53
6.15.2.8 getDir()	53
6.15.2.9 getEncFormat()	53
6.15.2.10 getFrom()	53
6.15.2.11 getHandle()	53
6.15.2.12 getId()	53
6.15.2.13 getInReplyTo()	54
6.15.2.14 getKeywords()	54
6.15.2.15 getLongmsg()	54
6.15.2.16 getLongmsgFormatted()	54
6.15.2.17 getOptFields()	54
6.15.2.18 getRecv()	54
6.15.2.19 getRecvBy()	54
6.15.2.20 getReferences()	54
6.15.2.21 getReplyTo()	55
6.15.2.22 getSent()	55
6.15.2.23 getShortmsg()	55
6.15.2.24 getTo()	55
6.15.2.25 setAttachments()	55
6.15.2.26 setBcc()	55
6.15.2.27 setCc()	55
6.15.2.28 setComments()	56
6.15.2.29 setDir()	56
6.15.2.30 setEncFormat()	56
6.15.2.31 setFrom()	56
6.15.2.32 setId()	56
6.15.2.33 setInReplyTo()	56

6.15.2.34 setKeywords()	56
6.15.2.35 setLongmsg()	57
6.15.2.36 setLongmsgFormatted()	57
6.15.2.37 setOptFields()	57
6.15.2.38 setRecv()	57
6.15.2.39 setRecvBy()	57
6.15.2.40 setReferences()	57
6.15.2.41 setReplyTo()	57
6.15.2.42 setSent()	58
6.15.2.43 setShortmsg()	58
6.15.2.44 setTo()	58
6.16 foundation.pEp.jniadapter.Sync.MessageToSendCallback Interface Reference	58
6.16.1 Member Function Documentation	58
6.16.1.1 messageToSend()	58
6.17 foundation.pEp.jniadapter.Sync.NeedsFastPollCallback Interface Reference	59
6.17.1 Member Function Documentation	59
6.17.1.1 needsFastPollCallFromC()	59
6.18 foundation.pEp.jniadapter.Sync.NotifyHandshakeCallback Interface Reference	59
6.18.1 Member Function Documentation	59
6.18.1.1 notifyHandshake()	59
6.19 foundation.pEp.jniadapter.Pair< F, S > Class Template Reference	60
6.19.1 Constructor & Destructor Documentation	60
6.19.1.1 Pair() [1/2]	60
6.19.1.2 Pair() [2/2]	60
6.19.2 Member Data Documentation	60
6.19.2.1 first	60
6.19.2.2 second	60
6.20 foundation.pEp.jniadapter.pEpBufferTooSmall Class Reference	61
6.20.1 Constructor & Destructor Documentation	61
6.20.1.1 pEpBufferTooSmall()	61
6.21 foundation.pEp.jniadapter.pEpCannotConfig Class Reference	61
6.21.1 Constructor & Destructor Documentation	61
6.21.1.1 pEpCannotConfig()	61
6.22 foundation.pEp.jniadapter.pEpCannotCreateKey Class Reference	62
6.22.1 Constructor & Destructor Documentation	62
6.22.1.1 pEpCannotCreateKey()	62
6.23 foundation.pEp.jniadapter.pEpCannotCreateTempFile Class Reference	62
6.23.1 Constructor & Destructor Documentation	62
6.23.1.1 pEpCannotCreateTempFile()	62
6.24 foundation.pEp.jniadapter.pEpCannotDecryptUnknown Class Reference	63
6.24.1 Constructor & Destructor Documentation	63
6.24.1.1 pEpCannotDecryptUnknown()	63

6.25 foundation.pEp.jniadapter.pEpCannotDeleteKey Class Reference	63
6.25.1 Constructor & Destructor Documentation	63
6.25.1.1 pEpCannotDeleteKey()	63
6.26 foundation.pEp.jniadapter.pEpCannotEditKey Class Reference	64
6.26.1 Constructor & Destructor Documentation	64
6.26.1.1 pEpCannotEditKey()	64
6.27 foundation.pEp.jniadapter.pEpCannotEncode Class Reference	64
6.27.1 Constructor & Destructor Documentation	64
6.27.1.1 pEpCannotEncode()	64
6.28 foundation.pEp.jniadapter.pEpCannotExportKey Class Reference	65
6.28.1 Constructor & Destructor Documentation	65
6.28.1.1 pEpCannotExportKey()	65
6.29 foundation.pEp.jniadapter.pEpCannotFindAlias Class Reference	65
6.29.1 Constructor & Destructor Documentation	65
6.29.1.1 pEpCannotFindAlias()	65
6.30 foundation.pEp.jniadapter.pEpCannotFindIdentity Class Reference	66
6.30.1 Constructor & Destructor Documentation	66
6.30.1.1 pEpCannotFindIdentity()	66
6.31 foundation.pEp.jniadapter.pEpCannotFindPerson Class Reference	66
6.31.1 Constructor & Destructor Documentation	66
6.31.1.1 pEpCannotFindPerson()	66
6.32 foundation.pEp.jniadapter.pEpCannotIncreaseSequence Class Reference	67
6.32.1 Constructor & Destructor Documentation	67
6.32.1.1 pEpCannotIncreaseSequence()	67
6.33 foundation.pEp.jniadapter.pEpCannotReencrypt Class Reference	67
6.33.1 Constructor & Destructor Documentation	67
6.33.1.1 pEpCannotReencrypt()	67
6.34 foundation.pEp.jniadapter.pEpCannotSendKey Class Reference	68
6.34.1 Constructor & Destructor Documentation	68
6.34.1.1 pEpCannotSendKey()	68
6.35 foundation.pEp.jniadapter.pEpCannotSetAlias Class Reference	68
6.35.1 Constructor & Destructor Documentation	68
6.35.1.1 pEpCannotSetAlias()	68
6.36 foundation.pEp.jniadapter.pEpCannotSetIdentity Class Reference	69
6.36.1 Constructor & Destructor Documentation	69
6.36.1.1 pEpCannotSetIdentity()	69
6.37 foundation.pEp.jniadapter.pEpCannotSetPepVersion Class Reference	69
6.37.1 Constructor & Destructor Documentation	69
6.37.1.1 pEpCannotSetPepVersion()	69
6.38 foundation.pEp.jniadapter.pEpCannotSetPerson Class Reference	70
6.38.1 Constructor & Destructor Documentation	70
6.38.1.1 pEpCannotSetPerson()	70

6.39 foundation.pEp.jniadapter.pEpCannotSetPgpKeypair Class Reference	70
6.39.1 Constructor & Destructor Documentation	70
6.39.1.1 pEpCannotSetPgpKeypair()	70
6.40 foundation.pEp.jniadapter.pEpCannotSetTrust Class Reference	71
6.40.1 Constructor & Destructor Documentation	71
6.40.1.1 pEpCannotSetTrust()	71
6.41 foundation.pEp.jniadapter.pEpCommitFailed Class Reference	71
6.41.1 Constructor & Destructor Documentation	71
6.41.1.1 pEpCommitFailed()	71
6.42 foundation.pEp.jniadapter.pEpConstraintsViolated Class Reference	72
6.42.1 Constructor & Destructor Documentation	72
6.42.1.1 pEpConstraintsViolated()	72
6.43 foundation.pEp.jniadapter.pEpDecrypted Class Reference	72
6.43.1 Constructor & Destructor Documentation	72
6.43.1.1 pEpDecrypted()	72
6.44 foundation.pEp.jniadapter.pEpDecryptedAndVerified Class Reference	73
6.44.1 Constructor & Destructor Documentation	73
6.44.1.1 pEpDecryptedAndVerified()	73
6.45 foundation.pEp.jniadapter.pEpDecryptNoKey Class Reference	73
6.45.1 Constructor & Destructor Documentation	73
6.45.1.1 pEpDecryptNoKey()	73
6.46 foundation.pEp.jniadapter.pEpDecryptSignatureDoesNotMatch Class Reference	74
6.46.1 Constructor & Destructor Documentation	74
6.46.1.1 pEpDecryptSignatureDoesNotMatch()	74
6.47 foundation.pEp.jniadapter.pEpDecryptWrongFormat Class Reference	74
6.47.1 Constructor & Destructor Documentation	74
6.47.1.1 pEpDecryptWrongFormat()	74
6.48 foundation.pEp.jniadapter.pEpDistributionIllegalMessage Class Reference	75
6.48.1 Constructor & Destructor Documentation	75
6.48.1.1 pEpDistributionIllegalMessage()	75
6.49 foundation.pEp.jniadapter.pEpException Class Reference	75
6.49.1 Constructor & Destructor Documentation	76
6.49.1.1 pEpException()	76
6.50 foundation.pEp.jniadapter.pEpGetKeyFailed Class Reference	76
6.50.1 Constructor & Destructor Documentation	76
6.50.1.1 pEpGetKeyFailed()	77
6.51 foundation.pEp.jniadapter.pEpIllegalValue Class Reference	77
6.51.1 Constructor & Destructor Documentation	77
6.51.1.1 pEpIllegalValue()	77
6.52 foundation.pEp.jniadapter.pEpInitCannotConfigGpgAgent Class Reference	77
6.52.1 Constructor & Destructor Documentation	78
6.52.1.1 pEpInitCannotConfigGpgAgent()	78

6.53 foundation.pEp.jniadapter.pEpInitCannotDetermineGpgVersion Class Reference	78
6.53.1 Constructor & Destructor Documentation	78
6.53.1.1 pEpInitCannotDetermineGpgVersion()	78
6.54 foundation.pEp.jniadapter.pEpInitCannotLoadGpgme Class Reference	78
6.54.1 Constructor & Destructor Documentation	79
6.54.1.1 pEpInitCannotLoadGpgme()	79
6.55 foundation.pEp.jniadapter.pEpInitCannotOpenDb Class Reference	79
6.55.1 Constructor & Destructor Documentation	79
6.55.1.1 pEpInitCannotOpenDb()	79
6.56 foundation.pEp.jniadapter.pEpInitCannotOpenSystemDb Class Reference	79
6.56.1 Constructor & Destructor Documentation	80
6.56.1.1 pEpInitCannotOpenSystemDb()	80
6.57 foundation.pEp.jniadapter.pEpInitGpgmeInitFailed Class Reference	80
6.57.1 Constructor & Destructor Documentation	80
6.57.1.1 pEpInitGpgmeInitFailed()	80
6.58 foundation.pEp.jniadapter.pEpInitNetpgpInitFailed Class Reference	80
6.58.1 Constructor & Destructor Documentation	81
6.58.1.1 pEpInitNetpgpInitFailed()	81
6.59 foundation.pEp.jniadapter.pEpInitNoGpgHome Class Reference	81
6.59.1 Constructor & Destructor Documentation	81
6.59.1.1 pEpInitNoGpgHome()	81
6.60 foundation.pEp.jniadapter.pEpInitSqlite3WithoutMutex Class Reference	81
6.60.1 Constructor & Destructor Documentation	82
6.60.1.1 pEpInitSqlite3WithoutMutex()	82
6.61 foundation.pEp.jniadapter.pEpInitUnsupportedGpgVersion Class Reference	82
6.61.1 Constructor & Destructor Documentation	82
6.61.1.1 pEpInitUnsupportedGpgVersion()	82
6.62 foundation.pEp.jniadapter.pEpKeyBlacklisted Class Reference	82
6.62.1 Constructor & Destructor Documentation	83
6.62.1.1 pEpKeyBlacklisted()	83
6.63 foundation.pEp.jniadapter.pEpKeyHasAmbigName Class Reference	83
6.63.1 Constructor & Destructor Documentation	83
6.63.1.1 pEpKeyHasAmbigName()	83
6.64 foundation.pEp.jniadapter.pEpKeyImported Class Reference	83
6.64.1 Constructor & Destructor Documentation	84
6.64.1.1 pEpKeyImported()	84
6.65 foundation.pEp.jniadapter.pEpKeyImportStatusUnknown Class Reference	84
6.65.1 Constructor & Destructor Documentation	84
6.65.1.1 pEpKeyImportStatusUnknown()	84
6.66 foundation.pEp.jniadapter.pEpKeyNotFound Class Reference	84
6.66.1 Constructor & Destructor Documentation	85
6.66.1.1 pEpKeyNotFound()	85

6.67 foundation.pEp.jniadapter.pEpKeyNotReset Class Reference	85
6.67.1 Constructor & Destructor Documentation	85
6.67.1.1 pEpKeyNotReset()	85
6.68 foundation.pEp.jniadapter.pEpKeyUnsuitable Class Reference	85
6.68.1 Constructor & Destructor Documentation	86
6.68.1.1 pEpKeyUnsuitable()	86
6.69 foundation.pEp.jniadapter.pEpMalformedKeyResetMsg Class Reference	86
6.69.1 Constructor & Destructor Documentation	86
6.69.1.1 pEpMalformedKeyResetMsg()	86
6.70 foundation.pEp.jniadapter.pEpMessageConsume Class Reference	86
6.70.1 Constructor & Destructor Documentation	87
6.70.1.1 pEpMessageConsume()	87
6.71 foundation.pEp.jniadapter.pEpMessageIgnore Class Reference	87
6.71.1 Constructor & Destructor Documentation	87
6.71.1.1 pEpMessageIgnore()	87
6.72 foundation.pEp.jniadapter.pEpNoKeyImported Class Reference	87
6.72.1 Constructor & Destructor Documentation	88
6.72.1.1 pEpNoKeyImported()	88
6.73 foundation.pEp.jniadapter.pEpNoTrust Class Reference	88
6.73.1 Constructor & Destructor Documentation	88
6.73.1.1 pEpNoTrust()	88
6.74 foundation.pEp.jniadapter.pEpOutOfMemory Class Reference	88
6.74.1 Constructor & Destructor Documentation	89
6.74.1.1 pEpOutOfMemory()	89
6.75 foundation.pEp.jniadapter.pEpPhraseNotFound Class Reference	89
6.75.1 Constructor & Destructor Documentation	89
6.75.1.1 pEpPhraseNotFound()	89
6.76 foundation.pEp.jniadapter.pEpRecordNotFound Class Reference	89
6.76.1 Constructor & Destructor Documentation	90
6.76.1.1 pEpRecordNotFound()	90
6.77 foundation.pEp.jniadapter.pEpSendFunctionNotRegistered Class Reference	90
6.77.1 Constructor & Destructor Documentation	90
6.77.1.1 pEpSendFunctionNotRegistered()	90
6.78 foundation.pEp.jniadapter.pEpSomeKeysImported Class Reference	90
6.78.1 Constructor & Destructor Documentation	91
6.78.1.1 pEpSomeKeysImported()	91
6.79 foundation.pEp.jniadapter.pEpStatemachineCannotSend Class Reference	91
6.79.1 Constructor & Destructor Documentation	91
6.79.1.1 pEpStatemachineCannotSend()	91
6.80 foundation.pEp.jniadapter.pEpStatemachineError Class Reference	91
6.80.1 Constructor & Destructor Documentation	92
6.80.1.1 pEpStatemachineError()	92

6.81 foundation.pEp.jniadapter.pEpStatemachineInhibitedEvent Class Reference	92
6.81.1 Constructor & Destructor Documentation	92
6.81.1.1 pEpStatemachineInhibitedEvent()	92
6.82 foundation.pEp.jniadapter.pEpStatemachineInvalidAction Class Reference	92
6.82.1 Constructor & Destructor Documentation	93
6.82.1.1 pEpStatemachineInvalidAction()	93
6.83 foundation.pEp.jniadapter.pEpStatemachineInvalidCondition Class Reference	93
6.83.1 Constructor & Destructor Documentation	93
6.83.1.1 pEpStatemachineInvalidCondition()	93
6.84 foundation.pEp.jniadapter.pEpStatemachineInvalidEvent Class Reference	93
6.84.1 Constructor & Destructor Documentation	94
6.84.1.1 pEpStatemachineInvalidEvent()	94
6.85 foundation.pEp.jniadapter.pEpStatemachineInvalidState Class Reference	94
6.85.1 Constructor & Destructor Documentation	94
6.85.1.1 pEpStatemachineInvalidState()	94
6.86 foundation.pEp.jniadapter.pEpSyncCannotEncrypt Class Reference	94
6.86.1 Constructor & Destructor Documentation	95
6.86.1.1 pEpSyncCannotEncrypt()	95
6.87 foundation.pEp.jniadapter.pEpSyncCannotStart Class Reference	95
6.87.1 Constructor & Destructor Documentation	95
6.87.1.1 pEpSyncCannotStart()	95
6.88 foundation.pEp.jniadapter.pEpSyncIllegalMessage Class Reference	95
6.88.1 Constructor & Destructor Documentation	96
6.88.1.1 pEpSyncIllegalMessage()	96
6.89 foundation.pEp.jniadapter.pEpSyncNoChannel Class Reference	96
6.89.1 Constructor & Destructor Documentation	96
6.89.1.1 pEpSyncNoChannel()	96
6.90 foundation.pEp.jniadapter.pEpSyncNoInjectCallback Class Reference	96
6.90.1 Constructor & Destructor Documentation	97
6.90.1.1 pEpSyncNoInjectCallback()	97
6.91 foundation.pEp.jniadapter.pEpSyncNoMessageSendCallback Class Reference	97
6.91.1 Constructor & Destructor Documentation	97
6.91.1.1 pEpSyncNoMessageSendCallback()	97
6.92 foundation.pEp.jniadapter.pEpSyncNoNotifyCallback Class Reference	97
6.92.1 Constructor & Destructor Documentation	98
6.92.1.1 pEpSyncNoNotifyCallback()	98
6.93 foundation.pEp.jniadapter.pEpTrustwordNotFound Class Reference	98
6.93.1 Constructor & Destructor Documentation	98
6.93.1.1 pEpTrustwordNotFound()	98
6.94 foundation.pEp.jniadapter.pEpTrustwordsDuplicateFpr Class Reference	98
6.94.1 Constructor & Destructor Documentation	99
6.94.1.1 pEpTrustwordsDuplicateFpr()	99

6.95 foundation.pEp.jniadapter.pEpTrustwordsFprWrongLength Class Reference	99
6.95.1 Constructor & Destructor Documentation	99
6.95.1.1 pEpTrustwordsFprWrongLength()	99
6.96 foundation.pEp.jniadapter.pEpUnencrypted Class Reference	99
6.96.1 Constructor & Destructor Documentation	100
6.96.1.1 pEpUnencrypted()	100
6.97 foundation.pEp.jniadapter.pEpUnknownDbError Class Reference	100
6.97.1 Constructor & Destructor Documentation	100
6.97.1.1 pEpUnknownDbError()	100
6.98 foundation.pEp.jniadapter.pEpUnknownError Class Reference	100
6.98.1 Constructor & Destructor Documentation	101
6.98.1.1 pEpUnknownError()	101
6.99 foundation.pEp.jniadapter.pEpVerified Class Reference	101
6.99.1 Constructor & Destructor Documentation	101
6.99.1.1 pEpVerified()	101
6.100 foundation.pEp.jniadapter.pEpVerifiedAndTrusted Class Reference	101
6.100.1 Constructor & Destructor Documentation	102
6.100.1.1 pEpVerifiedAndTrusted()	102
6.101 foundation.pEp.jniadapter.pEpVerifyNoKey Class Reference	102
6.101.1 Constructor & Destructor Documentation	102
6.101.1.1 pEpVerifyNoKey()	102
6.102 foundation.pEp.jniadapter.pEpVerifySignerKeyRevoked Class Reference	102
6.102.1 Constructor & Destructor Documentation	103
6.102.1.1 pEpVerifySignerKeyRevoked()	103
6.103 foundation.pEp.jniadapter.pEpVersionMismatch Class Reference	103
6.103.1 Constructor & Destructor Documentation	103
6.103.1.1 pEpVersionMismatch()	103
6.104 foundation.pEp.jniadapter.Rating Enum Reference	103
6.104.1 Member Function Documentation	104
6.104.1.1 getByInt()	104
6.104.2 Member Data Documentation	104
6.104.2.1 pEpRatingB0rken	104
6.104.2.2 pEpRatingCannotDecrypt	104
6.104.2.3 pEpRatingFullyAnonymous	105
6.104.2.4 pEpRatingHaveNoKey	105
6.104.2.5 pEpRatingMistrust	105
6.104.2.6 pEpRatingReliable	105
6.104.2.7 pEpRatingTrusted	105
6.104.2.8 pEpRatingTrustedAndAnonymized	105
6.104.2.9 pEpRatingUndefined	105
6.104.2.10 pEpRatingUnderAttack	105
6.104.2.11 pEpRatingUnencrypted	106

6.104.2.12 pEpRatingUnencryptedForSome	106
6.104.2.13 pEpRatingUnreliable	106
6.104.2.14 value	106
6.105 foundation.pEp.jniadapter.Status Enum Reference	106
6.105.1 Member Function Documentation	108
6.105.1.1 getByInt()	108
6.105.2 Member Data Documentation	108
6.105.2.1 pEpBufferTooSmall	108
6.105.2.2 pEpCannotConfig	109
6.105.2.3 pEpCannotCreateKey	109
6.105.2.4 pEpCannotCreateTempFile	109
6.105.2.5 pEpCannotDecryptUnknown	109
6.105.2.6 pEpCannotDeleteKey	109
6.105.2.7 pEpCannotEditKey	109
6.105.2.8 pEpCannotEncode	109
6.105.2.9 pEpCannotExportKey	109
6.105.2.10 pEpCannotFindAlias	110
6.105.2.11 pEpCannotFindIdentity	110
6.105.2.12 pEpCannotFindPerson	110
6.105.2.13 pEpCannotIncreaseSequence	110
6.105.2.14 pEpCannotReencrypt	110
6.105.2.15 pEpCannotSendKey	110
6.105.2.16 pEpCannotSetAlias	110
6.105.2.17 pEpCannotSetIdentity	110
6.105.2.18 pEpCannotSetPepVersion	111
6.105.2.19 pEpCannotSetPerson	111
6.105.2.20 pEpCannotSetPgpKeypair	111
6.105.2.21 pEpCannotSetTrust	111
6.105.2.22 pEpCommitFailed	111
6.105.2.23 pEpConstraintsViolated	111
6.105.2.24 pEpDecrypted	111
6.105.2.25 pEpDecryptedAndVerified	111
6.105.2.26 pEpDecryptNoKey	112
6.105.2.27 pEpDecryptSignatureDoesNotMatch	112
6.105.2.28 pEpDecryptWrongFormat	112
6.105.2.29 pEpDistributionIllegalMessage	112
6.105.2.30 pEpGetKeyFailed	112
6.105.2.31 pEpIllegalValue	112
6.105.2.32 pEpInitCannotConfigGpgAgent	112
6.105.2.33 pEpInitCannotDetermineGpgVersion	112
6.105.2.34 pEpInitCannotLoadGpgme	113
6.105.2.35 pEpInitCannotOpenDb	113

6.105.2.36 pEpInitCannotOpenSystemDb	113
6.105.2.37 pEpInitGpgmeInitFailed	113
6.105.2.38 pEpInitNetpgpInitFailed	113
6.105.2.39 pEpInitNoGpgHome	113
6.105.2.40 pEpInitSqlite3WithoutMutex	113
6.105.2.41 pEpInitUnsupportedGpgVersion	113
6.105.2.42 pEpKeyBlacklisted	114
6.105.2.43 pEpKeyHasAmbigName	114
6.105.2.44 pEpKeyImported	114
6.105.2.45 pEpKeyImportStatusUnknown	114
6.105.2.46 pEpKeyNotFound	114
6.105.2.47 pEpKeyNotReset	114
6.105.2.48 pEpKeyUnsuitable	114
6.105.2.49 pEpMalformedKeyResetMsg	114
6.105.2.50 pEpMessageConsume	115
6.105.2.51 pEpMessageIgnore	115
6.105.2.52 pEpNoKeyImported	115
6.105.2.53 pEpNoTrust	115
6.105.2.54 pEpOutOfMemory	115
6.105.2.55 pEpPhraseNotFound	115
6.105.2.56 pEpRecordNotFound	115
6.105.2.57 pEpSendFunctionNotRegistered	115
6.105.2.58 pEpSomeKeysImported	116
6.105.2.59 pEpStatemachineCannotSend	116
6.105.2.60 pEpStatemachineError	116
6.105.2.61 pEpStatemachineInhibitedEvent	116
6.105.2.62 pEpStatemachineInvalidAction	116
6.105.2.63 pEpStatemachineInvalidCondition	116
6.105.2.64 pEpStatemachineInvalidEvent	116
6.105.2.65 pEpStatemachineInvalidState	116
6.105.2.66 pEpStatusOk	117
6.105.2.67 pEpSyncCannotEncrypt	117
6.105.2.68 pEpSyncCannotStart	117
6.105.2.69 pEpSyncIllegalMessage	117
6.105.2.70 pEpSyncNoChannel	117
6.105.2.71 pEpSyncNoInjectCallback	117
6.105.2.72 pEpSyncNoMessageSendCallback	117
6.105.2.73 pEpSyncNoNotifyCallback	117
6.105.2.74 pEpTrustwordNotFound	118
6.105.2.75 pEpTrustwordsDuplicateFpr	118
6.105.2.76 pEpTrustwordsFprWrongLength	118
6.105.2.77 pEpUnencrypted	118

6.105.2.78 pEpUnknownDbError	118
6.105.2.79 pEpUnknownError	118
6.105.2.80 pEpVerified	118
6.105.2.81 pEpVerifiedAndTrusted	118
6.105.2.82 pEpVerifyNoKey	119
6.105.2.83 pEpVerifySignerKeyRevoked	119
6.105.2.84 pEpVersionMismatch	119
6.105.2.85 value	119
6.106 foundation.pEp.jniadapter.Sync Interface Reference	119
6.107 foundation.pEp.jniadapter.SyncHandshakeResult Enum Reference	119
6.107.1 Member Function Documentation	120
6.107.1.1 getByInt()	120
6.107.2 Member Data Documentation	120
6.107.2.1 SyncHandshakeAccepted	120
6.107.2.2 SyncHandshakeCancel	120
6.107.2.3 SyncHandshakeRejected	120
6.107.2.4 value	120
6.108 foundation.pEp.jniadapter.SyncHandshakeSignal Enum Reference	121
6.108.1 Member Function Documentation	121
6.108.1.1 getByInt()	121
6.108.2 Member Data Documentation	121
6.108.2.1 SyncNotifyAcceptedDeviceAccepted	121
6.108.2.2 SyncNotifyAcceptedDeviceAdded	121
6.108.2.3 SyncNotifyAcceptedGroupCreated	122
6.108.2.4 SyncNotifyInGroup	122
6.108.2.5 SyncNotifyInitAddOtherDevice	122
6.108.2.6 SyncNotifyInitAddOurDevice	122
6.108.2.7 SyncNotifyInitFormGroup	122
6.108.2.8 SyncNotifySole	122
6.108.2.9 SyncNotifyTimeout	122
6.108.2.10 SyncNotifyUndefined	122
6.108.2.11 value	123
6.109 foundation.pEp.jniadapter.Message.TextFormat Enum Reference	123
6.109.1 Member Function Documentation	123
6.109.1.1 getByInt()	123
6.109.2 Member Data Documentation	123
6.109.2.1 Html	123
6.109.2.2 Other	123
6.109.2.3 Plain	124
6.109.2.4 value	124

7.1	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/_Blob.java File Reference	125
7.2	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/_Identity.java File Reference	125
7.3	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/AbstractEngine.java File Reference	125
7.4	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Blob.java File Reference	126
7.5	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/CipherSuite.java File Reference	126
7.6	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Color.java File Reference	126
7.7	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/CommType.java File Reference	126
7.8	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/DecryptFlags.java File Reference	127
7.9	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Engine.java File Reference	127
7.10	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Identity.java File Reference	127
7.11	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/IdentityFlags.java File Reference	127
7.12	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Message.java File Reference	128
7.13	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Pair.java File Reference	128
7.14	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpBufferTooSmall.java File Reference	128
7.15	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotConfig.java File Reference	129
7.16	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotCreateKey.java File Reference	129
7.17	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotCreateTempFile.java File Reference	129
7.18	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotDecryptUnknown.java File Reference	129
7.19	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotDeleteKey.java File Reference	130
7.20	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotEditKey.java File Reference	130
7.21	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotEncode.java File Reference	130
7.22	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotExportKey.java File Reference	130
7.23	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotFindAlias.java File Reference	131
7.24	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotFindIdentity.java File Reference	131

7.25	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotFindPerson.java File Reference	131
7.26	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotIncreaseSequence.java File Reference	131
7.27	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotReencrypt.java File Reference	132
7.28	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotSendKey.java File Reference	132
7.29	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotSetAlias.java File Reference	132
7.30	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotSetIdentity.java File Reference	132
7.31	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotSetPepVersion.java File Reference	133
7.32	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotSetPerson.java File Reference	133
7.33	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotSetPgpKeypair.java File Reference	133
7.34	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotSetTrust.java File Reference	133
7.35	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CommitFailed.java File Reference	134
7.36	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ ConstraintsViolated.java File Reference	134
7.37	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ Decrypted.java File Reference	134
7.38	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ DecryptedAndVerified.java File Reference	134
7.39	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ DecryptNoKey.java File Reference	135
7.40	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ DecryptSignatureDoesNotMatch.java File Reference	135
7.41	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ DecryptWrongFormat.java File Reference	135
7.42	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ DistributionIllegalMessage.java File Reference	135
7.43	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ Exception.java File Reference	136
7.44	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ KeyFailed.java File Reference	136
7.45	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ IllegalValue.java File Reference	136
7.46	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotConfigGpgAgent.java File Reference	136
7.47	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotDetermineGpgVersion.java File Reference	137
7.48	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ CannotLoadGpgme.java File Reference	137

7.49	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInit↔ CannotOpenDb.java File Reference	137
7.50	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInit↔ CannotOpenSystemDb.java File Reference	137
7.51	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInit↔ GpgmeInitFailed.java File Reference	138
7.52	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInit↔ NetpgpInitFailed.java File Reference	138
7.53	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInit↔ NoGpgHome.java File Reference	138
7.54	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInit↔ Sqlite3WithoutMutex.java File Reference	138
7.55	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInit↔ UnsupportedGpgVersion.java File Reference	139
7.56	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKey↔ Blacklisted.java File Reference	139
7.57	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKey↔ HasAmbigName.java File Reference	139
7.58	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKey↔ Imported.java File Reference	139
7.59	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKey↔ ImportStatusUnknown.java File Reference	140
7.60	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKey↔ NotFound.java File Reference	140
7.61	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKey↔ NotReset.java File Reference	140
7.62	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKey↔ Unsuitable.java File Reference	140
7.63	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ MalformedKeyResetMsg.java File Reference	141
7.64	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ MessageConsume.java File Reference	141
7.65	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ MessageIgnore.java File Reference	141
7.66	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpNo↔ KeyImported.java File Reference	141
7.67	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpNo↔ Trust.java File Reference	142
7.68	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpOut↔ OfMemory.java File Reference	142
7.69	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ PhraseNotFound.java File Reference	142
7.70	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ RecordNotFound.java File Reference	142
7.71	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ SendFunctionNotRegistered.java File Reference	143
7.72	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ SomeKeysImported.java File Reference	143

7.73	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ StatemachineCannotSend.java File Reference	143
7.74	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ StatemachineError.java File Reference	143
7.75	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ StatemachineInhibitedEvent.java File Reference	144
7.76	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ StatemachineInvalidAction.java File Reference	144
7.77	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ StatemachineInvalidCondition.java File Reference	144
7.78	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ StatemachineInvalidEvent.java File Reference	144
7.79	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ StatemachineInvalidState.java File Reference	145
7.80	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ SyncCannotEncrypt.java File Reference	145
7.81	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ SyncCannotStart.java File Reference	145
7.82	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ SyncIllegalMessage.java File Reference	145
7.83	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ SyncNoChannel.java File Reference	146
7.84	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ SyncNoInjectCallback.java File Reference	146
7.85	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ SyncNoMessageSendCallback.java File Reference	146
7.86	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ SyncNoNotifyCallback.java File Reference	146
7.87	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ TrustwordNotFound.java File Reference	147
7.88	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ TrustwordsDuplicateFpr.java File Reference	147
7.89	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ TrustwordsFprWrongLength.java File Reference	147
7.90	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ Unencrypted.java File Reference	147
7.91	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ UnknownDbError.java File Reference	148
7.92	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ UnknownError.java File Reference	148
7.93	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ Verified.java File Reference	148
7.94	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ VerifiedAndTrusted.java File Reference	148
7.95	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ VerifyNoKey.java File Reference	149
7.96	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ VerifySignerKeyRevoked.java File Reference	149

7.97	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ VersionMismatch.java File Reference	149
7.98	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/↔ Rating.java File Reference	149
7.99	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/↔ Status.java File Reference	150
7.100	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/↔ Sync.java File Reference	150
7.101	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Sync↔ HandshakeResult.java File Reference	150
7.102	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Sync↔ HandshakeSignal.java File Reference	151
7.103	/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/↔ UniquelyIdentifiable.java File Reference	151
Index		153

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

foundation	15
foundation.pEp	15
foundation.pEp.jniadapter	15

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

foundation.pEp.jniadapter._Blob	19
foundation.pEp.jniadapter._Identity	19
AutoCloseable	
foundation.pEp.jniadapter.Message	50
foundation.pEp.jniadapter.Blob	22
foundation.pEp.jniadapter.CipherSuite	23
foundation.pEp.jniadapter.Color	25
foundation.pEp.jniadapter.CommType	26
foundation.pEp.jniadapter.Engine.decrypt_message_Return	32
foundation.pEp.jniadapter.DecryptFlags	33
foundation.pEp.jniadapter.Message.Direction	36
foundation.pEp.jniadapter.Message.EncFormat	37
foundation.pEp.jniadapter.Engine	38
foundation.pEp.jniadapter.IdentityFlags	49
foundation.pEp.jniadapter.Sync.MessageToSendCallback	58
foundation.pEp.jniadapter.Sync.DefaultCallback	35
foundation.pEp.jniadapter.Sync.NeedsFastPollCallback	59
foundation.pEp.jniadapter.Sync.DefaultCallback	35
foundation.pEp.jniadapter.Sync.NotifyHandshakeCallback	59
foundation.pEp.jniadapter.Sync.DefaultCallback	35
foundation.pEp.jniadapter.Pair< F, S >	60
foundation.pEp.jniadapter.Rating	103
RuntimeException	
foundation.pEp.jniadapter.pEpException	75
foundation.pEp.jniadapter.pEpBufferTooSmall	61
foundation.pEp.jniadapter.pEpCannotConfig	61
foundation.pEp.jniadapter.pEpCannotCreateKey	62
foundation.pEp.jniadapter.pEpCannotCreateTempFile	62
foundation.pEp.jniadapter.pEpCannotDecryptUnknown	63
foundation.pEp.jniadapter.pEpCannotDeleteKey	63
foundation.pEp.jniadapter.pEpCannotEditKey	64
foundation.pEp.jniadapter.pEpCannotEncode	64
foundation.pEp.jniadapter.pEpCannotExportKey	65
foundation.pEp.jniadapter.pEpCannotFindAlias	65

foundation.pEp.jniadapter.pEpCannotFindIdentity	66
foundation.pEp.jniadapter.pEpCannotFindPerson	66
foundation.pEp.jniadapter.pEpCannotIncreaseSequence	67
foundation.pEp.jniadapter.pEpCannotReencrypt	67
foundation.pEp.jniadapter.pEpCannotSendKey	68
foundation.pEp.jniadapter.pEpCannotSetAlias	68
foundation.pEp.jniadapter.pEpCannotSetIdentity	69
foundation.pEp.jniadapter.pEpCannotSetPepVersion	69
foundation.pEp.jniadapter.pEpCannotSetPerson	70
foundation.pEp.jniadapter.pEpCannotSetPgpKeypair	70
foundation.pEp.jniadapter.pEpCannotSetTrust	71
foundation.pEp.jniadapter.pEpCommitFailed	71
foundation.pEp.jniadapter.pEpConstraintsViolated	72
foundation.pEp.jniadapter.pEpDecrypted	72
foundation.pEp.jniadapter.pEpDecryptedAndVerified	73
foundation.pEp.jniadapter.pEpDecryptNoKey	73
foundation.pEp.jniadapter.pEpDecryptSignatureDoesNotMatch	74
foundation.pEp.jniadapter.pEpDecryptWrongFormat	74
foundation.pEp.jniadapter.pEpDistributionIllegalMessage	75
foundation.pEp.jniadapter.pEpGetKeyFailed	76
foundation.pEp.jniadapter.pEpIllegalValue	77
foundation.pEp.jniadapter.pEpInitCannotConfigGpgAgent	77
foundation.pEp.jniadapter.pEpInitCannotDetermineGpgVersion	78
foundation.pEp.jniadapter.pEpInitCannotLoadGpgme	78
foundation.pEp.jniadapter.pEpInitCannotOpenDb	79
foundation.pEp.jniadapter.pEpInitCannotOpenSystemDb	79
foundation.pEp.jniadapter.pEpInitGpgmeInitFailed	80
foundation.pEp.jniadapter.pEpInitNetpgpInitFailed	80
foundation.pEp.jniadapter.pEpInitNoGpgHome	81
foundation.pEp.jniadapter.pEpInitSqlite3WithoutMutex	81
foundation.pEp.jniadapter.pEpInitUnsupportedGpgVersion	82
foundation.pEp.jniadapter.pEpKeyBlacklisted	82
foundation.pEp.jniadapter.pEpKeyHasAmbigName	83
foundation.pEp.jniadapter.pEpKeyImported	83
foundation.pEp.jniadapter.pEpKeyImportStatusUnknown	84
foundation.pEp.jniadapter.pEpKeyNotFound	84
foundation.pEp.jniadapter.pEpKeyNotReset	85
foundation.pEp.jniadapter.pEpKeyUnsuitable	85
foundation.pEp.jniadapter.pEpMalformedKeyResetMsg	86
foundation.pEp.jniadapter.pEpMessageConsume	86
foundation.pEp.jniadapter.pEpMessageIgnore	87
foundation.pEp.jniadapter.pEpNoKeyImported	87
foundation.pEp.jniadapter.pEpNoTrust	88
foundation.pEp.jniadapter.pEpOutOfMemory	88
foundation.pEp.jniadapter.pEpPhraseNotFound	89
foundation.pEp.jniadapter.pEpRecordNotFound	89
foundation.pEp.jniadapter.pEpSendFunctionNotRegistered	90
foundation.pEp.jniadapter.pEpSomeKeysImported	90
foundation.pEp.jniadapter.pEpStatemachineCannotSend	91
foundation.pEp.jniadapter.pEpStatemachineError	91
foundation.pEp.jniadapter.pEpStatemachineInhibitedEvent	92
foundation.pEp.jniadapter.pEpStatemachineInvalidAction	92
foundation.pEp.jniadapter.pEpStatemachineInvalidCondition	93
foundation.pEp.jniadapter.pEpStatemachineInvalidEvent	93
foundation.pEp.jniadapter.pEpStatemachineInvalidState	94
foundation.pEp.jniadapter.pEpSyncCannotEncrypt	94
foundation.pEp.jniadapter.pEpSyncCannotStart	95
foundation.pEp.jniadapter.pEpSyncIllegalMessage	95

foundation.pEp.jniadapter.pEpSyncNoChannel	96
foundation.pEp.jniadapter.pEpSyncNoInjectCallback	96
foundation.pEp.jniadapter.pEpSyncNoMessageSendCallback	97
foundation.pEp.jniadapter.pEpSyncNoNotifyCallback	97
foundation.pEp.jniadapter.pEpTrustwordNotFound	98
foundation.pEp.jniadapter.pEpTrustwordsDuplicateFpr	98
foundation.pEp.jniadapter.pEpTrustwordsFprWrongLength	99
foundation.pEp.jniadapter.pEpUnencrypted	99
foundation.pEp.jniadapter.pEpUnknownDbError	100
foundation.pEp.jniadapter.pEpUnknownError	100
foundation.pEp.jniadapter.pEpVerified	101
foundation.pEp.jniadapter.pEpVerifiedAndTrusted	101
foundation.pEp.jniadapter.pEpVerifyNoKey	102
foundation.pEp.jniadapter.pEpVerifySignerKeyRevoked	102
foundation.pEp.jniadapter.pEpVersionMismatch	103
foundation.pEp.jniadapter.Status	106
foundation.pEp.jniadapter.Sync	119
foundation.pEp.jniadapter.SyncHandshakeResult	119
foundation.pEp.jniadapter.SyncHandshakeSignal	121
foundation.pEp.jniadapter.Message.TextFormat	123
Serializable	
foundation.pEp.jniadapter.Identity	47
foundation.pEp.jniadapter.Message	50

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

foundation.pEp.jniadapter._Blob	19
foundation.pEp.jniadapter._Identity	19
foundation.pEp.jniadapter.Blob	22
foundation.pEp.jniadapter.CipherSuite	23
foundation.pEp.jniadapter.Color	25
foundation.pEp.jniadapter.CommType	26
foundation.pEp.jniadapter.Engine.decrypt_message_Return	32
foundation.pEp.jniadapter.DecryptFlags	33
foundation.pEp.jniadapter.Sync.DefaultCallback	35
foundation.pEp.jniadapter.Message.Direction	36
foundation.pEp.jniadapter.Message.EncFormat	37
foundation.pEp.jniadapter.Engine	38
foundation.pEp.jniadapter.Identity	47
foundation.pEp.jniadapter.IdentityFlags	49
foundation.pEp.jniadapter.Message	50
foundation.pEp.jniadapter.Sync.MessageToSendCallback	58
foundation.pEp.jniadapter.Sync.NeedsFastPollCallback	59
foundation.pEp.jniadapter.Sync.NotifyHandshakeCallback	59
foundation.pEp.jniadapter.Pair< F, S >	60
foundation.pEp.jniadapter.pEpBufferTooSmall	61
foundation.pEp.jniadapter.pEpCannotConfig	61
foundation.pEp.jniadapter.pEpCannotCreateKey	62
foundation.pEp.jniadapter.pEpCannotCreateTempFile	62
foundation.pEp.jniadapter.pEpCannotDecryptUnknown	63
foundation.pEp.jniadapter.pEpCannotDeleteKey	63
foundation.pEp.jniadapter.pEpCannotEditKey	64
foundation.pEp.jniadapter.pEpCannotEncode	64
foundation.pEp.jniadapter.pEpCannotExportKey	65
foundation.pEp.jniadapter.pEpCannotFindAlias	65
foundation.pEp.jniadapter.pEpCannotFindIdentity	66
foundation.pEp.jniadapter.pEpCannotFindPerson	66
foundation.pEp.jniadapter.pEpCannotIncreaseSequence	67
foundation.pEp.jniadapter.pEpCannotReencrypt	67
foundation.pEp.jniadapter.pEpCannotSendKey	68
foundation.pEp.jniadapter.pEpCannotSetAlias	68

foundation.pEp.jniadapter.pEpCannotSetIdentity	69
foundation.pEp.jniadapter.pEpCannotSetPepVersion	69
foundation.pEp.jniadapter.pEpCannotSetPerson	70
foundation.pEp.jniadapter.pEpCannotSetPgpKeypair	70
foundation.pEp.jniadapter.pEpCannotSetTrust	71
foundation.pEp.jniadapter.pEpCommitFailed	71
foundation.pEp.jniadapter.pEpConstraintsViolated	72
foundation.pEp.jniadapter.pEpDecrypted	72
foundation.pEp.jniadapter.pEpDecryptedAndVerified	73
foundation.pEp.jniadapter.pEpDecryptNoKey	73
foundation.pEp.jniadapter.pEpDecryptSignatureDoesNotMatch	74
foundation.pEp.jniadapter.pEpDecryptWrongFormat	74
foundation.pEp.jniadapter.pEpDistributionIllegalMessage	75
foundation.pEp.jniadapter.pEpException	75
foundation.pEp.jniadapter.pEpGetKeyFailed	76
foundation.pEp.jniadapter.pEpIllegalValue	77
foundation.pEp.jniadapter.pEpInitCannotConfigGpgAgent	77
foundation.pEp.jniadapter.pEpInitCannotDetermineGpgVersion	78
foundation.pEp.jniadapter.pEpInitCannotLoadGpgme	78
foundation.pEp.jniadapter.pEpInitCannotOpenDb	79
foundation.pEp.jniadapter.pEpInitCannotOpenSystemDb	79
foundation.pEp.jniadapter.pEpInitGpgmeInitFailed	80
foundation.pEp.jniadapter.pEpInitNetpgpInitFailed	80
foundation.pEp.jniadapter.pEpInitNoGpgHome	81
foundation.pEp.jniadapter.pEpInitSqlite3WithoutMutex	81
foundation.pEp.jniadapter.pEpInitUnsupportedGpgVersion	82
foundation.pEp.jniadapter.pEpKeyBlacklisted	82
foundation.pEp.jniadapter.pEpKeyHasAmbigName	83
foundation.pEp.jniadapter.pEpKeyImported	83
foundation.pEp.jniadapter.pEpKeyImportStatusUnknown	84
foundation.pEp.jniadapter.pEpKeyNotFound	84
foundation.pEp.jniadapter.pEpKeyNotReset	85
foundation.pEp.jniadapter.pEpKeyUnsuitable	85
foundation.pEp.jniadapter.pEpMalformedKeyResetMsg	86
foundation.pEp.jniadapter.pEpMessageConsume	86
foundation.pEp.jniadapter.pEpMessageIgnore	87
foundation.pEp.jniadapter.pEpNoKeyImported	87
foundation.pEp.jniadapter.pEpNoTrust	88
foundation.pEp.jniadapter.pEpOutOfMemory	88
foundation.pEp.jniadapter.pEpPhraseNotFound	89
foundation.pEp.jniadapter.pEpRecordNotFound	89
foundation.pEp.jniadapter.pEpSendFunctionNotRegistered	90
foundation.pEp.jniadapter.pEpSomeKeysImported	90
foundation.pEp.jniadapter.pEpStatemachineCannotSend	91
foundation.pEp.jniadapter.pEpStatemachineError	91
foundation.pEp.jniadapter.pEpStatemachineInhibitedEvent	92
foundation.pEp.jniadapter.pEpStatemachineInvalidAction	92
foundation.pEp.jniadapter.pEpStatemachineInvalidCondition	93
foundation.pEp.jniadapter.pEpStatemachineInvalidEvent	93
foundation.pEp.jniadapter.pEpStatemachineInvalidState	94
foundation.pEp.jniadapter.pEpSyncCannotEncrypt	94
foundation.pEp.jniadapter.pEpSyncCannotStart	95
foundation.pEp.jniadapter.pEpSyncIllegalMessage	95
foundation.pEp.jniadapter.pEpSyncNoChannel	96
foundation.pEp.jniadapter.pEpSyncNoInjectCallback	96
foundation.pEp.jniadapter.pEpSyncNoMessageSendCallback	97
foundation.pEp.jniadapter.pEpSyncNoNotifyCallback	97
foundation.pEp.jniadapter.pEpTrustwordNotFound	98

foundation.pEp.jniadapter.pEpTrustwordsDuplicateFpr	98
foundation.pEp.jniadapter.pEpTrustwordsFprWrongLength	99
foundation.pEp.jniadapter.pEpUnencrypted	99
foundation.pEp.jniadapter.pEpUnknownDbError	100
foundation.pEp.jniadapter.pEpUnknownError	100
foundation.pEp.jniadapter.pEpVerified	101
foundation.pEp.jniadapter.pEpVerifiedAndTrusted	101
foundation.pEp.jniadapter.pEpVerifyNoKey	102
foundation.pEp.jniadapter.pEpVerifySignerKeyRevoked	102
foundation.pEp.jniadapter.pEpVersionMismatch	103
foundation.pEp.jniadapter.Rating	103
foundation.pEp.jniadapter.Status	106
foundation.pEp.jniadapter.Sync	119
foundation.pEp.jniadapter.SyncHandshakeResult	119
foundation.pEp.jniadapter.SyncHandshakeSignal	121
foundation.pEp.jniadapter.Message.TextFormat	123

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/_Blob.java . . .	125
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/_Identity.java . . .	125
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/AbstractEngine.java	125
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Blob.java . . .	126
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/CipherSuite.java	126
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Color.java . . .	126
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/CommType.java	126
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/DecryptFlags.java	127
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Engine.java . . .	127
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Identity.java . . .	127
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/IdentityFlags.java	127
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Message.java	128
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Pair.java . . .	128
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpBufferTooSmall.java	128
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotConfig.java	129
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotCreateKey.java	129
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotCreateTempFile.java	129
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotDecryptUnknown.java	129
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotDeleteKey.java	130
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotEditKey.java	130
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotEncode.java	130
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotExportKey.java	130

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotFindAlias.java](#)
131

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotFindIdentity.java](#)
131

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotFindPerson.java](#)
131

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotIncreaseSequence.java](#)
131

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotReencrypt.java](#)
132

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSendKey.java](#)
132

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetAlias.java](#)
132

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetIdentity.java](#)
132

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetPepVersion.java](#)
133

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetPerson.java](#)
133

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetPgpKeypair.java](#)
133

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetTrust.java](#)
133

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCommitFailed.java](#)
134

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpConstraintsViolated.java](#)
134

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpDecrypted.java](#)
134

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpDecryptedAndVerified.java](#)
134

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpDecryptNoKey.java](#)
135

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpDecryptSignatureDoesNotMatch.java](#)
135

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpDecryptWrongFormat.java](#)
135

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpDistributionIllegalMessage.java](#)
135

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpException.java](#)
136

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpGetKeyFailed.java](#)
136

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpIllegalValue.java](#)
136

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotConfigGpgAgent.java](#)
136

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotDetermineGpgVersion.java](#)
137

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotLoadGpgme.java](#)
137

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotOpenDb.java](#)
137

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotOpenSystemDb.java](#)
137

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitGpgmeInitFailed.java](#)
138

/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitNetpgpInitFailed.java	138
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitNoGpgHome.java	138
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitSqlite3WithoutMutex.java	138
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitUnsupportedGpgVersion.java	139
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyBlacklisted.java	139
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyHasAmbigName.java	139
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyImported.java	139
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyImportStatusUnknown.java	140
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyNotFound.java	140
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyNotReset.java	140
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyUnsuitable.java	140
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpMalformedKeyResetMsg.java	141
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpMessageConsume.java	141
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpMessageIgnore.java	141
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpNoKeyImported.java	141
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpNoTrust.java	142
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpOutOfMemory.java	142
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpPhraseNotFound.java	142
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpRecordNotFound.java	142
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSendFunctionNotRegistered.java	143
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSomeKeysImported.java	143
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineCannotSend.java	143
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineError.java	143
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineInhibitedEvent.java	144
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineInvalidAction.java	144
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineInvalidCondition.java	144
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineInvalidEvent.java	144
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineInvalidState.java	145
/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncCannotEncrypt.java	145

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncCannotStart.java](#)
145

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncIllegalMessage.java](#)
145

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncNoChannel.java](#)
146

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncNoInjectCallback.java](#)
146

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncNoMessageSendCallback.java](#)
146

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncNoNotifyCallback.java](#)
146

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpTrustwordNotFound.java](#)
147

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpTrustwordsDuplicateFpr.java](#)
147

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpTrustwordsFprWrongLength.java](#)
147

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpUnencrypted.java](#)
147

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpUnknownDbError.java](#)
148

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpUnknownError.java](#)
148

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpVerified.java](#)
148

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpVerifiedAndTrusted.java](#)
148

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpVerifyNoKey.java](#)
149

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpVerifySignerKeyRevoked.java](#)
149

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpVersionMismatch.java](#)
149

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Rating.java](#) . . . 149

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Status.java](#) . . . 150

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Sync.java](#) . . . 150

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/SyncHandshakeResult.java](#)
150

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/SyncHandshakeSignal.java](#)
151

[/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/UniquelyIdentifiable.java](#)
151

Chapter 5

Namespace Documentation

5.1 Package foundation

Packages

- package [pEp](#)

5.2 Package foundation.pEp

Packages

- package [jniadapter](#)

5.3 Package foundation.pEp.jniadapter

Classes

- class [_Blob](#)
- class [_Identity](#)
- class **AbstractEngine**
- class [Blob](#)
- enum [CipherSuite](#)
- enum [Color](#)
- enum [CommType](#)
- enum [DecryptFlags](#)
- class [Engine](#)
- class [Identity](#)
- enum [IdentityFlags](#)
- class [Message](#)
- class [Pair](#)
- class [pEpBufferTooSmall](#)
- class [pEpCannotConfig](#)
- class [pEpCannotCreateKey](#)

- class [pEpCannotCreateTempFile](#)
- class [pEpCannotDecryptUnknown](#)
- class [pEpCannotDeleteKey](#)
- class [pEpCannotEditKey](#)
- class [pEpCannotEncode](#)
- class [pEpCannotExportKey](#)
- class [pEpCannotFindAlias](#)
- class [pEpCannotFindIdentity](#)
- class [pEpCannotFindPerson](#)
- class [pEpCannotIncreaseSequence](#)
- class [pEpCannotReencrypt](#)
- class [pEpCannotSendKey](#)
- class [pEpCannotSetAlias](#)
- class [pEpCannotSetIdentity](#)
- class [pEpCannotSetPepVersion](#)
- class [pEpCannotSetPerson](#)
- class [pEpCannotSetPgpKeypair](#)
- class [pEpCannotSetTrust](#)
- class [pEpCommitFailed](#)
- class [pEpConstraintsViolated](#)
- class [pEpDecrypted](#)
- class [pEpDecryptedAndVerified](#)
- class [pEpDecryptNoKey](#)
- class [pEpDecryptSignatureDoesNotMatch](#)
- class [pEpDecryptWrongFormat](#)
- class [pEpDistributionIllegalMessage](#)
- class [pEpException](#)
- class [pEpGetKeyFailed](#)
- class [pEpIllegalValue](#)
- class [pEpInitCannotConfigGpgAgent](#)
- class [pEpInitCannotDetermineGpgVersion](#)
- class [pEpInitCannotLoadGpgme](#)
- class [pEpInitCannotOpenDb](#)
- class [pEpInitCannotOpenSystemDb](#)
- class [pEpInitGpgmeInitFailed](#)
- class [pEpInitNetpgpInitFailed](#)
- class [pEpInitNoGpgHome](#)
- class [pEpInitSqlite3WithoutMutex](#)
- class [pEpInitUnsupportedGpgVersion](#)
- class [pEpKeyBlacklisted](#)
- class [pEpKeyHasAmbigName](#)
- class [pEpKeyImported](#)
- class [pEpKeyImportStatusUnknown](#)
- class [pEpKeyNotFound](#)
- class [pEpKeyNotReset](#)
- class [pEpKeyUnsuitable](#)
- class [pEpMalformedKeyResetMsg](#)
- class [pEpMessageConsume](#)
- class [pEpMessageIgnore](#)
- class [pEpNoKeyImported](#)
- class [pEpNoTrust](#)
- class [pEpOutOfMemory](#)
- class [pEpPhraseNotFound](#)
- class [pEpRecordNotFound](#)
- class [pEpSendFunctionNotRegistered](#)

- class [pEpSomeKeysImported](#)
- class [pEpStatemachineCannotSend](#)
- class [pEpStatemachineError](#)
- class [pEpStatemachineInhibitedEvent](#)
- class [pEpStatemachineInvalidAction](#)
- class [pEpStatemachineInvalidCondition](#)
- class [pEpStatemachineInvalidEvent](#)
- class [pEpStatemachineInvalidState](#)
- class [pEpSyncCannotEncrypt](#)
- class [pEpSyncCannotStart](#)
- class [pEpSyncIllegalMessage](#)
- class [pEpSyncNoChannel](#)
- class [pEpSyncNoInjectCallback](#)
- class [pEpSyncNoMessageSendCallback](#)
- class [pEpSyncNoNotifyCallback](#)
- class [pEpTrustwordNotFound](#)
- class [pEpTrustwordsDuplicateFpr](#)
- class [pEpTrustwordsFprWrongLength](#)
- class [pEpUnencrypted](#)
- class [pEpUnknownDbError](#)
- class [pEpUnknownError](#)
- class [pEpVerified](#)
- class [pEpVerifiedAndTrusted](#)
- class [pEpVerifyNoKey](#)
- class [pEpVerifySignerKeyRevoked](#)
- class [pEpVersionMismatch](#)
- enum [Rating](#)
- enum [Status](#)
- interface [Sync](#)
- enum [SyncHandshakeResult](#)
- enum [SyncHandshakeSignal](#)
- class **UniquelyIdentifiable**

Chapter 6

Class Documentation

6.1 foundation.pEp.jniadapter._Blob Class Reference

Public Member Functions

- String [dataToXER](#) ()

Public Attributes

- byte [] [data](#)
- byte [] [mime_type](#)
- byte [] [filename](#)

6.1.1 Member Function Documentation

6.1.1.1 dataToXER()

```
String foundation.pEp.jniadapter._Blob.dataToXER ( )
```

Here is the caller graph for this function:

6.2 foundation.pEp.jniadapter._Identity Class Reference

Public Member Functions

- [_Identity](#) ()
- [_Identity](#) (boolean [me](#))
- [_Identity](#) ([Identity](#) [i](#))

Public Attributes

- byte [] [address](#)
- byte [] [fpr](#)
- byte [] [user_id](#)
- byte [] [username](#)
- int [comm_type](#)
- byte [] [lang](#)
- boolean [me](#)
- int [flags](#)

6.2.1 Constructor & Destructor Documentation

6.2.1.1 [_Identity\(\)](#) [1/3]

```
foundation.pEp.jniadapter._Identity._Identity ( )
```

6.2.1.2 [_Identity\(\)](#) [2/3]

```
foundation.pEp.jniadapter._Identity._Identity (
    boolean me )
```

6.2.1.3 [_Identity\(\)](#) [3/3]

```
foundation.pEp.jniadapter._Identity._Identity (
    Identity i )
```

6.2.2 Member Data Documentation

6.2.2.1 [address](#)

```
byte [] foundation.pEp.jniadapter._Identity.address
```

6.2.2.2 comm_type

```
int foundation.pEp.jniadapter._Identity.comm_type
```

6.2.2.3 flags

```
int foundation.pEp.jniadapter._Identity.flags
```

6.2.2.4 fpr

```
byte [] foundation.pEp.jniadapter._Identity.fpr
```

6.2.2.5 lang

```
byte [] foundation.pEp.jniadapter._Identity.lang
```

6.2.2.6 me

```
boolean foundation.pEp.jniadapter._Identity.me
```

6.2.2.7 user_id

```
byte [] foundation.pEp.jniadapter._Identity.user_id
```

6.2.2.8 username

```
byte [] foundation.pEp.jniadapter._Identity.username
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/_Identity.java](#)

6.3 foundation.pEp.jniadapter.Blob Class Reference

Public Member Functions

- [Blob](#) ()
- String [toString](#) ()

Public Attributes

- byte [] [data](#)
- String [mime_type](#)
- String [filename](#)

6.3.1 Constructor & Destructor Documentation

6.3.1.1 Blob()

```
foundation.pEp.jniadapter.Blob.Blob ( )
```

6.3.2 Member Function Documentation

6.3.2.1 toString()

```
String foundation.pEp.jniadapter.Blob.toString ( )
```

Human readable string representation of [Blob](#). The data field is ASN.1 XER decoded for mime_types↔: "application/pEp.sync" "application/pEp.keyreset"

Returns

String [Blob](#) as String

Here is the call graph for this function:

6.3.3 Member Data Documentation

6.3.3.1 data

```
byte [] foundation.pEp.jniadapter.Blob.data
```

6.3.3.2 filename

```
String foundation.pEp.jniadapter.Blob.filename
```

6.3.3.3 mime_type

```
String foundation.pEp.jniadapter.Blob.mime_type
```

The documentation for this class was generated from the following file:

- /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/[Blob.java](#)

6.4 foundation.pEp.jniadapter.CipherSuite Enum Reference

Static Public Member Functions

- static [CipherSuite getByInt](#) (int [value](#))

Public Attributes

- [pEpCipherSuiteDefault](#) =(0)
- [pEpCipherSuiteCv25519](#) =(1)
- [pEpCipherSuiteP256](#) =(2)
- [pEpCipherSuiteP384](#) =(3)
- [pEpCipherSuiteP521](#) =(4)
- [pEpCipherSuiteRsa2k](#) =(5)
- [pEpCipherSuiteRsa3k](#) =(6)
- [pEpCipherSuiteRsa4k](#) =(7)
- [pEpCipherSuiteRsa8k](#) =(8)
- final int [value](#)

6.4.1 Member Function Documentation

6.4.1.1 getByInt()

```
static CipherSuite foundation.pEp.jniadapter.CipherSuite.getByInt (
    int value ) [static]
```

6.4.2 Member Data Documentation

6.4.2.1 pEpCipherSuiteCv25519

```
foundation.pEp.jniadapter.CipherSuite.pEpCipherSuiteCv25519 =(1)
```

6.4.2.2 pEpCipherSuiteDefault

```
foundation.pEp.jniadapter.CipherSuite.pEpCipherSuiteDefault =(0)
```

6.4.2.3 pEpCipherSuiteP256

```
foundation.pEp.jniadapter.CipherSuite.pEpCipherSuiteP256 =(2)
```

6.4.2.4 pEpCipherSuiteP384

```
foundation.pEp.jniadapter.CipherSuite.pEpCipherSuiteP384 =(3)
```

6.4.2.5 pEpCipherSuiteP521

```
foundation.pEp.jniadapter.CipherSuite.pEpCipherSuiteP521 =(4)
```

6.4.2.6 pEpCipherSuiteRsa2k

```
foundation.pEp.jniadapter.CipherSuite.pEpCipherSuiteRsa2k =(5)
```


6.4.2.7 pEpCipherSuiteRsa3k

```
foundation.pEp.jniadapter.CipherSuite.pEpCipherSuiteRsa3k = (6)
```

6.4.2.8 pEpCipherSuiteRsa4k

```
foundation.pEp.jniadapter.CipherSuite.pEpCipherSuiteRsa4k = (7)
```

6.4.2.9 pEpCipherSuiteRsa8k

```
foundation.pEp.jniadapter.CipherSuite.pEpCipherSuiteRsa8k = (8)
```

6.4.2.10 value

```
final int foundation.pEp.jniadapter.CipherSuite.value
```

The documentation for this enum was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/CipherSuite.java](#)

6.5 foundation.pEp.jniadapter.Color Enum Reference

Static Public Member Functions

- static [Color](#) [getByInt](#) (int [value](#))

Public Attributes

- [PEPColorNoColor](#) =(0)
- [PEPColorYellow](#) =(1)
- [PEPColorGreen](#) =(2)
- [PEPColorRed](#) =(-1)
- final int [value](#)

6.5.1 Member Function Documentation

6.5.1.1 getByInt()

```
static Color foundation.pEp.jniadapter.Color.getByInt (
    int value ) [static]
```

6.5.2 Member Data Documentation

6.5.2.1 PEPColorGreen

```
foundation.pEp.jniadapter.Color.PEPColorGreen =(2)
```

6.5.2.2 PEPColorNoColor

```
foundation.pEp.jniadapter.Color.PEPColorNoColor =(0)
```

6.5.2.3 PEPColorRed

```
foundation.pEp.jniadapter.Color.PEPColorRed =(-1)
```

6.5.2.4 PEPColorYellow

```
foundation.pEp.jniadapter.Color.PEPColorYellow =(1)
```

6.5.2.5 value

```
final int foundation.pEp.jniadapter.Color.value
```

The documentation for this enum was generated from the following file:

- /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/[Color.java](#)

6.6 foundation.pEp.jniadapter.CommType Enum Reference

Classes

- class **Management**

Public Member Functions

- [CommType](#) (int value)

Public Attributes

- [PEP_ct_unknown](#) =(0)
- [PEP_ct_no_encryption](#) =(0x01)
- [PEP_ct_no_encrypted_channel](#) =(0x02)
- [PEP_ct_key_not_found](#) =(0x03)
- [PEP_ct_key_expired](#) =(0x04)
- [PEP_ct_key_revoked](#) =(0x05)
- [PEP_ct_key_b0rken](#) =(0x06)
- [PEP_ct_my_key_not_included](#) =(0x09)
- [PEP_ct_security_by_obscurity](#) =(0x0a)
- [PEP_ct_b0rken_crypto](#) =(0x0b)
- [PEP_ct_key_too_short](#) =(0x0c)
- [PEP_ct_compromized](#) =(0x0e)
- [PEP_ct_mistrusted](#) =(0x0f)
- [PEP_ct_unconfirmed_encryption](#) =(0x10)
- [PEP_ct_OpenPGP_weak_unconfirmed](#) =(0x11)
- [PEP_ct_to_be_checked](#) =(0x20)
- [PEP_ct_SMIME_unconfirmed](#) =(0x21)
- [PEP_ct_CMS_unconfirmed](#) =(0x22)
- [PEP_ct_strong_but_unconfirmed](#) =(0x30)
- [PEP_ct_OpenPGP_unconfirmed](#) =(0x38)
- [PEP_ct_OTR_unconfirmed](#) =(0x3a)
- [PEP_ct_unconfirmed_enc_anon](#) =(0x40)
- [PEP_ct_PEP_unconfirmed](#) =(0x7f)
- [PEP_ct_confirmed](#) =(0x80)
- [PEP_ct_confirmed_encryption](#) =(0x90)
- [PEP_ct_OpenPGP_weak](#) =(0x91)
- [PEP_ct_to_be_checked_confirmed](#) =(0xa0)
- [PEP_ct_SMIME](#) =(0xa1)
- [PEP_ct_CMS](#) =(0xa2)
- [PEP_ct_strong_encryption](#) =(0xb0)
- [PEP_ct_OpenPGP](#) =(0xb8)
- [PEP_ct_OTR](#) =(0xba)
- [PEP_ct_confirmed_enc_anon](#) =(0xc0)
- [PEP_ct_pEp](#) =(0xff)
- final int value

6.6.1 Constructor & Destructor Documentation

6.6.1.1 CommType()

```
foundation.pEp.jniadapter.CommType.CommType (
    int value )
```

6.6.2 Member Data Documentation

6.6.2.1 PEP_ct_b0rken_crypto

`foundation.pEp.jniadapter.CommType.PEP_ct_b0rken_crypto = (0x0b)`

6.6.2.2 PEP_ct_CMS

`foundation.pEp.jniadapter.CommType.PEP_ct_CMS = (0xa2)`

6.6.2.3 PEP_ct_CMS_unconfirmed

`foundation.pEp.jniadapter.CommType.PEP_ct_CMS_unconfirmed = (0x22)`

6.6.2.4 PEP_ct_compromized

`foundation.pEp.jniadapter.CommType.PEP_ct_compromized = (0x0e)`

6.6.2.5 PEP_ct_confirmed

`foundation.pEp.jniadapter.CommType.PEP_ct_confirmed = (0x80)`

6.6.2.6 PEP_ct_confirmed_enc_anon

`foundation.pEp.jniadapter.CommType.PEP_ct_confirmed_enc_anon = (0xc0)`

6.6.2.7 PEP_ct_confirmed_encryption

`foundation.pEp.jniadapter.CommType.PEP_ct_confirmed_encryption = (0x90)`

6.6.2.8 PEP_ct_key_b0rken

```
foundation.pEp.jniadapter.CommType.PEP_ct_key_b0rken = (0x06)
```

6.6.2.9 PEP_ct_key_expired

```
foundation.pEp.jniadapter.CommType.PEP_ct_key_expired = (0x04)
```

6.6.2.10 PEP_ct_key_not_found

```
foundation.pEp.jniadapter.CommType.PEP_ct_key_not_found = (0x03)
```

6.6.2.11 PEP_ct_key_revoked

```
foundation.pEp.jniadapter.CommType.PEP_ct_key_revoked = (0x05)
```

6.6.2.12 PEP_ct_key_too_short

```
foundation.pEp.jniadapter.CommType.PEP_ct_key_too_short = (0x0c)
```

6.6.2.13 PEP_ct_mistrusted

```
foundation.pEp.jniadapter.CommType.PEP_ct_mistrusted = (0x0f)
```

6.6.2.14 PEP_ct_my_key_not_included

```
foundation.pEp.jniadapter.CommType.PEP_ct_my_key_not_included = (0x09)
```

6.6.2.15 PEP_ct_no_encrypted_channel

```
foundation.pEp.jniadapter.CommType.PEP_ct_no_encrypted_channel = (0x02)
```

6.6.2.16 PEP_ct_no_encryption

```
foundation.pEp.jniadapter.CommType.PEP_ct_no_encryption = (0x01)
```

6.6.2.17 PEP_ct_OpenPGP

```
foundation.pEp.jniadapter.CommType.PEP_ct_OpenPGP = (0xb8)
```

6.6.2.18 PEP_ct_OpenPGP_unconfirmed

```
foundation.pEp.jniadapter.CommType.PEP_ct_OpenPGP_unconfirmed = (0x38)
```

6.6.2.19 PEP_ct_OpenPGP_weak

```
foundation.pEp.jniadapter.CommType.PEP_ct_OpenPGP_weak = (0x91)
```

6.6.2.20 PEP_ct_OpenPGP_weak_unconfirmed

```
foundation.pEp.jniadapter.CommType.PEP_ct_OpenPGP_weak_unconfirmed = (0x11)
```

6.6.2.21 PEP_ct_OTR

```
foundation.pEp.jniadapter.CommType.PEP_ct_OTR = (0xba)
```

6.6.2.22 PEP_ct_OTR_unconfirmed

```
foundation.pEp.jniadapter.CommType.PEP_ct_OTR_unconfirmed = (0x3a)
```

6.6.2.23 PEP_ct_pEp

```
foundation.pEp.jniadapter.CommType.PEP_ct_pEp = (0xff)
```

6.6.2.24 PEP_ct_PEP_unconfirmed

```
foundation.pEp.jniadapter.CommType.PEP_ct_PEP_unconfirmed = (0x7f)
```

6.6.2.25 PEP_ct_security_by_obscurity

```
foundation.pEp.jniadapter.CommType.PEP_ct_security_by_obscurity = (0x0a)
```

6.6.2.26 PEP_ct_SMIME

```
foundation.pEp.jniadapter.CommType.PEP_ct_SMIME = (0xa1)
```

6.6.2.27 PEP_ct_SMIME_unconfirmed

```
foundation.pEp.jniadapter.CommType.PEP_ct_SMIME_unconfirmed = (0x21)
```

6.6.2.28 PEP_ct_strong_but_unconfirmed

```
foundation.pEp.jniadapter.CommType.PEP_ct_strong_but_unconfirmed = (0x30)
```

6.6.2.29 PEP_ct_strong_encryption

```
foundation.pEp.jniadapter.CommType.PEP_ct_strong_encryption = (0xb0)
```

6.6.2.30 PEP_ct_to_be_checked

```
foundation.pEp.jniadapter.CommType.PEP_ct_to_be_checked = (0x20)
```

6.6.2.31 PEP_ct_to_be_checked_confirmed

```
foundation.pEp.jniadapter.CommType.PEP_ct_to_be_checked_confirmed = (0xa0)
```

6.6.2.32 PEP_ct_unconfirmed_enc_anon

```
foundation.pEp.jniadapter.CommType.PEP_ct_unconfirmed_enc_anon = (0x40)
```

6.6.2.33 PEP_ct_unconfirmed_encryption

```
foundation.pEp.jniadapter.CommType.PEP_ct_unconfirmed_encryption = (0x10)
```

6.6.2.34 PEP_ct_unknown

```
foundation.pEp.jniadapter.CommType.PEP_ct_unknown = (0)
```

6.6.2.35 value

```
final int foundation.pEp.jniadapter.CommType.value
```

The documentation for this enum was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/CommType.java](#)

6.7 foundation.pEp.jniadapter.Engine.decrypt_message_Return Class Reference

Collaboration diagram for foundation.pEp.jniadapter.Engine.decrypt_message_Return:

Public Attributes

- [Message dst](#)
- [Rating rating](#)
- [int flags](#)

6.7.1 Member Data Documentation

6.7.1.1 dst

```
Message foundation.pEp.jniadapter.Engine.decrypt_message_Return.dst
```


6.7.1.2 flags

```
int foundation.pEp.jniadapter.Engine.decrypt_message_Return.flags
```

6.7.1.3 rating

```
Rating foundation.pEp.jniadapter.Engine.decrypt_message_Return.rating
```

The documentation for this class was generated from the following file:

- /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/[Engine.java](#)

6.8 foundation.pEp.jniadapter.DecryptFlags Enum Reference

Static Public Member Functions

- static [DecryptFlags getByInt](#) (int *value*)

Public Attributes

- [pEpDecryptFlagOwnPrivateKey](#) =(1)
- [pEpDecryptFlagConsumed](#) =(2)
- [pEpDecryptFlagIgnored](#) =(4)
- [pEpDecryptFlagSrcModified](#) =(8)
- [pEpDecryptFlagUntrustedServer](#) =(0x100)
- [pEpDecryptFlagDontTriggerSync](#) =(0x200)
- final int *value*

6.8.1 Member Function Documentation

6.8.1.1 getByInt()

```
static DecryptFlags foundation.pEp.jniadapter.DecryptFlags.getByInt (
    int value ) [static]
```

6.8.2 Member Data Documentation

6.8.2.1 pEpDecryptFlagConsumed

```
foundation.pEp.jniadapter.DecryptFlags.pEpDecryptFlagConsumed = (2)
```

6.8.2.2 pEpDecryptFlagDontTriggerSync

```
foundation.pEp.jniadapter.DecryptFlags.pEpDecryptFlagDontTriggerSync = (0x200)
```

6.8.2.3 pEpDecryptFlagIgnored

```
foundation.pEp.jniadapter.DecryptFlags.pEpDecryptFlagIgnored = (4)
```

6.8.2.4 pEpDecryptFlagOwnPrivateKey

```
foundation.pEp.jniadapter.DecryptFlags.pEpDecryptFlagOwnPrivateKey = (1)
```

6.8.2.5 pEpDecryptFlagSrcModified

```
foundation.pEp.jniadapter.DecryptFlags.pEpDecryptFlagSrcModified = (8)
```

6.8.2.6 pEpDecryptFlagUntrustedServer

```
foundation.pEp.jniadapter.DecryptFlags.pEpDecryptFlagUntrustedServer = (0x100)
```

6.8.2.7 value

```
final int foundation.pEp.jniadapter.DecryptFlags.value
```

The documentation for this enum was generated from the following file:

- /tmp/guix-build-java-peg-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/[DecryptFlags.java](#)

6.9 foundation.pEp.jniadapter.Sync.DefaultCallback Class Reference

Inheritance diagram for foundation.pEp.jniadapter.Sync.DefaultCallback:

Collaboration diagram for foundation.pEp.jniadapter.Sync.DefaultCallback:

Public Member Functions

- void [needsFastPollCallFromC](#) (Boolean `fast_poll_needed`)
- void [messageToSend](#) ([Message](#) `message`)
- void [notifyHandshake](#) ([Identity](#) `myself`, [Identity](#) `partner`, [SyncHandshakeSignal](#) `signal`)

6.9.1 Member Function Documentation

6.9.1.1 [messageToSend\(\)](#)

```
void foundation.pEp.jniadapter.Sync.DefaultCallback.messageToSend (  
    Message message )
```

Implements [foundation.pEp.jniadapter.Sync.MessageToSendCallback](#).

6.9.1.2 [needsFastPollCallFromC\(\)](#)

```
void foundation.pEp.jniadapter.Sync.DefaultCallback.needsFastPollCallFromC (  
    Boolean fast_poll_needed )
```

Implements [foundation.pEp.jniadapter.Sync.NeedsFastPollCallback](#).

6.9.1.3 [notifyHandshake\(\)](#)

```
void foundation.pEp.jniadapter.Sync.DefaultCallback.notifyHandshake (  
    Identity myself,  
    Identity partner,  
    SyncHandshakeSignal signal )
```

Implements [foundation.pEp.jniadapter.Sync.NotifyHandshakeCallback](#).

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-peg-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/Sync.java](#)

6.10 foundation.pEp.jniadapter.Message.Direction Enum Reference

Static Public Member Functions

- static [Direction](#) `getByInt` (int `value`)

Public Attributes

- [Incoming](#) =(0)
- [Outgoing](#) =(1)
- final int `value`

6.10.1 Member Function Documentation

6.10.1.1 `getByInt()`

```
static Direction foundation.pEp.jniadapter.Message.Direction.getByInt (
    int value ) [static]
```

Here is the caller graph for this function:

6.10.2 Member Data Documentation

6.10.2.1 `Incoming`

```
foundation.pEp.jniadapter.Message.Direction.Incoming = (0)
```

6.10.2.2 `Outgoing`

```
foundation.pEp.jniadapter.Message.Direction.Outgoing = (1)
```

6.10.2.3 `value`

```
final int foundation.pEp.jniadapter.Message.Direction.value
```

The documentation for this enum was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/Message.java](#)

6.11 foundation.pEp.jniadapter.Message.EncFormat Enum Reference

Static Public Member Functions

- static [EncFormat getByInt](#) (int *value*)

Public Attributes

- [None](#) =(0)
- [Inline](#) =(1)
- [SMIME](#) =(2)
- [PGPMIME](#) =(3)
- [PEP](#) =(4)
- final int *value*

6.11.1 Member Function Documentation

6.11.1.1 getByInt()

```
static EncFormat foundation.pEp.jniadapter.Message.EncFormat.getByInt (
    int value ) [static]
```

Here is the caller graph for this function:

6.11.2 Member Data Documentation

6.11.2.1 Inline

```
foundation.pEp.jniadapter.Message.EncFormat.Inline =(1)
```

6.11.2.2 None

```
foundation.pEp.jniadapter.Message.EncFormat.None =(0)
```

6.11.2.3 PEP

```
foundation.pEp.jniadapter.Message.EncFormat.PEP = (4)
```

6.11.2.4 PGMIME

```
foundation.pEp.jniadapter.Message.EncFormat.PGMIME = (3)
```

6.11.2.5 SMIME

```
foundation.pEp.jniadapter.Message.EncFormat.SMIME = (2)
```

6.11.2.6 value

```
final int foundation.pEp.jniadapter.Message.EncFormat.value
```

The documentation for this enum was generated from the following file:

- [/tmp/guix-build-java-peg-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Message.java](#)

6.12 foundation.pEp.jniadapter.Engine Class Reference

Inheritance diagram for foundation.pEp.jniadapter.Engine:

Collaboration diagram for foundation.pEp.jniadapter.Engine:

Classes

- class [decrypt_message_Return](#)

Public Member Functions

- [Engine](#) () throws [pEpException](#)
- [Message encrypt_message](#) ([Message](#) src, [Vector](#)< [String](#) > extra, [Message.EncFormat](#) format) throws [pEpException](#)
- [Message encrypt_message_and_add_priv_key](#) ([Message](#) src, [String](#) fpr) throws [pEpException](#)
- [Message encrypt_message_for_self](#) ([Identity](#) target, [Message](#) src, [Vector](#)< [String](#) > extra) throws [pEpException](#)
- [decrypt_message_Return decrypt_message](#) ([Message](#) src, [Vector](#)< [String](#) > keylist, [int](#) flags) throws [pEpException](#)
- [Rating re_evaluate_message_rating](#) ([Message](#) src) throws [pEpException](#)
- native [Rating outgoing_message_rating](#) ([Message](#) msg) throws [pEpException](#)
- native [Rating outgoing_message_rating_preview](#) ([Message](#) msg) throws [pEpException](#)
- [Identity get_identity](#) ([String](#) address, [String](#) userid) throws [pEpException](#)
- [Rating identity_rating](#) ([Identity](#) ident) throws [pEpException](#)
- [Vector](#)< [String](#) > [blacklist_retrieve](#) () throws [pEpException](#)
- [Identity own_message_private_key_details](#) ([Message](#) msg) throws [pEpException](#)
- [ArrayList](#)< [Pair](#)< [String](#), [String](#) > > [OpenPGP_list_keyinfo](#) ([String](#) pattern) throws [pEpException](#)
- void [set_identity_flags](#) ([Identity](#) ident, [int](#) flags) throws [pEpException](#)
- void [unset_identity_flags](#) ([Identity](#) ident, [int](#) flags) throws [pEpException](#)
- [Vector](#)< [Identity](#) > [own_identities_retrieve](#) () throws [pEpException](#)
- [String](#) [get_trustwords](#) ([Identity](#) id1, [Identity](#) id2, [String](#) lang, [Boolean](#) full) throws [pEpException](#)
- [String](#) [get_trustwords_for_fprs](#) ([String](#) fpr1, [String](#) fpr2, [String](#) lang, [Boolean](#) full) throws [pEpException](#)
- [String](#) [get_message_trustwords](#) ([Message](#) msg, [Vector](#)< [String](#) > keylist, [Identity](#) receivedby, [String](#) lang, [Boolean](#) full) throws [pEpException](#)
- [String](#) [get_languagelist](#) () throws [pEpException](#)
- void [key_reset_trust](#) ([Identity](#) ident) throws [pEpException](#)
- void [key_reset_identity](#) ([Identity](#) ident, [String](#) fpr) throws [pEpException](#)
- void [key_reset_user](#) ([String](#) userid, [String](#) fpr) throws [pEpException](#)
- native void [key_reset_all_own_keys](#) () throws [pEpException](#)
- void [deliverHandshakeResult](#) ([SynchHandshakeResult](#) shr, [Vector](#)< [Identity](#) > identities) throws [pEpException](#)
- native void [leave_device_group](#) () throws [pEpException](#)
- void [enable_identity_for_sync](#) ([Identity](#) ident) throws [pEpException](#)
- void [disable_identity_for_sync](#) ([Identity](#) ident) throws [pEpException](#)
- native void [config_cipher_suite](#) ([CipherSuite](#) suite) throws [pEpException](#)
- [String](#) [trustwords](#) ([Identity](#) ident)
- [Identity](#) [myself](#) ([Identity](#) ident)
- [Identity](#) [updateIdentity](#) ([Identity](#) ident)
- [Identity](#) [setOwnKey](#) ([Identity](#) ident, [String](#) fpr)
- void [keyMistrusted](#) ([Identity](#) ident)
- void [keyResetTrust](#) ([Identity](#) ident)
- void [trustPersonalKey](#) ([Identity](#) ident)
- void [trustOwnKey](#) ([Identity](#) ident)
- native void [importKey](#) ([byte](#)[] key)
- void [blacklist_add](#) ([String](#) fpr)
- void [blacklist_delete](#) ([String](#) fpr)
- [Boolean](#) [blacklist_is_listed](#) ([String](#) fpr)
- void [config_passive_mode](#) ([Boolean](#) enable)
- void [config_unencrypted_subject](#) ([Boolean](#) enable)
- [String](#) [getCrashdumpLog](#) ([int](#) maxlines)

6.12.1 Constructor & Destructor Documentation

6.12.1.1 Engine()

`foundation.pEp.jniadapter.Engine.Engine ()` throws [pEpException](#)

6.12.2 Member Function Documentation

6.12.2.1 blacklist_add()

```
void foundation.pEp.jniadapter.Engine.blacklist_add (
    String fpr )
```

6.12.2.2 blacklist_delete()

```
void foundation.pEp.jniadapter.Engine.blacklist_delete (
    String fpr )
```

6.12.2.3 blacklist_is_listed()

```
Boolean foundation.pEp.jniadapter.Engine.blacklist_is_listed (
    String fpr )
```

6.12.2.4 blacklist_retrieve()

```
Vector<String> foundation.pEp.jniadapter.Engine.blacklist_retrieve ( )
```

 throws [pEpException](#)

6.12.2.5 config_cipher_suite()

```
native void foundation.pEp.jniadapter.Engine.config_cipher_suite (
    CipherSuite suite )
```

 throws [pEpException](#)

6.12.2.6 config_passive_mode()

```
void foundation.pEp.jniadapter.Engine.config_passive_mode (
    Boolean enable )
```

6.12.2.7 config_unencrypted_subject()

```
void foundation.pEp.jniadapter.Engine.config_unencrypted_subject (
    Boolean enable )
```

6.12.2.8 decrypt_message()

```
decrypt_message_Return foundation.pEp.jniadapter.Engine.decrypt_message (
    Message src,
    Vector< String > keylist,
    int flags ) throws pEpException
```

6.12.2.9 deliverHandshakeResult()

```
void foundation.pEp.jniadapter.Engine.deliverHandshakeResult (
    SyncHandshakeResult shr,
    Vector< Identity > identities ) throws pEpException
```

6.12.2.10 disable_identity_for_sync()

```
void foundation.pEp.jniadapter.Engine.disable_identity_for_sync (
    Identity ident ) throws pEpException
```

6.12.2.11 enable_identity_for_sync()

```
void foundation.pEp.jniadapter.Engine.enable_identity_for_sync (
    Identity ident ) throws pEpException
```

6.12.2.12 encrypt_message()

```
Message foundation.pEp.jniadapter.Engine.encrypt_message (
    Message src,
    Vector< String > extra,
    Message.EncFormat format ) throws pEpException
```

6.12.2.13 encrypt_message_and_add_priv_key()

```
Message foundation.pEp.jniadapter.Engine.encrypt_message_and_add_priv_key (
    Message src,
    String fpr ) throws pEpException
```

6.12.2.14 encrypt_message_for_self()

```
Message foundation.pEp.jniadapter.Engine.encrypt_message_for_self (
    Identity target,
    Message src,
    Vector< String > extra ) throws pEpException
```

6.12.2.15 get_identity()

```
Identity foundation.pEp.jniadapter.Engine.get_identity (
    String address,
    String userid ) throws pEpException
```

6.12.2.16 get_languagelist()

```
String foundation.pEp.jniadapter.Engine.get_languagelist ( ) throws pEpException
```

6.12.2.17 get_message_trustwords()

```
String foundation.pEp.jniadapter.Engine.get_message_trustwords (
    Message msg,
    Vector< String > keylist,
    Identity receivedby,
    String lang,
    Boolean full ) throws pEpException
```

6.12.2.18 get_trustwords()

```
String foundation.pEp.jniadapter.Engine.get_trustwords (
    Identity id1,
    Identity id2,
    String lang,
    Boolean full ) throws pEpException
```

6.12.2.19 get_trustwords_for_fprs()

```
String foundation.pEp.jniadapter.Engine.get_trustwords_for_fprs (
    String fpr1,
    String fpr2,
    String lang,
    Boolean full ) throws pEpException
```

6.12.2.20 getCrashdumpLog()

```
String foundation.pEp.jniadapter.Engine.getCrashdumpLog (
    int maxlines )
```

6.12.2.21 identity_rating()

```
Rating foundation.pEp.jniadapter.Engine.identity_rating (
    Identity ident ) throws pEpException
```

6.12.2.22 importKey()

```
native void foundation.pEp.jniadapter.Engine.importKey (
    byte [] key )
```

6.12.2.23 key_reset_all_own_keys()

```
native void foundation.pEp.jniadapter.Engine.key_reset_all_own_keys ( ) throws pEpException
```

6.12.2.24 key_reset_identity()

```
void foundation.pEp.jniadapter.Engine.key_reset_identity (
    Identity ident,
    String fpr ) throws pEpException
```

6.12.2.25 key_reset_trust()

```
void foundation.pEp.jniadapter.Engine.key_reset_trust (
    Identity ident ) throws pEpException
```

6.12.2.26 key_reset_user()

```
void foundation.pEp.jniadapter.Engine.key_reset_user (
    String userid,
    String fpr ) throws pEpException
```

6.12.2.27 keyMistrusted()

```
void foundation.pEp.jniadapter.Engine.keyMistrusted (
    Identity ident )
```

6.12.2.28 keyResetTrust()

```
void foundation.pEp.jniadapter.Engine.keyResetTrust (
    Identity ident )
```

6.12.2.29 leave_device_group()

```
native void foundation.pEp.jniadapter.Engine.leave_device_group ( ) throws pEpException
```

6.12.2.30 myself()

```
Identity foundation.pEp.jniadapter.Engine.myself (
    Identity ident )
```

6.12.2.31 OpenPGP_list_keyinfo()

```
ArrayList<Pair<String, String> > foundation.pEp.jniadapter.Engine.OpenPGP_list_keyinfo (
    String pattern ) throws pEpException
```

6.12.2.32 outgoing_message_rating()

```
native Rating foundation.pEp.jniadapter.Engine.outgoing_message_rating (
    Message msg ) throws pEpException
```

6.12.2.33 outgoing_message_rating_preview()

```
native Rating foundation.pEp.jniadapter.Engine.outgoing_message_rating_preview (
    Message msg ) throws pEpException
```

6.12.2.34 own_identities_retrieve()

```
Vector<Identity> foundation.pEp.jniadapter.Engine.own_identities_retrieve ( ) throws pEpException
```

6.12.2.35 own_message_private_key_details()

```
Identity foundation.pEp.jniadapter.Engine.own_message_private_key_details (
    Message msg ) throws pEpException
```

6.12.2.36 re_evaluate_message_rating()

```
Rating foundation.pEp.jniadapter.Engine.re_evaluate_message_rating (
    Message src ) throws pEpException
```

6.12.2.37 set_identity_flags()

```
void foundation.pEp.jniadapter.Engine.set_identity_flags (
    Identity ident,
    int flags ) throws pEpException
```

6.12.2.38 setOwnKey()

```
Identity foundation.pEp.jniadapter.Engine.setOwnKey (
    Identity ident,
    String fpr )
```

6.12.2.39 trustOwnKey()

```
void foundation.pEp.jniadapter.Engine.trustOwnKey (
    Identity ident )
```

6.12.2.40 trustPersonalKey()

```
void foundation.pEp.jniadapter.Engine.trustPersonalKey (
    Identity ident )
```

6.12.2.41 trustwords()

```
String foundation.pEp.jniadapter.Engine.trustwords (
    Identity ident )
```

6.12.2.42 unset_identity_flags()

```
void foundation.pEp.jniadapter.Engine.unset_identity_flags (
    Identity ident,
    int flags ) throws pEpException
```

6.12.2.43 updateIdentity()

```
Identity foundation.pEp.jniadapter.Engine.updateIdentity (
    Identity ident )
```

The documentation for this class was generated from the following file:

- /tmp/guix-build-java-peg-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/[Engine.java](#)

6.13 foundation.pEp.jniadapter.Identity Class Reference

Inheritance diagram for foundation.pEp.jniadapter.Identity:

Collaboration diagram for foundation.pEp.jniadapter.Identity:

Public Member Functions

- [Identity](#) ()
- [Identity](#) (boolean *me*)
- [Identity](#) ([_Identity](#) *i*)
- [String](#) [toString](#) ()
- [Rating](#) [getRating](#) ()

Public Attributes

- [String](#) [address](#)
- [String](#) [fpr](#)
- [String](#) [user_id](#)
- [String](#) [username](#)
- [CommType](#) [comm_type](#)
- [String](#) [lang](#)
- [boolean](#) [me](#)
- [int](#) [flags](#)

6.13.1 Constructor & Destructor Documentation

6.13.1.1 [Identity\(\)](#) [1/3]

```
foundation.pEp.jniadapter.Identity.Identity ( )
```

6.13.1.2 [Identity\(\)](#) [2/3]

```
foundation.pEp.jniadapter.Identity.Identity (
    boolean me )
```

6.13.1.3 [Identity\(\)](#) [3/3]

```
foundation.pEp.jniadapter.Identity.Identity (
    \_Identity i )
```

6.13.2 Member Function Documentation

6.13.2.1 getRating()

`Rating` foundation.pEp.jniadapter.Identity.getRating ()

Here is the call graph for this function:

6.13.2.2 toString()

`String` foundation.pEp.jniadapter.Identity.toString ()

6.13.3 Member Data Documentation

6.13.3.1 address

`String` foundation.pEp.jniadapter.Identity.address

6.13.3.2 comm_type

`CommType` foundation.pEp.jniadapter.Identity.comm_type

6.13.3.3 flags

`int` foundation.pEp.jniadapter.Identity.flags

6.13.3.4 fpr

`String` foundation.pEp.jniadapter.Identity.fpr

6.13.3.5 lang

String foundation.pEp.jniadapter.Identity.lang

6.13.3.6 me

boolean foundation.pEp.jniadapter.Identity.me

6.13.3.7 user_id

String foundation.pEp.jniadapter.Identity.user_id

6.13.3.8 username

String foundation.pEp.jniadapter.Identity.username

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Identity.java](#)

6.14 foundation.pEp.jniadapter.IdentityFlags Enum Reference

Static Public Member Functions

- static [IdentityFlags getByInt](#) (int value)

Public Attributes

- [pEpldfNotForSync](#) =(1)
- [pEpldfList](#) =(2)
- [pEpldfDevicegroup](#) =(256)
- final int value

6.14.1 Member Function Documentation

6.14.1.1 getByInt()

```
static IdentityFlags foundation.pEp.jniadapter.IdentityFlags.getByInt (
    int value ) [static]
```

6.14.2 Member Data Documentation

6.14.2.1 pEpIdfDevicegroup

```
foundation.pEp.jniadapter.IdentityFlags.pEpIdfDevicegroup = (256)
```

6.14.2.2 pEpIdfList

```
foundation.pEp.jniadapter.IdentityFlags.pEpIdfList = (2)
```

6.14.2.3 pEpIdfNotForSync

```
foundation.pEp.jniadapter.IdentityFlags.pEpIdfNotForSync = (1)
```

6.14.2.4 value

```
final int foundation.pEp.jniadapter.IdentityFlags.value
```

The documentation for this enum was generated from the following file:

- /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/[IdentityFlags.java](#)

6.15 foundation.pEp.jniadapter.Message Class Reference

Inheritance diagram for foundation.pEp.jniadapter.Message:

Collaboration diagram for foundation.pEp.jniadapter.Message:

Classes

- enum [Direction](#)
- enum [EncFormat](#)
- enum [TextFormat](#)

Public Member Functions

- [Message](#) ()
- [Message](#) (String mime_text)
- native byte [] [_encodeMIME](#) () throws pEpException
- String [encodeMIME](#) ()
- final void [close](#) ()
- [Direction](#) [getDir](#) ()
- void [setDir](#) ([Direction](#) value)
- String [getId](#) ()
- void [setId](#) (String value)
- String [getShortmsg](#) ()
- void [setShortmsg](#) (String value)
- String [getLongmsg](#) ()
- void [setLongmsg](#) (String value)
- String [getLongmsgFormatted](#) ()
- void [setLongmsgFormatted](#) (String value)
- Vector< [Blob](#) > [getAttachments](#) ()
- void [setAttachments](#) (Vector< [Blob](#) > value)
- native Date [getSent](#) ()
- native void [setSent](#) (Date value)
- native Date [getRecv](#) ()
- native void [setRecv](#) (Date value)
- [Identity](#) [getFrom](#) ()
- void [setFrom](#) ([Identity](#) value)
- Vector< [Identity](#) > [getTo](#) ()
- void [setTo](#) (Vector< [Identity](#) > value)
- [Identity](#) [getRecvBy](#) ()
- void [setRecvBy](#) ([Identity](#) value)
- Vector< [Identity](#) > [getCc](#) ()
- void [setCc](#) (Vector< [Identity](#) > value)
- Vector< [Identity](#) > [getBcc](#) ()
- void [setBcc](#) (Vector< [Identity](#) > value)
- Vector< [Identity](#) > [getReplyTo](#) ()
- void [setReplyTo](#) (Vector< [Identity](#) > value)
- Vector< String > [getInReplyTo](#) ()
- void [setInReplyTo](#) (Vector< String > value)
- Vector< String > [getReferences](#) ()
- void [setReferences](#) (Vector< String > value)
- Vector< String > [getKeywords](#) ()
- void [setKeywords](#) (Vector< String > value)
- String [getComments](#) ()
- void [setComments](#) (String value)
- ArrayList< [Pair](#)< String, String > > [getOptFields](#) ()
- void [setOptFields](#) (ArrayList< [Pair](#)< String, String >> value)
- Message.EncFormat [getEncFormat](#) ()
- void [setEncFormat](#) (Message.EncFormat value)

Protected Member Functions

- final long [getHandle](#) ()

6.15.1 Constructor & Destructor Documentation

6.15.1.1 Message() [1/2]

```
foundation.pEp.jniadapter.Message.Message ( )
```

6.15.1.2 Message() [2/2]

```
foundation.pEp.jniadapter.Message.Message (
    String mime_text )
```

6.15.2 Member Function Documentation

6.15.2.1 _encodeMIME()

```
native byte [] foundation.pEp.jniadapter.Message._encodeMIME ( ) throws pEpException
```

Here is the caller graph for this function:

6.15.2.2 close()

```
final void foundation.pEp.jniadapter.Message.close ( )
```

6.15.2.3 encodeMIME()

```
String foundation.pEp.jniadapter.Message.encodeMIME ( )
```

Here is the call graph for this function:

6.15.2.4 getAttachments()

```
Vector<Blob> foundation.pEp.jniadapter.Message.getAttachments ( )
```

6.15.2.5 getBcc()

```
Vector<Identity> foundation.pEp.jniadapter.Message.getBcc ( )
```

6.15.2.6 getCc()

```
Vector<Identity> foundation.pEp.jniadapter.Message.getCc ( )
```

6.15.2.7 getComments()

```
String foundation.pEp.jniadapter.Message.getComments ( )
```

6.15.2.8 getDir()

```
Direction foundation.pEp.jniadapter.Message.getDir ( )
```

Here is the call graph for this function:

6.15.2.9 getEncFormat()

```
Message.EncFormat foundation.pEp.jniadapter.Message.getEncFormat ( )
```

Here is the call graph for this function:

6.15.2.10 getFrom()

```
Identity foundation.pEp.jniadapter.Message.getFrom ( )
```

6.15.2.11 getHandle()

```
final long foundation.pEp.jniadapter.Message.getHandle ( ) [protected]
```

6.15.2.12 getId()

```
String foundation.pEp.jniadapter.Message.getId ( )
```

6.15.2.13 getInReplyTo()

```
Vector<String> foundation.pEp.jniadapter.Message.getInReplyTo ( )
```

6.15.2.14 getKeywords()

```
Vector<String> foundation.pEp.jniadapter.Message.getKeywords ( )
```

6.15.2.15 getLongmsg()

```
String foundation.pEp.jniadapter.Message.getLongmsg ( )
```

6.15.2.16 getLongmsgFormatted()

```
String foundation.pEp.jniadapter.Message.getLongmsgFormatted ( )
```

6.15.2.17 getOptFields()

```
ArrayList<Pair<String, String> > foundation.pEp.jniadapter.Message.getOptFields ( )
```

6.15.2.18 getRecv()

```
native Date foundation.pEp.jniadapter.Message.getRecv ( )
```

6.15.2.19 getRecvBy()

```
Identity foundation.pEp.jniadapter.Message.getRecvBy ( )
```

6.15.2.20 getReferences()

```
Vector<String> foundation.pEp.jniadapter.Message.getReferences ( )
```

6.15.2.21 getReplyTo()

```
Vector<Identity> foundation.pEp.jniadapter.Message.getReplyTo ( )
```

6.15.2.22 getSent()

```
native Date foundation.pEp.jniadapter.Message.getSent ( )
```

6.15.2.23 getShortmsg()

```
String foundation.pEp.jniadapter.Message.getShortmsg ( )
```

6.15.2.24 getTo()

```
Vector<Identity> foundation.pEp.jniadapter.Message.getTo ( )
```

6.15.2.25 setAttachments()

```
void foundation.pEp.jniadapter.Message.setAttachments (
    Vector< Blob > value )
```

6.15.2.26 setBcc()

```
void foundation.pEp.jniadapter.Message.setBcc (
    Vector< Identity > value )
```

6.15.2.27 setCc()

```
void foundation.pEp.jniadapter.Message.setCc (
    Vector< Identity > value )
```

6.15.2.28 setComments()

```
void foundation.pEp.jniadapter.Message.setComments (
    String value )
```

6.15.2.29 setDir()

```
void foundation.pEp.jniadapter.Message.setDir (
    Direction value )
```

6.15.2.30 setEncFormat()

```
void foundation.pEp.jniadapter.Message.setEncFormat (
    Message.EncFormat value )
```

6.15.2.31 setFrom()

```
void foundation.pEp.jniadapter.Message.setFrom (
    Identity value )
```

6.15.2.32 setId()

```
void foundation.pEp.jniadapter.Message.setId (
    String value )
```

6.15.2.33 setInReplyTo()

```
void foundation.pEp.jniadapter.Message.setInReplyTo (
    Vector< String > value )
```

6.15.2.34 setKeywords()

```
void foundation.pEp.jniadapter.Message.setKeywords (
    Vector< String > value )
```


6.15.2.35 setLongmsg()

```
void foundation.pEp.jniadapter.Message.setLongmsg (
    String value )
```

6.15.2.36 setLongmsgFormatted()

```
void foundation.pEp.jniadapter.Message.setLongmsgFormatted (
    String value )
```

6.15.2.37 setOptFields()

```
void foundation.pEp.jniadapter.Message.setOptFields (
    ArrayList< Pair< String, String >> value )
```

6.15.2.38 setRecv()

```
native void foundation.pEp.jniadapter.Message.setRecv (
    Date value )
```

6.15.2.39 setRecvBy()

```
void foundation.pEp.jniadapter.Message.setRecvBy (
    Identity value )
```

6.15.2.40 setReferences()

```
void foundation.pEp.jniadapter.Message.setReferences (
    Vector< String > value )
```

6.15.2.41 setReplyTo()

```
void foundation.pEp.jniadapter.Message.setReplyTo (
    Vector< Identity > value )
```

6.15.2.42 setSent()

```
native void foundation.pEp.jniadapter.Message.setSent (
    Date value )
```

6.15.2.43 setShortmsg()

```
void foundation.pEp.jniadapter.Message.setShortmsg (
    String value )
```

6.15.2.44 setTo()

```
void foundation.pEp.jniadapter.Message.setTo (
    Vector< Identity > value )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Message.java](#)

6.16 foundation.pEp.jniadapter.Sync.MessageToSendCallback Interface Reference

Inheritance diagram for foundation.pEp.jniadapter.Sync.MessageToSendCallback:

Public Member Functions

- void [messageToSend](#) ([Message](#) message)

6.16.1 Member Function Documentation

6.16.1.1 messageToSend()

```
void foundation.pEp.jniadapter.Sync.MessageToSendCallback.messageToSend (
    Message message )
```

Implemented in [foundation.pEp.jniadapter.Sync.DefaultCallback](#).

The documentation for this interface was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Sync.java](#)

6.17 foundation.pEp.jniadapter.Sync.NeedsFastPollCallback Interface Reference

Inheritance diagram for foundation.pEp.jniadapter.Sync.NeedsFastPollCallback:

Public Member Functions

- void [needsFastPollCallFromC](#) (Boolean fast_poll_needed)

6.17.1 Member Function Documentation

6.17.1.1 needsFastPollCallFromC()

```
void foundation.pEp.jniadapter.Sync.NeedsFastPollCallback.needsFastPollCallFromC (
    Boolean fast_poll_needed )
```

Implemented in [foundation.pEp.jniadapter.Sync.DefaultCallback](#).

The documentation for this interface was generated from the following file:

- /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/[Sync.java](#)

6.18 foundation.pEp.jniadapter.Sync.NotifyHandshakeCallback Interface Reference

Inheritance diagram for foundation.pEp.jniadapter.Sync.NotifyHandshakeCallback:

Public Member Functions

- void [notifyHandshake](#) ([Identity](#) myself, [Identity](#) partner, [SyncHandshakeSignal](#) signal)

6.18.1 Member Function Documentation

6.18.1.1 notifyHandshake()

```
void foundation.pEp.jniadapter.Sync.NotifyHandshakeCallback.notifyHandshake (
    Identity myself,
    Identity partner,
    SyncHandshakeSignal signal )
```

Implemented in [foundation.pEp.jniadapter.Sync.DefaultCallback](#).

The documentation for this interface was generated from the following file:

- /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/[Sync.java](#)

6.19 foundation.pEp.jniadapter.Pair< F, S > Class Template Reference

Public Member Functions

- [Pair](#) ()
- [Pair](#) (F f, S s)

Public Attributes

- F [first](#)
- S [second](#)

6.19.1 Constructor & Destructor Documentation

6.19.1.1 Pair() [1/2]

```
foundation.pEp.jniadapter.Pair< F, S >.Pair ( )
```

6.19.1.2 Pair() [2/2]

```
foundation.pEp.jniadapter.Pair< F, S >.Pair (
    F f,
    S s )
```

6.19.2 Member Data Documentation

6.19.2.1 first

```
F foundation.pEp.jniadapter.Pair< F, S >.first
```

6.19.2.2 second

```
S foundation.pEp.jniadapter.Pair< F, S >.second
```

The documentation for this class was generated from the following file:

- /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/[Pair.java](#)

6.20 foundation.pEp.jniadapter.pEpBufferTooSmall Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpBufferTooSmall:

Collaboration diagram for foundation.pEp.jniadapter.pEpBufferTooSmall:

Public Member Functions

- [pEpBufferTooSmall](#) (String message)

6.20.1 Constructor & Destructor Documentation

6.20.1.1 pEpBufferTooSmall()

```
foundation.pEp.jniadapter.pEpBufferTooSmall.pEpBufferTooSmall (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-peg-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpBufferTooSmall.java](#)

6.21 foundation.pEp.jniadapter.pEpCannotConfig Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotConfig:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotConfig:

Public Member Functions

- [pEpCannotConfig](#) (String message)

6.21.1 Constructor & Destructor Documentation

6.21.1.1 pEpCannotConfig()

```
foundation.pEp.jniadapter.pEpCannotConfig.pEpCannotConfig (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-peg-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotConfig.java](#)

6.22 foundation.pEp.jniadapter.pEpCannotCreateKey Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotCreateKey:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotCreateKey:

Public Member Functions

- [pEpCannotCreateKey](#) (String message)

6.22.1 Constructor & Destructor Documentation

6.22.1.1 pEpCannotCreateKey()

```
foundation.pEp.jniadapter.pEpCannotCreateKey.pEpCannotCreateKey (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotCreateKey.java](#)

6.23 foundation.pEp.jniadapter.pEpCannotCreateTempFile Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotCreateTempFile:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotCreateTempFile:

Public Member Functions

- [pEpCannotCreateTempFile](#) (String message)

6.23.1 Constructor & Destructor Documentation

6.23.1.1 pEpCannotCreateTempFile()

```
foundation.pEp.jniadapter.pEpCannotCreateTempFile.pEpCannotCreateTempFile (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotCreateTempFile.java](#)

6.24 foundation.pEp.jniadapter.pEpCannotDecryptUnknown Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotDecryptUnknown:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotDecryptUnknown:

Public Member Functions

- [pEpCannotDecryptUnknown](#) (String message)

6.24.1 Constructor & Destructor Documentation

6.24.1.1 pEpCannotDecryptUnknown()

```
foundation.pEp.jniadapter.pEpCannotDecryptUnknown.pEpCannotDecryptUnknown (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotDecryptUnknown.java](#)

6.25 foundation.pEp.jniadapter.pEpCannotDeleteKey Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotDeleteKey:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotDeleteKey:

Public Member Functions

- [pEpCannotDeleteKey](#) (String message)

6.25.1 Constructor & Destructor Documentation

6.25.1.1 pEpCannotDeleteKey()

```
foundation.pEp.jniadapter.pEpCannotDeleteKey.pEpCannotDeleteKey (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotDeleteKey.java](#)

6.26 foundation.pEp.jniadapter.pEpCannotEditKey Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotEditKey:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotEditKey:

Public Member Functions

- [pEpCannotEditKey](#) (String message)

6.26.1 Constructor & Destructor Documentation

6.26.1.1 pEpCannotEditKey()

```
foundation.pEp.jniadapter.pEpCannotEditKey.pEpCannotEditKey (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotEditKey.java](#)

6.27 foundation.pEp.jniadapter.pEpCannotEncode Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotEncode:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotEncode:

Public Member Functions

- [pEpCannotEncode](#) (String message)

6.27.1 Constructor & Destructor Documentation

6.27.1.1 pEpCannotEncode()

```
foundation.pEp.jniadapter.pEpCannotEncode.pEpCannotEncode (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotEncode.java](#)

6.28 foundation.pEp.jniadapter.pEpCannotExportKey Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotExportKey:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotExportKey:

Public Member Functions

- [pEpCannotExportKey](#) (String message)

6.28.1 Constructor & Destructor Documentation

6.28.1.1 pEpCannotExportKey()

```
foundation.pEp.jniadapter.pEpCannotExportKey.pEpCannotExportKey (  
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotExportKey.java](#)

6.29 foundation.pEp.jniadapter.pEpCannotFindAlias Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotFindAlias:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotFindAlias:

Public Member Functions

- [pEpCannotFindAlias](#) (String message)

6.29.1 Constructor & Destructor Documentation

6.29.1.1 pEpCannotFindAlias()

```
foundation.pEp.jniadapter.pEpCannotFindAlias.pEpCannotFindAlias (  
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotFindAlias.java](#)

6.30 foundation.pEp.jniadapter.pEpCannotFindIdentity Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotFindIdentity:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotFindIdentity:

Public Member Functions

- [pEpCannotFindIdentity](#) (String message)

6.30.1 Constructor & Destructor Documentation

6.30.1.1 pEpCannotFindIdentity()

```
foundation.pEp.jniadapter.pEpCannotFindIdentity.pEpCannotFindIdentity (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-peg-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotFindIdentity.java](#)

6.31 foundation.pEp.jniadapter.pEpCannotFindPerson Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotFindPerson:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotFindPerson:

Public Member Functions

- [pEpCannotFindPerson](#) (String message)

6.31.1 Constructor & Destructor Documentation

6.31.1.1 pEpCannotFindPerson()

```
foundation.pEp.jniadapter.pEpCannotFindPerson.pEpCannotFindPerson (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-peg-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotFindPerson.java](#)

6.32 foundation.pEp.jniadapter.pEpCannotIncreaseSequence Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotIncreaseSequence:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotIncreaseSequence:

Public Member Functions

- [pEpCannotIncreaseSequence](#) (String message)

6.32.1 Constructor & Destructor Documentation

6.32.1.1 pEpCannotIncreaseSequence()

```
foundation.pEp.jniadapter.pEpCannotIncreaseSequence.pEpCannotIncreaseSequence (
    String message )
```

The documentation for this class was generated from the following file:

- /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/[pEpCannotIncreaseSequence.java](#)

6.33 foundation.pEp.jniadapter.pEpCannotReencrypt Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotReencrypt:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotReencrypt:

Public Member Functions

- [pEpCannotReencrypt](#) (String message)

6.33.1 Constructor & Destructor Documentation

6.33.1.1 pEpCannotReencrypt()

```
foundation.pEp.jniadapter.pEpCannotReencrypt.pEpCannotReencrypt (
    String message )
```

The documentation for this class was generated from the following file:

- /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/[pEpCannotReencrypt.java](#)

6.34 foundation.pEp.jniadapter.pEpCannotSendKey Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotSendKey:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotSendKey:

Public Member Functions

- [pEpCannotSendKey](#) (String message)

6.34.1 Constructor & Destructor Documentation

6.34.1.1 pEpCannotSendKey()

```
foundation.pEp.jniadapter.pEpCannotSendKey.pEpCannotSendKey (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSendKey.java](#)

6.35 foundation.pEp.jniadapter.pEpCannotSetAlias Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotSetAlias:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotSetAlias:

Public Member Functions

- [pEpCannotSetAlias](#) (String message)

6.35.1 Constructor & Destructor Documentation

6.35.1.1 pEpCannotSetAlias()

```
foundation.pEp.jniadapter.pEpCannotSetAlias.pEpCannotSetAlias (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetAlias.java](#)

6.36 foundation.pEp.jniadapter.pEpCannotSetIdentity Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotSetIdentity:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotSetIdentity:

Public Member Functions

- [pEpCannotSetIdentity](#) (String message)

6.36.1 Constructor & Destructor Documentation

6.36.1.1 pEpCannotSetIdentity()

```
foundation.pEp.jniadapter.pEpCannotSetIdentity.pEpCannotSetIdentity (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetIdentity.java](#)

6.37 foundation.pEp.jniadapter.pEpCannotSetPepVersion Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotSetPepVersion:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotSetPepVersion:

Public Member Functions

- [pEpCannotSetPepVersion](#) (String message)

6.37.1 Constructor & Destructor Documentation

6.37.1.1 pEpCannotSetPepVersion()

```
foundation.pEp.jniadapter.pEpCannotSetPepVersion.pEpCannotSetPepVersion (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetPepVersion.java](#)

6.38 foundation.pEp.jniadapter.pEpCannotSetPerson Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotSetPerson:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotSetPerson:

Public Member Functions

- [pEpCannotSetPerson](#) (String message)

6.38.1 Constructor & Destructor Documentation

6.38.1.1 pEpCannotSetPerson()

```
foundation.pEp.jniadapter.pEpCannotSetPerson.pEpCannotSetPerson (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetPerson.java](#)

6.39 foundation.pEp.jniadapter.pEpCannotSetPgpKeypair Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotSetPgpKeypair:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotSetPgpKeypair:

Public Member Functions

- [pEpCannotSetPgpKeypair](#) (String message)

6.39.1 Constructor & Destructor Documentation

6.39.1.1 pEpCannotSetPgpKeypair()

```
foundation.pEp.jniadapter.pEpCannotSetPgpKeypair.pEpCannotSetPgpKeypair (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetPgpKeypair.java](#)

6.40 foundation.pEp.jniadapter.pEpCannotSetTrust Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCannotSetTrust:

Collaboration diagram for foundation.pEp.jniadapter.pEpCannotSetTrust:

Public Member Functions

- [pEpCannotSetTrust](#) (String message)

6.40.1 Constructor & Destructor Documentation

6.40.1.1 pEpCannotSetTrust()

```
foundation.pEp.jniadapter.pEpCannotSetTrust.pEpCannotSetTrust (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-peg-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetTrust.java](#)

6.41 foundation.pEp.jniadapter.pEpCommitFailed Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpCommitFailed:

Collaboration diagram for foundation.pEp.jniadapter.pEpCommitFailed:

Public Member Functions

- [pEpCommitFailed](#) (String message)

6.41.1 Constructor & Destructor Documentation

6.41.1.1 pEpCommitFailed()

```
foundation.pEp.jniadapter.pEpCommitFailed.pEpCommitFailed (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-peg-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCommitFailed.java](#)

6.42 foundation.pEp.jniadapter.pEpConstraintsViolated Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpConstraintsViolated:

Collaboration diagram for foundation.pEp.jniadapter.pEpConstraintsViolated:

Public Member Functions

- [pEpConstraintsViolated](#) (String message)

6.42.1 Constructor & Destructor Documentation

6.42.1.1 pEpConstraintsViolated()

```
foundation.pEp.jniadapter.pEpConstraintsViolated.pEpConstraintsViolated (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpConstraintsViolated.java](#)

6.43 foundation.pEp.jniadapter.pEpDecrypted Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpDecrypted:

Collaboration diagram for foundation.pEp.jniadapter.pEpDecrypted:

Public Member Functions

- [pEpDecrypted](#) (String message)

6.43.1 Constructor & Destructor Documentation

6.43.1.1 pEpDecrypted()

```
foundation.pEp.jniadapter.pEpDecrypted.pEpDecrypted (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpDecrypted.java](#)

6.44 foundation.pEp.jniadapter.pEpDecryptedAndVerified Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpDecryptedAndVerified:

Collaboration diagram for foundation.pEp.jniadapter.pEpDecryptedAndVerified:

Public Member Functions

- [pEpDecryptedAndVerified](#) (String message)

6.44.1 Constructor & Destructor Documentation

6.44.1.1 pEpDecryptedAndVerified()

```
foundation.pEp.jniadapter.pEpDecryptedAndVerified.pEpDecryptedAndVerified (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpDecryptedAndVerified.java](#)

6.45 foundation.pEp.jniadapter.pEpDecryptNoKey Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpDecryptNoKey:

Collaboration diagram for foundation.pEp.jniadapter.pEpDecryptNoKey:

Public Member Functions

- [pEpDecryptNoKey](#) (String message)

6.45.1 Constructor & Destructor Documentation

6.45.1.1 pEpDecryptNoKey()

```
foundation.pEp.jniadapter.pEpDecryptNoKey.pEpDecryptNoKey (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpDecryptNoKey.java](#)

6.46 foundation.pEp.jniadapter.pEpDecryptSignatureDoesNotMatch Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpDecryptSignatureDoesNotMatch:

Collaboration diagram for foundation.pEp.jniadapter.pEpDecryptSignatureDoesNotMatch:

Public Member Functions

- [pEpDecryptSignatureDoesNotMatch](#) (String message)

6.46.1 Constructor & Destructor Documentation

6.46.1.1 pEpDecryptSignatureDoesNotMatch()

```
foundation.pEp.jniadapter.pEpDecryptSignatureDoesNotMatch.pEpDecryptSignatureDoesNotMatch (
    String message )
```

The documentation for this class was generated from the following file:

- /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/[pEpDecryptSignatureDoesNotMatch](#)

6.47 foundation.pEp.jniadapter.pEpDecryptWrongFormat Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpDecryptWrongFormat:

Collaboration diagram for foundation.pEp.jniadapter.pEpDecryptWrongFormat:

Public Member Functions

- [pEpDecryptWrongFormat](#) (String message)

6.47.1 Constructor & Destructor Documentation

6.47.1.1 pEpDecryptWrongFormat()

```
foundation.pEp.jniadapter.pEpDecryptWrongFormat.pEpDecryptWrongFormat (
    String message )
```

The documentation for this class was generated from the following file:

- /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/[pEpDecryptWrongFormat.java](#)

6.48 foundation.pEp.jniadapter.pEpDistributionIllegalMessage Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpDistributionIllegalMessage:

Collaboration diagram for foundation.pEp.jniadapter.pEpDistributionIllegalMessage:

Public Member Functions

- [pEpDistributionIllegalMessage](#) (String message)

6.48.1 Constructor & Destructor Documentation

6.48.1.1 pEpDistributionIllegalMessage()

```
foundation.pEp.jniadapter.pEpDistributionIllegalMessage.pEpDistributionIllegalMessage (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpDistributionIllegalMessage.java](#)

6.49 foundation.pEp.jniadapter.pEpException Class Reference

Inherits RuntimeException.

Inherited by [foundation.pEp.jniadapter.pEpBufferTooSmall](#), [foundation.pEp.jniadapter.pEpCannotConfig](#), [foundation.pEp.jniadapter.pEpCannotCreateTempFile](#), [foundation.pEp.jniadapter.pEpCannotDecryptUnknown](#), [foundation.pEp.jniadapter.pEpCannotDeleteKey](#), [foundation.pEp.jniadapter.pEpCannotEditKey](#), [foundation.pEp.jniadapter.pEpCannotExportKey](#), [foundation.pEp.jniadapter.pEpCannotFindAlias](#), [foundation.pEp.jniadapter.pEpCannotFindPerson](#), [foundation.pEp.jniadapter.pEpCannotIncreaseSequence](#), [foundation.pEp.jniadapter.pEpCannotReencrypt](#), [foundation.pEp.jniadapter.pEpCannotSendKey](#), [foundation.pEp.jniadapter.pEpCannotSetIdentity](#), [foundation.pEp.jniadapter.pEpCannotSetPepVersion](#), [foundation.pEp.jniadapter.pEpCannotSetPgpKeypair](#), [foundation.pEp.jniadapter.pEpCannotSetTrust](#), [foundation.pEp.jniadapter.pEpConstraintsViolated](#), [foundation.pEp.jniadapter.pEpDecrypted](#), [foundation.pEp.jniadapter.pEpDecryptedNoKey](#), [foundation.pEp.jniadapter.pEpDecryptSignatureDoesNotMatch](#), [foundation.pEp.jniadapter.pEpDecryptWrongFormat](#), [foundation.pEp.jniadapter.pEpDistributionIllegalMessage](#), [foundation.pEp.jniadapter.pEpGetKeyFailed](#), [foundation.pEp.jniadapter.pEpIllegalValue](#), [foundation.pEp.jniadapter.pEpInitCannotCon](#), [foundation.pEp.jniadapter.pEpInitCannotDetermineGpgVersion](#), [foundation.pEp.jniadapter.pEpInitCannotLoadGpgme](#), [foundation.pEp.jniadapter.pEpInitCannotOpenDb](#), [foundation.pEp.jniadapter.pEpInitCannotOpenSystemDb](#), [foundation.pEp.jniadapter.pEpInitGpgmeInitFailed](#), [foundation.pEp.jniadapter.pEpInitNetpgpInitFailed](#), [foundation.pEp.jniadapter.pEpInitSqlite3WithoutMutex](#), [foundation.pEp.jniadapter.pEpInitUnsupportedGpgVersion](#), [foundation.pEp.jniadapter.pEpKeyBlacklisted](#), [foundation.pEp.jniadapter.pEpKeyHasAmbigName](#), [foundation.pEp.jniadapter.pEpKeyImportStatusUnknown](#), [foundation.pEp.jniadapter.pEpKeyNotFound](#), [foundation.pEp.jniadapter.pEpKeyUnsuitable](#), [foundation.pEp.jniadapter.pEpMalformedKeyResetMsg](#), [foundation.pEp.jniadapter.pEpMessageIgnore](#), [foundation.pEp.jniadapter.pEpNoKeyImported](#), [foundation.pEp.jniadapter.pEpNoTrust](#), [foundation.pEp.jniadapter.pEpOutOfMemory](#), [foundation.pEp.jniadapter.pEpPhraseNotFound](#), [foundation.pEp.jniadapter.pEpRecordNotFound](#), [foundation.pEp.jniadapter.pEpSendFunctionNotRegistered](#), [foundation.pEp.jniadapter.pEpSomeKeysImported](#),

[foundation.pEp.jniadapter.pEpStatemachineCannotSend](#), [foundation.pEp.jniadapter.pEpStatemachineError](#),
[foundation.pEp.jniadapter.pEpStatemachineInhibitedEvent](#), [foundation.pEp.jniadapter.pEpStatemachineInvalidAction](#),
[foundation.pEp.jniadapter.pEpStatemachineInvalidCondition](#), [foundation.pEp.jniadapter.pEpStatemachineInvalidEvent](#),
[foundation.pEp.jniadapter.pEpStatemachineInvalidState](#), [foundation.pEp.jniadapter.pEpSyncCannotEncrypt](#),
[foundation.pEp.jniadapter.pEpSyncCannotStart](#), [foundation.pEp.jniadapter.pEpSyncIllegalMessage](#), [foundation.pEp.jniadapter.pEpSyncNoInjectCallback](#),
[foundation.pEp.jniadapter.pEpSyncNoInjectCallback](#), [foundation.pEp.jniadapter.pEpSyncNoMessageSendCallback](#),
[foundation.pEp.jniadapter.pEpSyncNoNotifyCallback](#), [foundation.pEp.jniadapter.pEpTrustwordNotFound](#), [foundation.pEp.jniadapter.pEpTrustwordsFprWrongLength](#),
[foundation.pEp.jniadapter.pEpTrustwordsFprWrongLength](#), [foundation.pEp.jniadapter.pEpUnencrypted](#), [foundation.pEp.jniadapter.pEpUnknownError](#),
[foundation.pEp.jniadapter.pEpUnencrypted](#), [foundation.pEp.jniadapter.pEpVerified](#), [foundation.pEp.jniadapter.pEpVerifiedAndTrustwordNotFound](#),
[foundation.pEp.jniadapter.pEpVerifyNoKey](#), [foundation.pEp.jniadapter.pEpVerifySignerKeyRevoked](#), and [foundation.pEp.jniadapter.pEpVerifySignerKeyRevoked](#).

Collaboration diagram for [foundation.pEp.jniadapter.pEpException](#):

Public Member Functions

- [pEpException](#) (String message)

6.49.1 Constructor & Destructor Documentation

6.49.1.1 pEpException()

```

foundation.pEp.jniadapter.pEpException.pEpException (
    String message )
  
```

The documentation for this class was generated from the following file:

- </tmp/guix-build-java-peg-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpException.java>

6.50 foundation.pEp.jniadapter.pEpGetKeyFailed Class Reference

Inheritance diagram for [foundation.pEp.jniadapter.pEpGetKeyFailed](#):

Collaboration diagram for [foundation.pEp.jniadapter.pEpGetKeyFailed](#):

Public Member Functions

- [pEpGetKeyFailed](#) (String message)

6.50.1 Constructor & Destructor Documentation

6.50.1.1 pEpGetKeyFailed()

```
foundation.pEp.jniadapter.pEpGetKeyFailed.pEpGetKeyFailed (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-peg-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpGetKeyFailed.java](#)

6.51 foundation.pEp.jniadapter.pEpIllegalValue Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpIllegalValue:

Collaboration diagram for foundation.pEp.jniadapter.pEpIllegalValue:

Public Member Functions

- [pEpIllegalValue](#) (String message)

6.51.1 Constructor & Destructor Documentation

6.51.1.1 pEpIllegalValue()

```
foundation.pEp.jniadapter.pEpIllegalValue.pEpIllegalValue (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-peg-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpIllegalValue.java](#)

6.52 foundation.pEp.jniadapter.pEpInitCannotConfigGpgAgent Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpInitCannotConfigGpgAgent:

Collaboration diagram for foundation.pEp.jniadapter.pEpInitCannotConfigGpgAgent:

Public Member Functions

- [pEpInitCannotConfigGpgAgent](#) (String message)

6.52.1 Constructor & Destructor Documentation

6.52.1.1 pEpInitCannotConfigGpgAgent()

```
foundation.pEp.jniadapter.pEpInitCannotConfigGpgAgent.pEpInitCannotConfigGpgAgent (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotConfigGpgAgent.java](#)

6.53 foundation.pEp.jniadapter.pEpInitCannotDetermineGpgVersion Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpInitCannotDetermineGpgVersion:

Collaboration diagram for foundation.pEp.jniadapter.pEpInitCannotDetermineGpgVersion:

Public Member Functions

- [pEpInitCannotDetermineGpgVersion](#) (String message)

6.53.1 Constructor & Destructor Documentation

6.53.1.1 pEpInitCannotDetermineGpgVersion()

```
foundation.pEp.jniadapter.pEpInitCannotDetermineGpgVersion.pEpInitCannotDetermineGpgVersion (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotDetermineGpgVersion](#)

6.54 foundation.pEp.jniadapter.pEpInitCannotLoadGpgme Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpInitCannotLoadGpgme:

Collaboration diagram for foundation.pEp.jniadapter.pEpInitCannotLoadGpgme:

Public Member Functions

- [pEpInitCannotLoadGpgme](#) (String message)

6.54.1 Constructor & Destructor Documentation

6.54.1.1 pEpInitCannotLoadGpgme()

```
foundation.pEp.jniadapter.pEpInitCannotLoadGpgme.pEpInitCannotLoadGpgme (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotLoadGpgme.java](#)

6.55 foundation.pEp.jniadapter.pEpInitCannotOpenDb Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpInitCannotOpenDb:

Collaboration diagram for foundation.pEp.jniadapter.pEpInitCannotOpenDb:

Public Member Functions

- [pEpInitCannotOpenDb](#) (String message)

6.55.1 Constructor & Destructor Documentation

6.55.1.1 pEpInitCannotOpenDb()

```
foundation.pEp.jniadapter.pEpInitCannotOpenDb.pEpInitCannotOpenDb (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotOpenDb.java](#)

6.56 foundation.pEp.jniadapter.pEpInitCannotOpenSystemDb Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpInitCannotOpenSystemDb:

Collaboration diagram for foundation.pEp.jniadapter.pEpInitCannotOpenSystemDb:

Public Member Functions

- [pEpInitCannotOpenSystemDb](#) (String message)

6.56.1 Constructor & Destructor Documentation

6.56.1.1 pEpInitCannotOpenSystemDb()

```
foundation.pEp.jniadapter.pEpInitCannotOpenSystemDb.pEpInitCannotOpenSystemDb (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotOpenSystemDb.java](#)

6.57 foundation.pEp.jniadapter.pEpInitGpgmeInitFailed Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpInitGpgmeInitFailed:

Collaboration diagram for foundation.pEp.jniadapter.pEpInitGpgmeInitFailed:

Public Member Functions

- [pEpInitGpgmeInitFailed](#) (String message)

6.57.1 Constructor & Destructor Documentation

6.57.1.1 pEpInitGpgmeInitFailed()

```
foundation.pEp.jniadapter.pEpInitGpgmeInitFailed.pEpInitGpgmeInitFailed (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitGpgmeInitFailed.java](#)

6.58 foundation.pEp.jniadapter.pEpInitNetpgpInitFailed Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpInitNetpgpInitFailed:

Collaboration diagram for foundation.pEp.jniadapter.pEpInitNetpgpInitFailed:

Public Member Functions

- [pEpInitNetpgpInitFailed](#) (String message)

6.58.1 Constructor & Destructor Documentation

6.58.1.1 pEpInitNetpgpInitFailed()

```
foundation.pEp.jniadapter.pEpInitNetpgpInitFailed.pEpInitNetpgpInitFailed (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitNetpgpInitFailed.java](#)

6.59 foundation.pEp.jniadapter.pEpInitNoGpgHome Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpInitNoGpgHome:

Collaboration diagram for foundation.pEp.jniadapter.pEpInitNoGpgHome:

Public Member Functions

- [pEpInitNoGpgHome](#) (String message)

6.59.1 Constructor & Destructor Documentation

6.59.1.1 pEpInitNoGpgHome()

```
foundation.pEp.jniadapter.pEpInitNoGpgHome.pEpInitNoGpgHome (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitNoGpgHome.java](#)

6.60 foundation.pEp.jniadapter.pEpInitSqlite3WithoutMutex Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpInitSqlite3WithoutMutex:

Collaboration diagram for foundation.pEp.jniadapter.pEpInitSqlite3WithoutMutex:

Public Member Functions

- [pEpInitSqlite3WithoutMutex](#) (String message)

6.60.1 Constructor & Destructor Documentation

6.60.1.1 pEpInitSqlite3WithoutMutex()

```
foundation.pEp.jniadapter.pEpInitSqlite3WithoutMutex.pEpInitSqlite3WithoutMutex (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitSqlite3WithoutMutex.java](#)

6.61 foundation.pEp.jniadapter.pEpInitUnsupportedGpgVersion Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpInitUnsupportedGpgVersion:

Collaboration diagram for foundation.pEp.jniadapter.pEpInitUnsupportedGpgVersion:

Public Member Functions

- [pEpInitUnsupportedGpgVersion](#) (String message)

6.61.1 Constructor & Destructor Documentation

6.61.1.1 pEpInitUnsupportedGpgVersion()

```
foundation.pEp.jniadapter.pEpInitUnsupportedGpgVersion.pEpInitUnsupportedGpgVersion (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitUnsupportedGpgVersion.java](#)

6.62 foundation.pEp.jniadapter.pEpKeyBlacklisted Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpKeyBlacklisted:

Collaboration diagram for foundation.pEp.jniadapter.pEpKeyBlacklisted:

Public Member Functions

- [pEpKeyBlacklisted](#) (String message)

6.62.1 Constructor & Destructor Documentation

6.62.1.1 pEpKeyBlacklisted()

```
foundation.pEp.jniadapter.pEpKeyBlacklisted.pEpKeyBlacklisted (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyBlacklisted.java](#)

6.63 foundation.pEp.jniadapter.pEpKeyHasAmbigName Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpKeyHasAmbigName:

Collaboration diagram for foundation.pEp.jniadapter.pEpKeyHasAmbigName:

Public Member Functions

- [pEpKeyHasAmbigName](#) (String message)

6.63.1 Constructor & Destructor Documentation

6.63.1.1 pEpKeyHasAmbigName()

```
foundation.pEp.jniadapter.pEpKeyHasAmbigName.pEpKeyHasAmbigName (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyHasAmbigName.java](#)

6.64 foundation.pEp.jniadapter.pEpKeyImported Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpKeyImported:

Collaboration diagram for foundation.pEp.jniadapter.pEpKeyImported:

Public Member Functions

- [pEpKeyImported](#) (String message)

6.64.1 Constructor & Destructor Documentation

6.64.1.1 pEpKeyImported()

```
foundation.pEp.jniadapter.pEpKeyImported.pEpKeyImported (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyImported.java](#)

6.65 foundation.pEp.jniadapter.pEpKeyImportStatusUnknown Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpKeyImportStatusUnknown:

Collaboration diagram for foundation.pEp.jniadapter.pEpKeyImportStatusUnknown:

Public Member Functions

- [pEpKeyImportStatusUnknown](#) (String message)

6.65.1 Constructor & Destructor Documentation

6.65.1.1 pEpKeyImportStatusUnknown()

```
foundation.pEp.jniadapter.pEpKeyImportStatusUnknown.pEpKeyImportStatusUnknown (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyImportStatusUnknown.java](#)

6.66 foundation.pEp.jniadapter.pEpKeyNotFound Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpKeyNotFound:

Collaboration diagram for foundation.pEp.jniadapter.pEpKeyNotFound:

Public Member Functions

- [pEpKeyNotFound](#) (String message)

6.66.1 Constructor & Destructor Documentation

6.66.1.1 pEpKeyNotFound()

```
foundation.pEp.jniadapter.pEpKeyNotFound.pEpKeyNotFound (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyNotFound.java](#)

6.67 foundation.pEp.jniadapter.pEpKeyNotReset Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpKeyNotReset:

Collaboration diagram for foundation.pEp.jniadapter.pEpKeyNotReset:

Public Member Functions

- [pEpKeyNotReset](#) (String message)

6.67.1 Constructor & Destructor Documentation

6.67.1.1 pEpKeyNotReset()

```
foundation.pEp.jniadapter.pEpKeyNotReset.pEpKeyNotReset (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyNotReset.java](#)

6.68 foundation.pEp.jniadapter.pEpKeyUnsuitable Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpKeyUnsuitable:

Collaboration diagram for foundation.pEp.jniadapter.pEpKeyUnsuitable:

Public Member Functions

- [pEpKeyUnsuitable](#) (String message)

6.68.1 Constructor & Destructor Documentation

6.68.1.1 pEpKeyUnsuitable()

```
foundation.pEp.jniadapter.pEpKeyUnsuitable.pEpKeyUnsuitable (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyUnsuitable.java](#)

6.69 foundation.pEp.jniadapter.pEpMalformedKeyResetMsg Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpMalformedKeyResetMsg:

Collaboration diagram for foundation.pEp.jniadapter.pEpMalformedKeyResetMsg:

Public Member Functions

- [pEpMalformedKeyResetMsg](#) (String message)

6.69.1 Constructor & Destructor Documentation

6.69.1.1 pEpMalformedKeyResetMsg()

```
foundation.pEp.jniadapter.pEpMalformedKeyResetMsg.pEpMalformedKeyResetMsg (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpMalformedKeyResetMsg.java](#)

6.70 foundation.pEp.jniadapter.pEpMessageConsume Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpMessageConsume:

Collaboration diagram for foundation.pEp.jniadapter.pEpMessageConsume:

Public Member Functions

- [pEpMessageConsume](#) (String message)

6.70.1 Constructor & Destructor Documentation

6.70.1.1 pEpMessageConsume()

```
foundation.pEp.jniadapter.pEpMessageConsume.pEpMessageConsume (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpMessageConsume.java](#)

6.71 foundation.pEp.jniadapter.pEpMessageIgnore Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpMessageIgnore:

Collaboration diagram for foundation.pEp.jniadapter.pEpMessageIgnore:

Public Member Functions

- [pEpMessageIgnore](#) (String message)

6.71.1 Constructor & Destructor Documentation

6.71.1.1 pEpMessageIgnore()

```
foundation.pEp.jniadapter.pEpMessageIgnore.pEpMessageIgnore (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpMessageIgnore.java](#)

6.72 foundation.pEp.jniadapter.pEpNoKeyImported Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpNoKeyImported:

Collaboration diagram for foundation.pEp.jniadapter.pEpNoKeyImported:

Public Member Functions

- [pEpNoKeyImported](#) (String message)

6.72.1 Constructor & Destructor Documentation

6.72.1.1 pEpNoKeyImported()

```
foundation.pEp.jniadapter.pEpNoKeyImported.pEpNoKeyImported (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpNoKeyImported.java](#)

6.73 foundation.pEp.jniadapter.pEpNoTrust Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpNoTrust:

Collaboration diagram for foundation.pEp.jniadapter.pEpNoTrust:

Public Member Functions

- [pEpNoTrust](#) (String message)

6.73.1 Constructor & Destructor Documentation

6.73.1.1 pEpNoTrust()

```
foundation.pEp.jniadapter.pEpNoTrust.pEpNoTrust (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpNoTrust.java](#)

6.74 foundation.pEp.jniadapter.pEpOutOfMemory Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpOutOfMemory:

Collaboration diagram for foundation.pEp.jniadapter.pEpOutOfMemory:

Public Member Functions

- [pEpOutOfMemory](#) (String message)

6.74.1 Constructor & Destructor Documentation

6.74.1.1 pEpOutOfMemory()

```
foundation.pEp.jniadapter.pEpOutOfMemory.pEpOutOfMemory (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpOutOfMemory.java](#)

6.75 foundation.pEp.jniadapter.pEpPhraseNotFound Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpPhraseNotFound:

Collaboration diagram for foundation.pEp.jniadapter.pEpPhraseNotFound:

Public Member Functions

- [pEpPhraseNotFound](#) (String message)

6.75.1 Constructor & Destructor Documentation

6.75.1.1 pEpPhraseNotFound()

```
foundation.pEp.jniadapter.pEpPhraseNotFound.pEpPhraseNotFound (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpPhraseNotFound.java](#)

6.76 foundation.pEp.jniadapter.pEpRecordNotFound Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpRecordNotFound:

Collaboration diagram for foundation.pEp.jniadapter.pEpRecordNotFound:

Public Member Functions

- [pEpRecordNotFound](#) (String message)

6.76.1 Constructor & Destructor Documentation

6.76.1.1 pEpRecordNotFound()

```
foundation.pEp.jniadapter.pEpRecordNotFound.pEpRecordNotFound (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpRecordNotFound.java](#)

6.77 foundation.pEp.jniadapter.pEpSendFunctionNotRegistered Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpSendFunctionNotRegistered:

Collaboration diagram for foundation.pEp.jniadapter.pEpSendFunctionNotRegistered:

Public Member Functions

- [pEpSendFunctionNotRegistered](#) (String message)

6.77.1 Constructor & Destructor Documentation

6.77.1.1 pEpSendFunctionNotRegistered()

```
foundation.pEp.jniadapter.pEpSendFunctionNotRegistered.pEpSendFunctionNotRegistered (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSendFunctionNotRegistered.java](#)

6.78 foundation.pEp.jniadapter.pEpSomeKeysImported Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpSomeKeysImported:

Collaboration diagram for foundation.pEp.jniadapter.pEpSomeKeysImported:

Public Member Functions

- [pEpSomeKeysImported](#) (String message)

6.78.1 Constructor & Destructor Documentation

6.78.1.1 pEpSomeKeysImported()

```
foundation.pEp.jniadapter.pEpSomeKeysImported.pEpSomeKeysImported (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSomeKeysImported.java](#)

6.79 foundation.pEp.jniadapter.pEpStatemachineCannotSend Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpStatemachineCannotSend:

Collaboration diagram for foundation.pEp.jniadapter.pEpStatemachineCannotSend:

Public Member Functions

- [pEpStatemachineCannotSend](#) (String message)

6.79.1 Constructor & Destructor Documentation

6.79.1.1 pEpStatemachineCannotSend()

```
foundation.pEp.jniadapter.pEpStatemachineCannotSend.pEpStatemachineCannotSend (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineCannotSend.java](#)

6.80 foundation.pEp.jniadapter.pEpStatemachineError Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpStatemachineError:

Collaboration diagram for foundation.pEp.jniadapter.pEpStatemachineError:

Public Member Functions

- [pEpStatemachineError](#) (String message)

6.80.1 Constructor & Destructor Documentation

6.80.1.1 pEpStatemachineError()

```
foundation.pEp.jniadapter.pEpStatemachineError.pEpStatemachineError (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineError.java](#)

6.81 foundation.pEp.jniadapter.pEpStatemachineInhibitedEvent Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpStatemachineInhibitedEvent:

Collaboration diagram for foundation.pEp.jniadapter.pEpStatemachineInhibitedEvent:

Public Member Functions

- [pEpStatemachineInhibitedEvent](#) (String message)

6.81.1 Constructor & Destructor Documentation

6.81.1.1 pEpStatemachineInhibitedEvent()

```
foundation.pEp.jniadapter.pEpStatemachineInhibitedEvent.pEpStatemachineInhibitedEvent (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineInhibitedEvent.java](#)

6.82 foundation.pEp.jniadapter.pEpStatemachineInvalidAction Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpStatemachineInvalidAction:

Collaboration diagram for foundation.pEp.jniadapter.pEpStatemachineInvalidAction:

Public Member Functions

- [pEpStatemachineInvalidAction](#) (String message)

6.82.1 Constructor & Destructor Documentation

6.82.1.1 pEpStatemachineInvalidAction()

```
foundation.pEp.jniadapter.pEpStatemachineInvalidAction.pEpStatemachineInvalidAction (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineInvalidAction.java](#)

6.83 foundation.pEp.jniadapter.pEpStatemachineInvalidCondition Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpStatemachineInvalidCondition:

Collaboration diagram for foundation.pEp.jniadapter.pEpStatemachineInvalidCondition:

Public Member Functions

- [pEpStatemachineInvalidCondition](#) (String message)

6.83.1 Constructor & Destructor Documentation

6.83.1.1 pEpStatemachineInvalidCondition()

```
foundation.pEp.jniadapter.pEpStatemachineInvalidCondition.pEpStatemachineInvalidCondition (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineInvalidCondition.java](#)

6.84 foundation.pEp.jniadapter.pEpStatemachineInvalidEvent Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpStatemachineInvalidEvent:

Collaboration diagram for foundation.pEp.jniadapter.pEpStatemachineInvalidEvent:

Public Member Functions

- [pEpStatemachineInvalidEvent](#) (String message)

6.84.1 Constructor & Destructor Documentation

6.84.1.1 pEpStatemachineInvalidEvent()

```
foundation.pEp.jniadapter.pEpStatemachineInvalidEvent.pEpStatemachineInvalidEvent (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineInvalidEvent.java](#)

6.85 foundation.pEp.jniadapter.pEpStatemachineInvalidState Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpStatemachineInvalidState:

Collaboration diagram for foundation.pEp.jniadapter.pEpStatemachineInvalidState:

Public Member Functions

- [pEpStatemachineInvalidState](#) (String message)

6.85.1 Constructor & Destructor Documentation

6.85.1.1 pEpStatemachineInvalidState()

```
foundation.pEp.jniadapter.pEpStatemachineInvalidState.pEpStatemachineInvalidState (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStatemachineInvalidState.java](#)

6.86 foundation.pEp.jniadapter.pEpSyncCannotEncrypt Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpSyncCannotEncrypt:

Collaboration diagram for foundation.pEp.jniadapter.pEpSyncCannotEncrypt:

Public Member Functions

- [pEpSyncCannotEncrypt](#) (String message)

6.86.1 Constructor & Destructor Documentation

6.86.1.1 pEpSyncCannotEncrypt()

```
foundation.pEp.jniadapter.pEpSyncCannotEncrypt.pEpSyncCannotEncrypt (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncCannotEncrypt.java](#)

6.87 foundation.pEp.jniadapter.pEpSyncCannotStart Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpSyncCannotStart:

Collaboration diagram for foundation.pEp.jniadapter.pEpSyncCannotStart:

Public Member Functions

- [pEpSyncCannotStart](#) (String message)

6.87.1 Constructor & Destructor Documentation

6.87.1.1 pEpSyncCannotStart()

```
foundation.pEp.jniadapter.pEpSyncCannotStart.pEpSyncCannotStart (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncCannotStart.java](#)

6.88 foundation.pEp.jniadapter.pEpSyncIllegalMessage Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpSyncIllegalMessage:

Collaboration diagram for foundation.pEp.jniadapter.pEpSyncIllegalMessage:

Public Member Functions

- [pEpSyncIllegalMessage](#) (String message)

6.88.1 Constructor & Destructor Documentation

6.88.1.1 pEpSyncIllegalMessage()

```
foundation.pEp.jniadapter.pEpSyncIllegalMessage.pEpSyncIllegalMessage (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncIllegalMessage.java](#)

6.89 foundation.pEp.jniadapter.pEpSyncNoChannel Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpSyncNoChannel:

Collaboration diagram for foundation.pEp.jniadapter.pEpSyncNoChannel:

Public Member Functions

- [pEpSyncNoChannel](#) (String message)

6.89.1 Constructor & Destructor Documentation

6.89.1.1 pEpSyncNoChannel()

```
foundation.pEp.jniadapter.pEpSyncNoChannel.pEpSyncNoChannel (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncNoChannel.java](#)

6.90 foundation.pEp.jniadapter.pEpSyncNoInjectCallback Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpSyncNoInjectCallback:

Collaboration diagram for foundation.pEp.jniadapter.pEpSyncNoInjectCallback:

Public Member Functions

- [pEpSyncNoInjectCallback](#) (String message)

6.90.1 Constructor & Destructor Documentation

6.90.1.1 pEpSyncNoInjectCallback()

```
foundation.pEp.jniadapter.pEpSyncNoInjectCallback.pEpSyncNoInjectCallback (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncNoInjectCallback.java](#)

6.91 foundation.pEp.jniadapter.pEpSyncNoMessageSendCallback Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpSyncNoMessageSendCallback:

Collaboration diagram for foundation.pEp.jniadapter.pEpSyncNoMessageSendCallback:

Public Member Functions

- [pEpSyncNoMessageSendCallback](#) (String message)

6.91.1 Constructor & Destructor Documentation

6.91.1.1 pEpSyncNoMessageSendCallback()

```
foundation.pEp.jniadapter.pEpSyncNoMessageSendCallback.pEpSyncNoMessageSendCallback (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncNoMessageSendCallback.j](#)

6.92 foundation.pEp.jniadapter.pEpSyncNoNotifyCallback Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpSyncNoNotifyCallback:

Collaboration diagram for foundation.pEp.jniadapter.pEpSyncNoNotifyCallback:

Public Member Functions

- [pEpSyncNoNotifyCallback](#) (String message)

6.92.1 Constructor & Destructor Documentation

6.92.1.1 pEpSyncNoNotifyCallback()

```
foundation.pEp.jniadapter.pEpSyncNoNotifyCallback.pEpSyncNoNotifyCallback (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncNoNotifyCallback.java](#)

6.93 foundation.pEp.jniadapter.pEpTrustwordNotFound Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpTrustwordNotFound:

Collaboration diagram for foundation.pEp.jniadapter.pEpTrustwordNotFound:

Public Member Functions

- [pEpTrustwordNotFound](#) (String message)

6.93.1 Constructor & Destructor Documentation

6.93.1.1 pEpTrustwordNotFound()

```
foundation.pEp.jniadapter.pEpTrustwordNotFound.pEpTrustwordNotFound (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpTrustwordNotFound.java](#)

6.94 foundation.pEp.jniadapter.pEpTrustwordsDuplicateFpr Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpTrustwordsDuplicateFpr:

Collaboration diagram for foundation.pEp.jniadapter.pEpTrustwordsDuplicateFpr:

Public Member Functions

- [pEpTrustwordsDuplicateFpr](#) (String message)

6.94.1 Constructor & Destructor Documentation

6.94.1.1 pEpTrustwordsDuplicateFpr()

```
foundation.pEp.jniadapter.pEpTrustwordsDuplicateFpr.pEpTrustwordsDuplicateFpr (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpTrustwordsDuplicateFpr.java](#)

6.95 foundation.pEp.jniadapter.pEpTrustwordsFprWrongLength Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpTrustwordsFprWrongLength:

Collaboration diagram for foundation.pEp.jniadapter.pEpTrustwordsFprWrongLength:

Public Member Functions

- [pEpTrustwordsFprWrongLength](#) (String message)

6.95.1 Constructor & Destructor Documentation

6.95.1.1 pEpTrustwordsFprWrongLength()

```
foundation.pEp.jniadapter.pEpTrustwordsFprWrongLength.pEpTrustwordsFprWrongLength (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpTrustwordsFprWrongLength.java](#)

6.96 foundation.pEp.jniadapter.pEpUnencrypted Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpUnencrypted:

Collaboration diagram for foundation.pEp.jniadapter.pEpUnencrypted:

Public Member Functions

- [pEpUnencrypted](#) (String message)

6.96.1 Constructor & Destructor Documentation

6.96.1.1 pEpUnencrypted()

```
foundation.pEp.jniadapter.pEpUnencrypted.pEpUnencrypted (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpUnencrypted.java](#)

6.97 foundation.pEp.jniadapter.pEpUnknownDbError Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpUnknownDbError:

Collaboration diagram for foundation.pEp.jniadapter.pEpUnknownDbError:

Public Member Functions

- [pEpUnknownDbError](#) (String message)

6.97.1 Constructor & Destructor Documentation

6.97.1.1 pEpUnknownDbError()

```
foundation.pEp.jniadapter.pEpUnknownDbError.pEpUnknownDbError (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpUnknownDbError.java](#)

6.98 foundation.pEp.jniadapter.pEpUnknownError Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpUnknownError:

Collaboration diagram for foundation.pEp.jniadapter.pEpUnknownError:

Public Member Functions

- [pEpUnknownError](#) (String message)

6.98.1 Constructor & Destructor Documentation

6.98.1.1 pEpUnknownError()

```
foundation.pEp.jniadapter.pEpUnknownError.pEpUnknownError (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpUnknownError.java](#)

6.99 foundation.pEp.jniadapter.pEpVerified Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpVerified:

Collaboration diagram for foundation.pEp.jniadapter.pEpVerified:

Public Member Functions

- [pEpVerified](#) (String message)

6.99.1 Constructor & Destructor Documentation

6.99.1.1 pEpVerified()

```
foundation.pEp.jniadapter.pEpVerified.pEpVerified (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpVerified.java](#)

6.100 foundation.pEp.jniadapter.pEpVerifiedAndTrusted Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpVerifiedAndTrusted:

Collaboration diagram for foundation.pEp.jniadapter.pEpVerifiedAndTrusted:

Public Member Functions

- [pEpVerifiedAndTrusted](#) (String message)

6.100.1 Constructor & Destructor Documentation

6.100.1.1 pEpVerifiedAndTrusted()

```
foundation.pEp.jniadapter.pEpVerifiedAndTrusted.pEpVerifiedAndTrusted (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpVerifiedAndTrusted.java](#)

6.101 foundation.pEp.jniadapter.pEpVerifyNoKey Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpVerifyNoKey:

Collaboration diagram for foundation.pEp.jniadapter.pEpVerifyNoKey:

Public Member Functions

- [pEpVerifyNoKey](#) (String message)

6.101.1 Constructor & Destructor Documentation

6.101.1.1 pEpVerifyNoKey()

```
foundation.pEp.jniadapter.pEpVerifyNoKey.pEpVerifyNoKey (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpVerifyNoKey.java](#)

6.102 foundation.pEp.jniadapter.pEpVerifySignerKeyRevoked Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpVerifySignerKeyRevoked:

Collaboration diagram for foundation.pEp.jniadapter.pEpVerifySignerKeyRevoked:

Public Member Functions

- [pEpVerifySignerKeyRevoked](#) (String message)

6.102.1 Constructor & Destructor Documentation

6.102.1.1 pEpVerifySignerKeyRevoked()

```
foundation.pEp.jniadapter.pEpVerifySignerKeyRevoked.pEpVerifySignerKeyRevoked (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpVerifySignerKeyRevoked.java](#)

6.103 foundation.pEp.jniadapter.pEpVersionMismatch Class Reference

Inheritance diagram for foundation.pEp.jniadapter.pEpVersionMismatch:

Collaboration diagram for foundation.pEp.jniadapter.pEpVersionMismatch:

Public Member Functions

- [pEpVersionMismatch](#) (String message)

6.103.1 Constructor & Destructor Documentation

6.103.1.1 pEpVersionMismatch()

```
foundation.pEp.jniadapter.pEpVersionMismatch.pEpVersionMismatch (
    String message )
```

The documentation for this class was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpVersionMismatch.java](#)

6.104 foundation.pEp.jniadapter.Rating Enum Reference

Static Public Member Functions

- static [Rating getByInt](#) (int value)

Public Attributes

- `pEpRatingUndefined` =(0)
- `pEpRatingCannotDecrypt` =(1)
- `pEpRatingHaveNoKey` =(2)
- `pEpRatingUnencrypted` =(3)
- `pEpRatingUnencryptedForSome` =(4)
- `pEpRatingUnreliable` =(5)
- `pEpRatingReliable` =(6)
- `pEpRatingTrusted` =(7)
- `pEpRatingTrustedAndAnonymized` =(8)
- `pEpRatingFullyAnonymous` =(9)
- `pEpRatingMistrust` =(-1)
- `pEpRatingB0rken` =(-2)
- `pEpRatingUnderAttack` =(-3)
- `final int value`

6.104.1 Member Function Documentation

6.104.1.1 `getByInt()`

```
static Rating foundation.pEp.jniadapter.Rating.getByInt (
    int value ) [static]
```

Here is the caller graph for this function:

6.104.2 Member Data Documentation

6.104.2.1 `pEpRatingB0rken`

```
foundation.pEp.jniadapter.Rating.pEpRatingB0rken =(-2)
```

6.104.2.2 `pEpRatingCannotDecrypt`

```
foundation.pEp.jniadapter.Rating.pEpRatingCannotDecrypt =(1)
```


6.104.2.3 pEpRatingFullyAnonymous

foundation.pEp.jniadapter.Rating.pEpRatingFullyAnonymous = (9)

6.104.2.4 pEpRatingHaveNoKey

foundation.pEp.jniadapter.Rating.pEpRatingHaveNoKey = (2)

6.104.2.5 pEpRatingMistrust

foundation.pEp.jniadapter.Rating.pEpRatingMistrust = (-1)

6.104.2.6 pEpRatingReliable

foundation.pEp.jniadapter.Rating.pEpRatingReliable = (6)

6.104.2.7 pEpRatingTrusted

foundation.pEp.jniadapter.Rating.pEpRatingTrusted = (7)

6.104.2.8 pEpRatingTrustedAndAnonymized

foundation.pEp.jniadapter.Rating.pEpRatingTrustedAndAnonymized = (8)

6.104.2.9 pEpRatingUndefined

foundation.pEp.jniadapter.Rating.pEpRatingUndefined = (0)

6.104.2.10 pEpRatingUnderAttack

foundation.pEp.jniadapter.Rating.pEpRatingUnderAttack = (-3)

6.104.2.11 pEpRatingUnencrypted

```
foundation.pEp.jniadapter.Rating.pEpRatingUnencrypted =(3)
```

6.104.2.12 pEpRatingUnencryptedForSome

```
foundation.pEp.jniadapter.Rating.pEpRatingUnencryptedForSome =(4)
```

6.104.2.13 pEpRatingUnreliable

```
foundation.pEp.jniadapter.Rating.pEpRatingUnreliable =(5)
```

6.104.2.14 value

```
final int foundation.pEp.jniadapter.Rating.value
```

The documentation for this enum was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Rating.java](#)

6.105 foundation.pEp.jniadapter.Status Enum Reference

Static Public Member Functions

- static [Status getByInt](#) (int [value](#))

Public Attributes

- `pEpStatusOk` =(0)
- `pEpInitCannotLoadGpgme` =(0x0110)
- `pEpInitGpgmeInitFailed` =(0x0111)
- `pEpInitNoGpgHome` =(0x0112)
- `pEpInitNetpgpInitFailed` =(0x0113)
- `pEpInitCannotDetermineGpgVersion` =(0x0114)
- `pEpInitUnsupportedGpgVersion` =(0x0115)
- `pEpInitCannotConfigGpgAgent` =(0x0116)
- `pEpInitSqlite3WithoutMutex` =(0x0120)
- `pEpInitCannotOpenDb` =(0x0121)
- `pEpInitCannotOpenSystemDb` =(0x0122)
- `pEpUnknownDbError` =(0x01ff)
- `pEpKeyNotFound` =(0x0201)
- `pEpKeyHasAmbigName` =(0x0202)
- `pEpGetKeyFailed` =(0x0203)
- `pEpCannotExportKey` =(0x0204)
- `pEpCannotEditKey` =(0x0205)
- `pEpKeyUnsuitable` =(0x0206)
- `pEpMalformedKeyResetMsg` =(0x0210)
- `pEpKeyNotReset` =(0x0211)
- `pEpCannotDeleteKey` =(0x0212)
- `pEpKeyImported` =(0x0220)
- `pEpNoKeyImported` =(0x0221)
- `pEpKeyImportStatusUnknown` =(0x0222)
- `pEpSomeKeysImported` =(0x0223)
- `pEpCannotFindIdentity` =(0x0301)
- `pEpCannotSetPerson` =(0x0381)
- `pEpCannotSetPgpKeypair` =(0x0382)
- `pEpCannotSetIdentity` =(0x0383)
- `pEpCannotSetTrust` =(0x0384)
- `pEpKeyBlacklisted` =(0x0385)
- `pEpCannotFindPerson` =(0x0386)
- `pEpCannotSetPepVersion` =(0x0387)
- `pEpCannotFindAlias` =(0x0391)
- `pEpCannotSetAlias` =(0x0392)
- `pEpUnencrypted` =(0x0400)
- `pEpVerified` =(0x0401)
- `pEpDecrypted` =(0x0402)
- `pEpDecryptedAndVerified` =(0x0403)
- `pEpDecryptWrongFormat` =(0x0404)
- `pEpDecryptNoKey` =(0x0405)
- `pEpDecryptSignatureDoesNotMatch` =(0x0406)
- `pEpVerifyNoKey` =(0x0407)
- `pEpVerifiedAndTrusted` =(0x0408)
- `pEpCannotReencrypt` =(0x0409)
- `pEpVerifySignerKeyRevoked` =(0x040a)
- `pEpCannotDecryptUnknown` =(0x04ff)
- `pEpTrustwordNotFound` =(0x0501)
- `pEpTrustwordsFprWrongLength` =(0x0502)
- `pEpTrustwordsDuplicateFpr` =(0x0503)
- `pEpCannotCreateKey` =(0x0601)
- `pEpCannotSendKey` =(0x0602)
- `pEpPhraseNotFound` =(0x0701)

- `pEpSendFunctionNotRegistered` =(0x0801)
- `pEpConstraintsViolated` =(0x0802)
- `pEpCannotEncode` =(0x0803)
- `pEpSyncNoNotifyCallback` =(0x0901)
- `pEpSyncIllegalMessage` =(0x0902)
- `pEpSyncNoInjectCallback` =(0x0903)
- `pEpSyncNoChannel` =(0x0904)
- `pEpSyncCannotEncrypt` =(0x0905)
- `pEpSyncNoMessageSendCallback` =(0x0906)
- `pEpSyncCannotStart` =(0x0907)
- `pEpCannotIncreaseSequence` =(0x0971)
- `pEpStatemachineError` =(0x0980)
- `pEpNoTrust` =(0x0981)
- `pEpStatemachineInvalidState` =(0x0982)
- `pEpStatemachineInvalidEvent` =(0x0983)
- `pEpStatemachineInvalidCondition` =(0x0984)
- `pEpStatemachineInvalidAction` =(0x0985)
- `pEpStatemachineInhibitedEvent` =(0x0986)
- `pEpStatemachineCannotSend` =(0x0987)
- `pEpDistributionIllegalMessage` =(0x1002)
- `pEpCommitFailed` =(0xff01)
- `pEpMessageConsume` =(0xff02)
- `pEpMessageIgnore` =(0xff03)
- `pEpCannotConfig` =(0xff04)
- `pEpRecordNotFound` =(-6)
- `pEpCannotCreateTempFile` =(-5)
- `pEpIllegalValue` =(-4)
- `pEpBufferTooSmall` =(-3)
- `pEpOutOfMemory` =(-2)
- `pEpUnknownError` =(-1)
- `pEpVersionMismatch` =(-7)
- final int `value`

6.105.1 Member Function Documentation

6.105.1.1 `getByInt()`

```
static Status foundation.pEp.jniadapter.Status.getByInt (
    int value ) [static]
```

6.105.2 Member Data Documentation

6.105.2.1 `pEpBufferTooSmall`

```
foundation.pEp.jniadapter.Status.pEpBufferTooSmall =(-3)
```

6.105.2.2 pEpCannotConfig

```
foundation.pEp.jniadapter.Status.pEpCannotConfig = (0xff04)
```

6.105.2.3 pEpCannotCreateKey

```
foundation.pEp.jniadapter.Status.pEpCannotCreateKey = (0x0601)
```

6.105.2.4 pEpCannotCreateTempFile

```
foundation.pEp.jniadapter.Status.pEpCannotCreateTempFile = (-5)
```

6.105.2.5 pEpCannotDecryptUnknown

```
foundation.pEp.jniadapter.Status.pEpCannotDecryptUnknown = (0x04ff)
```

6.105.2.6 pEpCannotDeleteKey

```
foundation.pEp.jniadapter.Status.pEpCannotDeleteKey = (0x0212)
```

6.105.2.7 pEpCannotEditKey

```
foundation.pEp.jniadapter.Status.pEpCannotEditKey = (0x0205)
```

6.105.2.8 pEpCannotEncode

```
foundation.pEp.jniadapter.Status.pEpCannotEncode = (0x0803)
```

6.105.2.9 pEpCannotExportKey

```
foundation.pEp.jniadapter.Status.pEpCannotExportKey = (0x0204)
```

6.105.2.10 pEpCannotFindAlias

```
foundation.pEp.jniadapter.Status.pEpCannotFindAlias = (0x0391)
```

6.105.2.11 pEpCannotFindIdentity

```
foundation.pEp.jniadapter.Status.pEpCannotFindIdentity = (0x0301)
```

6.105.2.12 pEpCannotFindPerson

```
foundation.pEp.jniadapter.Status.pEpCannotFindPerson = (0x0386)
```

6.105.2.13 pEpCannotIncreaseSequence

```
foundation.pEp.jniadapter.Status.pEpCannotIncreaseSequence = (0x0971)
```

6.105.2.14 pEpCannotReencrypt

```
foundation.pEp.jniadapter.Status.pEpCannotReencrypt = (0x0409)
```

6.105.2.15 pEpCannotSendKey

```
foundation.pEp.jniadapter.Status.pEpCannotSendKey = (0x0602)
```

6.105.2.16 pEpCannotSetAlias

```
foundation.pEp.jniadapter.Status.pEpCannotSetAlias = (0x0392)
```

6.105.2.17 pEpCannotSetIdentity

```
foundation.pEp.jniadapter.Status.pEpCannotSetIdentity = (0x0383)
```

6.105.2.18 pEpCannotSetPepVersion

foundation.pEp.jniadapter.Status.pEpCannotSetPepVersion = (0x0387)

6.105.2.19 pEpCannotSetPerson

foundation.pEp.jniadapter.Status.pEpCannotSetPerson = (0x0381)

6.105.2.20 pEpCannotSetPgpKeypair

foundation.pEp.jniadapter.Status.pEpCannotSetPgpKeypair = (0x0382)

6.105.2.21 pEpCannotSetTrust

foundation.pEp.jniadapter.Status.pEpCannotSetTrust = (0x0384)

6.105.2.22 pEpCommitFailed

foundation.pEp.jniadapter.Status.pEpCommitFailed = (0xff01)

6.105.2.23 pEpConstraintsViolated

foundation.pEp.jniadapter.Status.pEpConstraintsViolated = (0x0802)

6.105.2.24 pEpDecrypted

foundation.pEp.jniadapter.Status.pEpDecrypted = (0x0402)

6.105.2.25 pEpDecryptedAndVerified

foundation.pEp.jniadapter.Status.pEpDecryptedAndVerified = (0x0403)

6.105.2.26 pEpDecryptNoKey

```
foundation.pEp.jniadapter.Status.pEpDecryptNoKey = (0x0405)
```

6.105.2.27 pEpDecryptSignatureDoesNotMatch

```
foundation.pEp.jniadapter.Status.pEpDecryptSignatureDoesNotMatch = (0x0406)
```

6.105.2.28 pEpDecryptWrongFormat

```
foundation.pEp.jniadapter.Status.pEpDecryptWrongFormat = (0x0404)
```

6.105.2.29 pEpDistributionIllegalMessage

```
foundation.pEp.jniadapter.Status.pEpDistributionIllegalMessage = (0x1002)
```

6.105.2.30 pEpGetKeyFailed

```
foundation.pEp.jniadapter.Status.pEpGetKeyFailed = (0x0203)
```

6.105.2.31 pEpIllegalValue

```
foundation.pEp.jniadapter.Status.pEpIllegalValue = (-4)
```

6.105.2.32 pEpInitCannotConfigGpgAgent

```
foundation.pEp.jniadapter.Status.pEpInitCannotConfigGpgAgent = (0x0116)
```

6.105.2.33 pEpInitCannotDetermineGpgVersion

```
foundation.pEp.jniadapter.Status.pEpInitCannotDetermineGpgVersion = (0x0114)
```


6.105.2.34 pEpInitCannotLoadGpgme

```
foundation.pEp.jniadapter.Status.pEpInitCannotLoadGpgme = (0x0110)
```

6.105.2.35 pEpInitCannotOpenDb

```
foundation.pEp.jniadapter.Status.pEpInitCannotOpenDb = (0x0121)
```

6.105.2.36 pEpInitCannotOpenSystemDb

```
foundation.pEp.jniadapter.Status.pEpInitCannotOpenSystemDb = (0x0122)
```

6.105.2.37 pEpInitGpgmeInitFailed

```
foundation.pEp.jniadapter.Status.pEpInitGpgmeInitFailed = (0x0111)
```

6.105.2.38 pEpInitNetpgpInitFailed

```
foundation.pEp.jniadapter.Status.pEpInitNetpgpInitFailed = (0x0113)
```

6.105.2.39 pEpInitNoGpgHome

```
foundation.pEp.jniadapter.Status.pEpInitNoGpgHome = (0x0112)
```

6.105.2.40 pEpInitSqlite3WithoutMutex

```
foundation.pEp.jniadapter.Status.pEpInitSqlite3WithoutMutex = (0x0120)
```

6.105.2.41 pEpInitUnsupportedGpgVersion

```
foundation.pEp.jniadapter.Status.pEpInitUnsupportedGpgVersion = (0x0115)
```

6.105.2.42 pEpKeyBlacklisted

```
foundation.pEp.jniadapter.Status.pEpKeyBlacklisted = (0x0385)
```

6.105.2.43 pEpKeyHasAmbigName

```
foundation.pEp.jniadapter.Status.pEpKeyHasAmbigName = (0x0202)
```

6.105.2.44 pEpKeyImported

```
foundation.pEp.jniadapter.Status.pEpKeyImported = (0x0220)
```

6.105.2.45 pEpKeyImportStatusUnknown

```
foundation.pEp.jniadapter.Status.pEpKeyImportStatusUnknown = (0x0222)
```

6.105.2.46 pEpKeyNotFound

```
foundation.pEp.jniadapter.Status.pEpKeyNotFound = (0x0201)
```

6.105.2.47 pEpKeyNotReset

```
foundation.pEp.jniadapter.Status.pEpKeyNotReset = (0x0211)
```

6.105.2.48 pEpKeyUnsuitable

```
foundation.pEp.jniadapter.Status.pEpKeyUnsuitable = (0x0206)
```

6.105.2.49 pEpMalformedKeyResetMsg

```
foundation.pEp.jniadapter.Status.pEpMalformedKeyResetMsg = (0x0210)
```

6.105.2.50 pEpMessageConsume

```
foundation.pEp.jniadapter.Status.pEpMessageConsume = (0xff02)
```

6.105.2.51 pEpMessageIgnore

```
foundation.pEp.jniadapter.Status.pEpMessageIgnore = (0xff03)
```

6.105.2.52 pEpNoKeyImported

```
foundation.pEp.jniadapter.Status.pEpNoKeyImported = (0x0221)
```

6.105.2.53 pEpNoTrust

```
foundation.pEp.jniadapter.Status.pEpNoTrust = (0x0981)
```

6.105.2.54 pEpOutOfMemory

```
foundation.pEp.jniadapter.Status.pEpOutOfMemory = (-2)
```

6.105.2.55 pEpPhraseNotFound

```
foundation.pEp.jniadapter.Status.pEpPhraseNotFound = (0x0701)
```

6.105.2.56 pEpRecordNotFound

```
foundation.pEp.jniadapter.Status.pEpRecordNotFound = (-6)
```

6.105.2.57 pEpSendFunctionNotRegistered

```
foundation.pEp.jniadapter.Status.pEpSendFunctionNotRegistered = (0x0801)
```

6.105.2.58 pEpSomeKeysImported

```
foundation.pEp.jniadapter.Status.pEpSomeKeysImported = (0x0223)
```

6.105.2.59 pEpStatemachineCannotSend

```
foundation.pEp.jniadapter.Status.pEpStatemachineCannotSend = (0x0987)
```

6.105.2.60 pEpStatemachineError

```
foundation.pEp.jniadapter.Status.pEpStatemachineError = (0x0980)
```

6.105.2.61 pEpStatemachineInhibitedEvent

```
foundation.pEp.jniadapter.Status.pEpStatemachineInhibitedEvent = (0x0986)
```

6.105.2.62 pEpStatemachineInvalidAction

```
foundation.pEp.jniadapter.Status.pEpStatemachineInvalidAction = (0x0985)
```

6.105.2.63 pEpStatemachineInvalidCondition

```
foundation.pEp.jniadapter.Status.pEpStatemachineInvalidCondition = (0x0984)
```

6.105.2.64 pEpStatemachineInvalidEvent

```
foundation.pEp.jniadapter.Status.pEpStatemachineInvalidEvent = (0x0983)
```

6.105.2.65 pEpStatemachineInvalidState

```
foundation.pEp.jniadapter.Status.pEpStatemachineInvalidState = (0x0982)
```

6.105.2.66 pEpStatusOk

```
foundation.pEp.jniadapter.Status.pEpStatusOk = (0)
```

6.105.2.67 pEpSyncCannotEncrypt

```
foundation.pEp.jniadapter.Status.pEpSyncCannotEncrypt = (0x0905)
```

6.105.2.68 pEpSyncCannotStart

```
foundation.pEp.jniadapter.Status.pEpSyncCannotStart = (0x0907)
```

6.105.2.69 pEpSyncIllegalMessage

```
foundation.pEp.jniadapter.Status.pEpSyncIllegalMessage = (0x0902)
```

6.105.2.70 pEpSyncNoChannel

```
foundation.pEp.jniadapter.Status.pEpSyncNoChannel = (0x0904)
```

6.105.2.71 pEpSyncNoInjectCallback

```
foundation.pEp.jniadapter.Status.pEpSyncNoInjectCallback = (0x0903)
```

6.105.2.72 pEpSyncNoMessageSendCallback

```
foundation.pEp.jniadapter.Status.pEpSyncNoMessageSendCallback = (0x0906)
```

6.105.2.73 pEpSyncNoNotifyCallback

```
foundation.pEp.jniadapter.Status.pEpSyncNoNotifyCallback = (0x0901)
```

6.105.2.74 pEpTrustwordNotFound

```
foundation.pEp.jniadapter.Status.pEpTrustwordNotFound = (0x0501)
```

6.105.2.75 pEpTrustwordsDuplicateFpr

```
foundation.pEp.jniadapter.Status.pEpTrustwordsDuplicateFpr = (0x0503)
```

6.105.2.76 pEpTrustwordsFprWrongLength

```
foundation.pEp.jniadapter.Status.pEpTrustwordsFprWrongLength = (0x0502)
```

6.105.2.77 pEpUnencrypted

```
foundation.pEp.jniadapter.Status.pEpUnencrypted = (0x0400)
```

6.105.2.78 pEpUnknownDbError

```
foundation.pEp.jniadapter.Status.pEpUnknownDbError = (0x01ff)
```

6.105.2.79 pEpUnknownError

```
foundation.pEp.jniadapter.Status.pEpUnknownError = (-1)
```

6.105.2.80 pEpVerified

```
foundation.pEp.jniadapter.Status.pEpVerified = (0x0401)
```

6.105.2.81 pEpVerifiedAndTrusted

```
foundation.pEp.jniadapter.Status.pEpVerifiedAndTrusted = (0x0408)
```

6.105.2.82 pEpVerifyNoKey

```
foundation.pEp.jniadapter.Status.pEpVerifyNoKey = (0x0407)
```

6.105.2.83 pEpVerifySignerKeyRevoked

```
foundation.pEp.jniadapter.Status.pEpVerifySignerKeyRevoked = (0x040a)
```

6.105.2.84 pEpVersionMismatch

```
foundation.pEp.jniadapter.Status.pEpVersionMismatch = (-7)
```

6.105.2.85 value

```
final int foundation.pEp.jniadapter.Status.value
```

The documentation for this enum was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Status.java](#)

6.106 foundation.pEp.jniadapter.Sync Interface Reference

Classes

- class [DefaultCallback](#)
- interface [MessageToSendCallback](#)
- interface [NeedsFastPollCallback](#)
- interface [NotifyHandshakeCallback](#)

The documentation for this interface was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/Sync.java](#)

6.107 foundation.pEp.jniadapter.SyncHandshakeResult Enum Reference

Static Public Member Functions

- static [SyncHandshakeResult getByInt](#) (int [value](#))

Public Attributes

- [SyncHandshakeCancel](#) =(-1)
- [SyncHandshakeAccepted](#) =(0)
- [SyncHandshakeRejected](#) =(1)
- final int [value](#)

6.107.1 Member Function Documentation

6.107.1.1 getByInt()

```
static SyncHandshakeResult foundation.pEp.jniadapter.SyncHandshakeResult.getByInt (
    int value ) [static]
```

6.107.2 Member Data Documentation

6.107.2.1 SyncHandshakeAccepted

```
foundation.pEp.jniadapter.SyncHandshakeResult.SyncHandshakeAccepted =(0)
```

6.107.2.2 SyncHandshakeCancel

```
foundation.pEp.jniadapter.SyncHandshakeResult.SyncHandshakeCancel =(-1)
```

6.107.2.3 SyncHandshakeRejected

```
foundation.pEp.jniadapter.SyncHandshakeResult.SyncHandshakeRejected =(1)
```

6.107.2.4 value

```
final int foundation.pEp.jniadapter.SyncHandshakeResult.value
```

The documentation for this enum was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/SyncHandshakeResult.java](#)

6.108 foundation.pEp.jniadapter.SyncHandshakeSignal Enum Reference

Static Public Member Functions

- static [SyncHandshakeSignal getByInt](#) (int value)

Public Attributes

- [SyncNotifyUndefined](#) =(0)
- [SyncNotifyInitAddOurDevice](#) =(1)
- [SyncNotifyInitAddOtherDevice](#) =(2)
- [SyncNotifyInitFormGroup](#) =(3)
- [SyncNotifyTimeout](#) =(5)
- [SyncNotifyAcceptedDeviceAdded](#) =(6)
- [SyncNotifyAcceptedGroupCreated](#) =(7)
- [SyncNotifyAcceptedDeviceAccepted](#) =(8)
- [SyncNotifySole](#) =(254)
- [SyncNotifyInGroup](#) =(255)
- final int value

6.108.1 Member Function Documentation

6.108.1.1 getByInt()

```
static SyncHandshakeSignal foundation.pEp.jniadapter.SyncHandshakeSignal.getByInt (  
    int value ) [static]
```

6.108.2 Member Data Documentation

6.108.2.1 SyncNotifyAcceptedDeviceAccepted

```
foundation.pEp.jniadapter.SyncHandshakeSignal.SyncNotifyAcceptedDeviceAccepted = (8)
```

6.108.2.2 SyncNotifyAcceptedDeviceAdded

```
foundation.pEp.jniadapter.SyncHandshakeSignal.SyncNotifyAcceptedDeviceAdded = (6)
```

6.108.2.3 SyncNotifyAcceptedGroupCreated

```
foundation.pEp.jniadapter.SyncHandshakeSignal.SyncNotifyAcceptedGroupCreated = (7)
```

6.108.2.4 SyncNotifyInGroup

```
foundation.pEp.jniadapter.SyncHandshakeSignal.SyncNotifyInGroup = (255)
```

6.108.2.5 SyncNotifyInitAddOtherDevice

```
foundation.pEp.jniadapter.SyncHandshakeSignal.SyncNotifyInitAddOtherDevice = (2)
```

6.108.2.6 SyncNotifyInitAddOurDevice

```
foundation.pEp.jniadapter.SyncHandshakeSignal.SyncNotifyInitAddOurDevice = (1)
```

6.108.2.7 SyncNotifyInitFormGroup

```
foundation.pEp.jniadapter.SyncHandshakeSignal.SyncNotifyInitFormGroup = (3)
```

6.108.2.8 SyncNotifySole

```
foundation.pEp.jniadapter.SyncHandshakeSignal.SyncNotifySole = (254)
```

6.108.2.9 SyncNotifyTimeout

```
foundation.pEp.jniadapter.SyncHandshakeSignal.SyncNotifyTimeout = (5)
```

6.108.2.10 SyncNotifyUndefined

```
foundation.pEp.jniadapter.SyncHandshakeSignal.SyncNotifyUndefined = (0)
```

6.108.2.11 value

```
final int foundation.pEp.jniadapter.SyncHandshakeSignal.value
```

The documentation for this enum was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.driv-0/source/src/foundation/pEp/jniadapter/SyncHandshakeSignal.java](#)

6.109 foundation.pEp.jniadapter.Message.TextFormat Enum Reference

Static Public Member Functions

- static [TextFormat getByInt](#) (int [value](#))

Public Attributes

- [Plain](#) =(0)
- [Html](#) =(1)
- [Other](#) =(255)
- final int [value](#)

6.109.1 Member Function Documentation

6.109.1.1 getByInt()

```
static TextFormat foundation.pEp.jniadapter.Message.TextFormat.getByInt (  
    int value ) [static]
```

6.109.2 Member Data Documentation

6.109.2.1 Html

```
foundation.pEp.jniadapter.Message.TextFormat.Html = (1)
```

6.109.2.2 Other

```
foundation.pEp.jniadapter.Message.TextFormat.Other = (255)
```

6.109.2.3 Plain

```
foundation.pEp.jniadapter.Message.TextFormat.Plain = (0)
```

6.109.2.4 value

```
final int foundation.pEp.jniadapter.Message.TextFormat.value
```

The documentation for this enum was generated from the following file:

- [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.dr0/source/src/foundation/pEp/jniadapter/Message.java](#)

Chapter 7

File Documentation

7.1 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/_Blob.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter._Blob](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.2 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/_Identity.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter._Identity](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.3 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/AbstractEngine.java](#) File Reference

Classes

- class **foundation.pEp.jniadapter.AbstractEngine**

Packages

- package [foundation.pEp.jniadapter](#)

7.4 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/](#) Blob.java File Reference

Classes

- class [foundation.pEp.jniadapter.Blob](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.5 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/](#) CipherSuite.java File Reference

Classes

- enum [foundation.pEp.jniadapter.CipherSuite](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.6 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/](#) Color.java File Reference

Classes

- enum [foundation.pEp.jniadapter.Color](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.7 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/](#) CommType.java File Reference

Classes

- enum [foundation.pEp.jniadapter.CommType](#)
- class [foundation.pEp.jniadapter.CommType.Management](#)

- package [foundation.pEp.jniadapter](#)

7.8 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/↔

DecryptFlags.java File Reference

Classes

- enum [foundation.pEp.jniadapter.DecryptFlags](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.9 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/↔

Engine.java File Reference

Classes

- class [foundation.pEp.jniadapter.Engine](#)
- class [foundation.pEp.jniadapter.Engine.decrypt_message_Return](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.10 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/↔

Identity.java File Reference

Classes

- class [foundation.pEp.jniadapter.Identity](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.11 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/↔

IdentityFlags.java File Reference

Classes

- enum [foundation.pEp.jniadapter.IdentityFlags](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.12 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/](#)↔ Message.java File Reference

Classes

- class [foundation.pEp.jniadapter.Message](#)
- enum [foundation.pEp.jniadapter.Message.TextFormat](#)
- enum [foundation.pEp.jniadapter.Message.Direction](#)
- enum [foundation.pEp.jniadapter.Message.EncFormat](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.13 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/](#)↔ Pair.java File Reference

Classes

- class [foundation.pEp.jniadapter.Pair](#)< F, S >

Packages

- package [foundation.pEp.jniadapter](#)

7.14 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p](#)↔ EpBufferTooSmall.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpBufferTooSmall](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.15 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ EpCannotConfig.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotConfig](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.16 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ EpCannotCreateKey.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotCreateKey](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.17 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ EpCannotCreateTempFile.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotCreateTempFile](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.18 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEp↔ EpCannotDecryptUnknown.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotDecryptUnknown](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.19 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotDeleteKey.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotDeleteKey](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.20 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotEditKey.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotEditKey](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.21 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotEncode.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotEncode](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.22 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotExportKey.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotExportKey](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.23 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpCannotFindAlias.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotFindAlias](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.24 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpCannotFindIdentity.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotFindIdentity](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.25 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpCannotFindPerson.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotFindPerson](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.26 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpCannotIncreaseSequence.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotIncreaseSequence](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.27 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotReencrypt.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotReencrypt](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.28 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSendKey.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotSendKey](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.29 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetAlias.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotSetAlias](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.30 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCannotSetIdentity.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotSetIdentity](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.31 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpCannotSetPepVersion.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotSetPepVersion](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.32 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpCannotSetPerson.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotSetPerson](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.33 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpCannotSetPgpKeypair.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotSetPgpKeypair](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.34 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpCannotSetTrust.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCannotSetTrust](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.35 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpCommitFailed.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpCommitFailed](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.36 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpConstraintsViolated.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpConstraintsViolated](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.37 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpDecrypted.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpDecrypted](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.38 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpDecryptedAndVerified.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpDecryptedAndVerified](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.39 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpDecryptNoKey.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpDecryptNoKey](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.40 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpDecryptSignatureDoesNotMatch.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpDecryptSignatureDoesNotMatch](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.41 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpDecryptWrongFormat.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpDecryptWrongFormat](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.42 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpDistributionIllegalMessage.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpDistributionIllegalMessage](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.43 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpException.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpException](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.44 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpGetKeyFailed.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpGetKeyFailed](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.45 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpIllegalValue.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpIllegalValue](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.46 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotConfigGpgAgent.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpInitCannotConfigGpgAgent](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.47 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotDetermineGpgVersion.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpInitCannotDetermineGpgVersion](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.48 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotLoadGpgme.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpInitCannotLoadGpgme](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.49 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotOpenDb.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpInitCannotOpenDb](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.50 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitCannotOpenSystemDb.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpInitCannotOpenSystemDb](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.51 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitGpgmeInitFailed.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpInitGpgmeInitFailed](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.52 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitNetpgpInitFailed.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpInitNetpgpInitFailed](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.53 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitNoGpgHome.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpInitNoGpgHome](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.54 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpInitSqlite3WithoutMutex.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpInitSqlite3WithoutMutex](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.55 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpInitUnsupportedGpgVersion.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpInitUnsupportedGpgVersion](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.56 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpKeyBlacklisted.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpKeyBlacklisted](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.57 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpKeyHasAmbigName.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpKeyHasAmbigName](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.58 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpKeyImported.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpKeyImported](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.59 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyImportStatusUnknown.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpKeyImportStatusUnknown](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.60 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyNotFound.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpKeyNotFound](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.61 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyNotReset.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpKeyNotReset](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.62 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpKeyUnsuitable.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpKeyUnsuitable](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.63 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpMalformedKeyResetMsg.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpMalformedKeyResetMsg](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.64 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpMessageConsume.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpMessageConsume](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.65 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpMessageIgnore.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpMessageIgnore](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.66 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpNoKeyImported.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpNoKeyImported](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.67 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpNoTrust.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpNoTrust](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.68 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpOutOfMemory.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpOutOfMemory](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.69 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpPhraseNotFound.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpPhraseNotFound](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.70 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpRecordNotFound.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpRecordNotFound](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.71 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpSendFunctionNotRegistered.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpSendFunctionNotRegistered](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.72 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpSomeKeysImported.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpSomeKeysImported](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.73 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpStatemachineCannotSend.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpStatemachineCannotSend](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.74 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpStatemachineError.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpStatemachineError](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.75 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStateMachineInhibitedEvent.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpStateMachineInhibitedEvent](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.76 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStateMachineInvalidAction.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpStateMachineInvalidAction](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.77 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStateMachineInvalidCondition.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpStateMachineInvalidCondition](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.78 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpStateMachineInvalidEvent.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpStateMachineInvalidEvent](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.79 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpStatemachineInvalidState.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpStatemachineInvalidState](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.80 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpSyncCannotEncrypt.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpSyncCannotEncrypt](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.81 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpSyncCannotStart.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpSyncCannotStart](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.82 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpSyncIllegalMessage.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpSyncIllegalMessage](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.83 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncNoChannel.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpSyncNoChannel](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.84 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncNoInjectCallback.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpSyncNoInjectCallback](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.85 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncNoMessageSendCallback.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpSyncNoMessageSendCallback](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.86 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpSyncNoNotifyCallback.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpSyncNoNotifyCallback](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.87 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpTrustwordNotFound.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpTrustwordNotFound](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.88 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpTrustwordsDuplicateFpr.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpTrustwordsDuplicateFpr](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.89 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpTrustwordsFprWrongLength.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpTrustwordsFprWrongLength](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.90 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpUnencrypted.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpUnencrypted](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.91 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpUnknownDbError.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpUnknownDbError](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.92 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpUnknownError.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpUnknownError](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.93 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpVerified.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpVerified](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.94 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/pEpVerifiedAndTrusted.java](#) File Reference

Classes

- class [foundation.pEp.jniadapter.pEpVerifiedAndTrusted](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.95 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpVerifyNoKey.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpVerifyNoKey](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.96 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpVerifySignerKeyRevoked.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpVerifySignerKeyRevoked](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.97 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/p↔ EpVersionMismatch.java File Reference

Classes

- class [foundation.pEp.jniadapter.pEpVersionMismatch](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.98 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/↔ Rating.java File Reference

Classes

- enum [foundation.pEp.jniadapter.Rating](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.99 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/↔](#) Status.java File Reference

Classes

- enum [foundation.pEp.jniadapter.Status](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.100 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/p↔](#) Ep/jniadapter/Sync.java File Reference

Classes

- interface [foundation.pEp.jniadapter.Sync](#)
- interface [foundation.pEp.jniadapter.Sync.NeedsFastPollCallback](#)
- interface [foundation.pEp.jniadapter.Sync.MessageToSendCallback](#)
- interface [foundation.pEp.jniadapter.Sync.NotifyHandshakeCallback](#)
- class [foundation.pEp.jniadapter.Sync.DefaultCallback](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.101 [/tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/p↔](#) Ep/jniadapter/SyncHandshakeResult.java File Reference

Classes

- enum [foundation.pEp.jniadapter.SyncHandshakeResult](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.102 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/SyncHandshakeSignal.java File Reference

Classes

- enum [foundation.pEp.jniadapter.SyncHandshakeSignal](#)

Packages

- package [foundation.pEp.jniadapter](#)

7.103 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-0/source/src/foundation/pEp/jniadapter/UniquelyIdentifiable.java File Reference

Classes

- class **foundation.pEp.jniadapter.UniquelyIdentifiable**

Packages

- package [foundation.pEp.jniadapter](#)

0/source/src/foundation/pEp/jniadapter/pEpNoKeyImported.java, 146
 141 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- 0/source/src/foundation/pEp/jniadapter/pEpSyncNoNotifyCallba
 0/source/src/foundation/pEp/jniadapter/pEpNoTrust.java, 146
 142 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- 0/source/src/foundation/pEp/jniadapter/pEpTrustwordNotFound.
 0/source/src/foundation/pEp/jniadapter/pEpOutOfMemory.java, 147
 142 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- 0/source/src/foundation/pEp/jniadapter/pEpTrustwordsDuplicate
 0/source/src/foundation/pEp/jniadapter/pEpPhraseNotFound.java, 147
 142 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- 0/source/src/foundation/pEp/jniadapter/pEpTrustwordsFprWrong
 0/source/src/foundation/pEp/jniadapter/pEpRecordNotFound.java, 147
 142 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- 0/source/src/foundation/pEp/jniadapter/pEpUnencrypted.java,
 0/source/src/foundation/pEp/jniadapter/pEpSendFunctionNotRegistered.java, 147
 143 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- 0/source/src/foundation/pEp/jniadapter/pEpUnknownDbError.jav
 0/source/src/foundation/pEp/jniadapter/pEpSomeKeysImported.java, 148
 143 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- 0/source/src/foundation/pEp/jniadapter/pEpUnknownError.java,
 0/source/src/foundation/pEp/jniadapter/pEpStatemachineCannotSend.java, 148
 143 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- 0/source/src/foundation/pEp/jniadapter/pEpVerified.java,
 0/source/src/foundation/pEp/jniadapter/pEpStatemachineError.java, 148
 143 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- 0/source/src/foundation/pEp/jniadapter/pEpVerifiedAndTrusted.j
 0/source/src/foundation/pEp/jniadapter/pEpStatemachineInhibitedEvent.java, 148
 144 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- 0/source/src/foundation/pEp/jniadapter/pEpVerifyNoKey.java,
 0/source/src/foundation/pEp/jniadapter/pEpStatemachineInvalidAction.java, 149
 144 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- 0/source/src/foundation/pEp/jniadapter/pEpVerifySignerKeyRev
 0/source/src/foundation/pEp/jniadapter/pEpStatemachineInvalidCondition.java, 149
 144 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- 0/source/src/foundation/pEp/jniadapter/pEpVersionMismatch.jav
 0/source/src/foundation/pEp/jniadapter/pEpStatemachineInvalidEvent.java, 149
 144 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv-
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- foundation.pEp.jniadapter._Identity, 20
 0/source/src/foundation/pEp/jniadapter/pEpStatemachineInvalidState.java, encodeMIME
 145 foundation.pEp.jniadapter.Message, 52
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- address
 0/source/src/foundation/pEp/jniadapter/pEpSyncCannotEncrypt.java, foundation.pEp.jniadapter._Identity, 20
 145 foundation.pEp.jniadapter.Identity, 48
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- blacklist_add
 0/source/src/foundation/pEp/jniadapter/pEpSyncCannotStart.java, foundation.pEp.jniadapter.Engine, 40
 145 blacklist_delete
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- foundation.pEp.jniadapter.Engine, 40
 0/source/src/foundation/pEp/jniadapter/pEpSyncIllegalMessage.java, foundation.pEp.jniadapter.Engine, 40
 145 blacklist_is_listed
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- foundation.pEp.jniadapter.Engine, 40
 0/source/src/foundation/pEp/jniadapter/pEpSyncNoChannel.java, blacklist_remove
 146 foundation.pEp.jniadapter.Engine, 40
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- Blob
 0/source/src/foundation/pEp/jniadapter/pEpSyncNoInjectCallback.java, foundation.pEp.jniadapter.Blob, 22
 146
 /tmp/guix-build-java-pep-jni-adapter-0.0.0-702.drv- close
 0/source/src/foundation/pEp/jniadapter/pEpSyncNoMessageSendCallback.java, Message, 52

- comm_type
 - foundation.pEp.jniadapter._Identity, 20
 - foundation.pEp.jniadapter.Identity, 48
- CommType
 - foundation.pEp.jniadapter.CommType, 27
- config_cipher_suite
 - foundation.pEp.jniadapter.Engine, 40
- config_passive_mode
 - foundation.pEp.jniadapter.Engine, 40
- config_unencrypted_subject
 - foundation.pEp.jniadapter.Engine, 41
- data
 - foundation.pEp.jniadapter.Blob, 22
- dataToXER
 - foundation.pEp.jniadapter._Blob, 19
- decrypt_message
 - foundation.pEp.jniadapter.Engine, 41
- deliverHandshakeResult
 - foundation.pEp.jniadapter.Engine, 41
- disable_identity_for_sync
 - foundation.pEp.jniadapter.Engine, 41
- dst
 - foundation.pEp.jniadapter.Engine.decrypt_message_Return, 32
- enable_identity_for_sync
 - foundation.pEp.jniadapter.Engine, 41
- encodeMIME
 - foundation.pEp.jniadapter.Message, 52
- encrypt_message
 - foundation.pEp.jniadapter.Engine, 41
- encrypt_message_and_add_priv_key
 - foundation.pEp.jniadapter.Engine, 42
- encrypt_message_for_self
 - foundation.pEp.jniadapter.Engine, 42
- Engine
 - foundation.pEp.jniadapter.Engine, 39
- filename
 - foundation.pEp.jniadapter.Blob, 23
- first
 - foundation.pEp.jniadapter.Pair< F, S >, 60
- flags
 - foundation.pEp.jniadapter._Identity, 21
 - foundation.pEp.jniadapter.Engine.decrypt_message_Return, 32
 - foundation.pEp.jniadapter.Identity, 48
- foundation, 15
- foundation.pEp, 15
- foundation.pEp.jniadapter, 15
- foundation.pEp.jniadapter._Blob, 19
 - dataToXER, 19
- foundation.pEp.jniadapter._Identity, 19
 - _Identity, 20
 - address, 20
 - comm_type, 20
 - flags, 21
 - fpr, 21
 - lang, 21
 - me, 21
 - user_id, 21
 - username, 21
- foundation.pEp.jniadapter.Blob, 22
 - Blob, 22
 - data, 22
 - filename, 23
 - mime_type, 23
 - toString, 22
- foundation.pEp.jniadapter.CipherSuite, 23
 - getByInt, 23
 - pEpCipherSuiteCv25519, 24
 - pEpCipherSuiteDefault, 24
 - pEpCipherSuiteP256, 24
 - pEpCipherSuiteP384, 24
 - pEpCipherSuiteP521, 24
 - pEpCipherSuiteRsa2k, 24
 - pEpCipherSuiteRsa3k, 24
 - pEpCipherSuiteRsa4k, 25
 - pEpCipherSuiteRsa8k, 25
 - value, 25
- foundation.pEp.jniadapter.Color, 25
 - getByInt, 25
 - PEPColorGreen, 26
 - PEPColorNoColor, 26
 - PEPColorRed, 26
 - PEPColorYellow, 26
 - value, 26
- foundation.pEp.jniadapter.CommType, 26
 - CommType, 27
 - PEP_ct_b0rken_crypto, 28
 - PEP_ct_CMS, 28
 - PEP_ct_CMS_unconfirmed, 28
 - PEP_ct_compromized, 28
 - PEP_ct_confirmed, 28
 - PEP_ct_confirmed_enc_anon, 28
 - PEP_ct_confirmed_encryption, 28
 - PEP_ct_key_b0rken, 28
 - PEP_ct_key_expired, 29
 - PEP_ct_key_not_found, 29
 - PEP_ct_key_revoked, 29
 - PEP_ct_key_too_short, 29
 - PEP_ct_mistrusted, 29
 - PEP_ct_my_key_not_included, 29
 - PEP_ct_no_encrypted_channel, 29
 - PEP_ct_no_encryption, 29
 - PEP_ct_OpenPGP, 30
 - PEP_ct_OpenPGP_unconfirmed, 30
 - PEP_ct_OpenPGP_weak, 30
 - PEP_ct_OpenPGP_weak_unconfirmed, 30
 - PEP_ct_OTR, 30
 - PEP_ct_OTR_unconfirmed, 30
 - PEP_ct_pEp, 30
 - PEP_ct_PEP_unconfirmed, 30
 - PEP_ct_security_by_obscurity, 31
 - PEP_ct_SMIME, 31
 - PEP_ct_SMIME_unconfirmed, 31

- PEP_ct_strong_but_unconfirmed, 31
- PEP_ct_strong_encryption, 31
- PEP_ct_to_be_checked, 31
- PEP_ct_to_be_checked_confirmed, 31
- PEP_ct_unconfirmed_enc_anon, 31
- PEP_ct_unconfirmed_encryption, 32
- PEP_ct_unknown, 32
- value, 32
- foundation.pEp.jniadapter.DecryptFlags, 33
 - getByInt, 33
 - pEpDecryptFlagConsumed, 33
 - pEpDecryptFlagDontTriggerSync, 34
 - pEpDecryptFlagIgnored, 34
 - pEpDecryptFlagOwnPrivateKey, 34
 - pEpDecryptFlagSrcModified, 34
 - pEpDecryptFlagUntrustedServer, 34
 - value, 34
- foundation.pEp.jniadapter.Engine, 38
 - blacklist_add, 40
 - blacklist_delete, 40
 - blacklist_is_listed, 40
 - blacklist_retrieve, 40
 - config_cipher_suite, 40
 - config_passive_mode, 40
 - config_unencrypted_subject, 41
 - decrypt_message, 41
 - deliverHandshakeResult, 41
 - disable_identity_for_sync, 41
 - enable_identity_for_sync, 41
 - encrypt_message, 41
 - encrypt_message_and_add_priv_key, 42
 - encrypt_message_for_self, 42
 - Engine, 39
 - get_identity, 42
 - get_languagelist, 42
 - get_message_trustwords, 42
 - get_trustwords, 42
 - get_trustwords_for_fprs, 43
 - getCrashdumpLog, 43
 - identity_rating, 43
 - importKey, 43
 - key_reset_all_own_keys, 43
 - key_reset_identity, 43
 - key_reset_trust, 44
 - key_reset_user, 44
 - keyMistrusted, 44
 - keyResetTrust, 44
 - leave_device_group, 44
 - myself, 44
 - OpenPGP_list_keyinfo, 44
 - outgoing_message_rating, 45
 - outgoing_message_rating_preview, 45
 - own_identities_retrieve, 45
 - own_message_private_key_details, 45
 - re_evaluate_message_rating, 45
 - set_identity_flags, 45
 - setOwnKey, 45
 - trustOwnKey, 46
 - trustPersonalKey, 46
 - trustwords, 46
 - unset_identity_flags, 46
 - updateIdentity, 46
- foundation.pEp.jniadapter.Engine.decrypt_message_Return, 32
 - dst, 32
 - flags, 32
 - rating, 33
- foundation.pEp.jniadapter.Identity, 47
 - address, 48
 - comm_type, 48
 - flags, 48
 - fpr, 48
 - getRating, 48
 - Identity, 47
 - lang, 48
 - me, 49
 - toString, 48
 - user_id, 49
 - username, 49
- foundation.pEp.jniadapter.IdentityFlags, 49
 - getByInt, 49
 - pEpIidfDevicegroup, 50
 - pEpIidfList, 50
 - pEpIidfNotForSync, 50
 - value, 50
- foundation.pEp.jniadapter.Message, 50
 - _encodeMIME, 52
 - close, 52
 - encodeMIME, 52
 - getAttachments, 52
 - getBcc, 52
 - getCc, 53
 - getComments, 53
 - getDir, 53
 - getEncFormat, 53
 - getFrom, 53
 - getHandle, 53
 - getId, 53
 - getInReplyTo, 53
 - getKeywords, 54
 - getLongmsg, 54
 - getLongmsgFormatted, 54
 - getOptFields, 54
 - getRecv, 54
 - getRecvBy, 54
 - getReferences, 54
 - getReplyTo, 54
 - getSent, 55
 - getShortmsg, 55
 - getTo, 55
 - Message, 52
 - setAttachments, 55
 - setBcc, 55
 - setCc, 55
 - setComments, 55
 - setDir, 56

- setEncFormat, 56
- setFrom, 56
- setId, 56
- setInReplyTo, 56
- setKeywords, 56
- setLongmsg, 56
- setLongmsgFormatted, 57
- setOptFields, 57
- setRecv, 57
- setRecvBy, 57
- setReferences, 57
- setReplyTo, 57
- setSent, 57
- setShortmsg, 58
- setTo, 58
- foundation.pEp.jniadapter.Message.Direction, 36
 - getByInt, 36
 - Incoming, 36
 - Outgoing, 36
 - value, 36
- foundation.pEp.jniadapter.Message.EncFormat, 37
 - getByInt, 37
 - Inline, 37
 - None, 37
 - PEP, 37
 - PGPMIME, 38
 - SMIME, 38
 - value, 38
- foundation.pEp.jniadapter.Message.TextFormat, 123
 - getByInt, 123
 - Html, 123
 - Other, 123
 - Plain, 123
 - value, 124
- foundation.pEp.jniadapter.Pair< F, S >, 60
 - first, 60
 - Pair, 60
 - second, 60
- foundation.pEp.jniadapter.pEpBufferTooSmall, 61
 - pEpBufferTooSmall, 61
- foundation.pEp.jniadapter.pEpCannotConfig, 61
 - pEpCannotConfig, 61
- foundation.pEp.jniadapter.pEpCannotCreateKey, 62
 - pEpCannotCreateKey, 62
- foundation.pEp.jniadapter.pEpCannotCreateTempFile, 62
 - pEpCannotCreateTempFile, 62
- foundation.pEp.jniadapter.pEpCannotDecryptUnknown, 63
 - pEpCannotDecryptUnknown, 63
- foundation.pEp.jniadapter.pEpCannotDeleteKey, 63
 - pEpCannotDeleteKey, 63
- foundation.pEp.jniadapter.pEpCannotEditKey, 64
 - pEpCannotEditKey, 64
- foundation.pEp.jniadapter.pEpCannotEncode, 64
 - pEpCannotEncode, 64
- foundation.pEp.jniadapter.pEpCannotExportKey, 65
 - pEpCannotExportKey, 65
- foundation.pEp.jniadapter.pEpCannotFindAlias, 65
 - pEpCannotFindAlias, 65
- foundation.pEp.jniadapter.pEpCannotFindIdentity, 66
 - pEpCannotFindIdentity, 66
- foundation.pEp.jniadapter.pEpCannotFindPerson, 66
 - pEpCannotFindPerson, 66
- foundation.pEp.jniadapter.pEpCannotIncreaseSequence, 67
 - pEpCannotIncreaseSequence, 67
- foundation.pEp.jniadapter.pEpCannotReencrypt, 67
 - pEpCannotReencrypt, 67
- foundation.pEp.jniadapter.pEpCannotSendKey, 68
 - pEpCannotSendKey, 68
- foundation.pEp.jniadapter.pEpCannotSetAlias, 68
 - pEpCannotSetAlias, 68
- foundation.pEp.jniadapter.pEpCannotSetIdentity, 69
 - pEpCannotSetIdentity, 69
- foundation.pEp.jniadapter.pEpCannotSetPepVersion, 69
 - pEpCannotSetPepVersion, 69
- foundation.pEp.jniadapter.pEpCannotSetPerson, 70
 - pEpCannotSetPerson, 70
- foundation.pEp.jniadapter.pEpCannotSetPgpKeypair, 70
 - pEpCannotSetPgpKeypair, 70
- foundation.pEp.jniadapter.pEpCannotSetTrust, 71
 - pEpCannotSetTrust, 71
- foundation.pEp.jniadapter.pEpCommitFailed, 71
 - pEpCommitFailed, 71
- foundation.pEp.jniadapter.pEpConstraintsViolated, 72
 - pEpConstraintsViolated, 72
- foundation.pEp.jniadapter.pEpDecrypted, 72
 - pEpDecrypted, 72
- foundation.pEp.jniadapter.pEpDecryptedAndVerified, 73
 - pEpDecryptedAndVerified, 73
- foundation.pEp.jniadapter.pEpDecryptNoKey, 73
 - pEpDecryptNoKey, 73
- foundation.pEp.jniadapter.pEpDecryptSignatureDoesNotMatch, 74
 - pEpDecryptSignatureDoesNotMatch, 74
- foundation.pEp.jniadapter.pEpDecryptWrongFormat, 74
 - pEpDecryptWrongFormat, 74
- foundation.pEp.jniadapter.pEpDistributionIllegalMessage, 75
 - pEpDistributionIllegalMessage, 75
- foundation.pEp.jniadapter.pEpException, 75
 - pEpException, 76
- foundation.pEp.jniadapter.pEpGetKeyFailed, 76
 - pEpGetKeyFailed, 76
- foundation.pEp.jniadapter.pEpIllegalValue, 77
 - pEpIllegalValue, 77
- foundation.pEp.jniadapter.pEpInitCannotConfigGpgAgent, 77
 - pEpInitCannotConfigGpgAgent, 78
- foundation.pEp.jniadapter.pEpInitCannotDetermineGpgVersion, 78
 - pEpInitCannotDetermineGpgVersion, 78
- foundation.pEp.jniadapter.pEpInitCannotLoadGpgme, 78
 - pEpInitCannotLoadGpgme, 78

- pEpInitCannotLoadGpgme, 79
- foundation.pEp.jniadapter.pEpInitCannotOpenDb, 79
 - pEpInitCannotOpenDb, 79
- foundation.pEp.jniadapter.pEpInitCannotOpenSystemDb, 79
 - pEpInitCannotOpenSystemDb, 80
- foundation.pEp.jniadapter.pEpInitGpgmeInitFailed, 80
 - pEpInitGpgmeInitFailed, 80
- foundation.pEp.jniadapter.pEpInitNetpgpInitFailed, 80
 - pEpInitNetpgpInitFailed, 81
- foundation.pEp.jniadapter.pEpInitNoGpgHome, 81
 - pEpInitNoGpgHome, 81
- foundation.pEp.jniadapter.pEpInitSqlite3WithoutMutex, 81
 - pEpInitSqlite3WithoutMutex, 82
- foundation.pEp.jniadapter.pEpInitUnsupportedGpgVersion, 82
 - pEpInitUnsupportedGpgVersion, 82
- foundation.pEp.jniadapter.pEpKeyBlacklisted, 82
 - pEpKeyBlacklisted, 83
- foundation.pEp.jniadapter.pEpKeyHasAmbigName, 83
 - pEpKeyHasAmbigName, 83
- foundation.pEp.jniadapter.pEpKeyImported, 83
 - pEpKeyImported, 84
- foundation.pEp.jniadapter.pEpKeyImportStatusUnknown, 84
 - pEpKeyImportStatusUnknown, 84
- foundation.pEp.jniadapter.pEpKeyNotFound, 84
 - pEpKeyNotFound, 85
- foundation.pEp.jniadapter.pEpKeyNotReset, 85
 - pEpKeyNotReset, 85
- foundation.pEp.jniadapter.pEpKeyUnsuitable, 85
 - pEpKeyUnsuitable, 86
- foundation.pEp.jniadapter.pEpMalformedKeyResetMsg, 86
 - pEpMalformedKeyResetMsg, 86
- foundation.pEp.jniadapter.pEpMessageConsume, 86
 - pEpMessageConsume, 87
- foundation.pEp.jniadapter.pEpMessageIgnore, 87
 - pEpMessageIgnore, 87
- foundation.pEp.jniadapter.pEpNoKeyImported, 87
 - pEpNoKeyImported, 88
- foundation.pEp.jniadapter.pEpNoTrust, 88
 - pEpNoTrust, 88
- foundation.pEp.jniadapter.pEpOutOfMemory, 88
 - pEpOutOfMemory, 89
- foundation.pEp.jniadapter.pEpPhraseNotFound, 89
 - pEpPhraseNotFound, 89
- foundation.pEp.jniadapter.pEpRecordNotFound, 89
 - pEpRecordNotFound, 90
- foundation.pEp.jniadapter.pEpSendFunctionNotRegistered, 90
 - pEpSendFunctionNotRegistered, 90
- foundation.pEp.jniadapter.pEpSomeKeysImported, 90
 - pEpSomeKeysImported, 91
- foundation.pEp.jniadapter.pEpStatemachineCannotSend, 91
 - pEpStatemachineCannotSend, 91
- foundation.pEp.jniadapter.pEpStatemachineError, 91
 - pEpStatemachineError, 92
- foundation.pEp.jniadapter.pEpStatemachineInhibitedEvent, 92
 - pEpStatemachineInhibitedEvent, 92
- foundation.pEp.jniadapter.pEpStatemachineInvalidAction, 92
 - pEpStatemachineInvalidAction, 93
- foundation.pEp.jniadapter.pEpStatemachineInvalidCondition, 93
 - pEpStatemachineInvalidCondition, 93
- foundation.pEp.jniadapter.pEpStatemachineInvalidEvent, 93
 - pEpStatemachineInvalidEvent, 94
- foundation.pEp.jniadapter.pEpStatemachineInvalidState, 94
 - pEpStatemachineInvalidState, 94
- foundation.pEp.jniadapter.pEpSyncCannotEncrypt, 94
 - pEpSyncCannotEncrypt, 95
- foundation.pEp.jniadapter.pEpSyncCannotStart, 95
 - pEpSyncCannotStart, 95
- foundation.pEp.jniadapter.pEpSyncIllegalMessage, 95
 - pEpSyncIllegalMessage, 96
- foundation.pEp.jniadapter.pEpSyncNoChannel, 96
 - pEpSyncNoChannel, 96
- foundation.pEp.jniadapter.pEpSyncNoInjectCallback, 96
 - pEpSyncNoInjectCallback, 97
- foundation.pEp.jniadapter.pEpSyncNoMessageSendCallback, 97
 - pEpSyncNoMessageSendCallback, 97
- foundation.pEp.jniadapter.pEpSyncNoNotifyCallback, 97
 - pEpSyncNoNotifyCallback, 98
- foundation.pEp.jniadapter.pEpTrustwordNotFound, 98
 - pEpTrustwordNotFound, 98
- foundation.pEp.jniadapter.pEpTrustwordsDuplicateFpr, 98
 - pEpTrustwordsDuplicateFpr, 99
- foundation.pEp.jniadapter.pEpTrustwordsFprWrongLength, 99
 - pEpTrustwordsFprWrongLength, 99
- foundation.pEp.jniadapter.pEpUnencrypted, 99
 - pEpUnencrypted, 100
- foundation.pEp.jniadapter.pEpUnknownDbError, 100
 - pEpUnknownDbError, 100
- foundation.pEp.jniadapter.pEpUnknownError, 100
 - pEpUnknownError, 101
- foundation.pEp.jniadapter.pEpVerified, 101
 - pEpVerified, 101
- foundation.pEp.jniadapter.pEpVerifiedAndTrusted, 101
 - pEpVerifiedAndTrusted, 102
- foundation.pEp.jniadapter.pEpVerifyNoKey, 102
 - pEpVerifyNoKey, 102
- foundation.pEp.jniadapter.pEpVerifySignerKeyRevoked, 102
 - pEpVerifySignerKeyRevoked, 103
- foundation.pEp.jniadapter.pEpVersionMismatch, 103
 - pEpVersionMismatch, 103

- foundation.pEp.jniadapter.Rating, 103
 - getByInt, 104
 - pEpRatingB0rken, 104
 - pEpRatingCannotDecrypt, 104
 - pEpRatingFullyAnonymous, 104
 - pEpRatingHaveNoKey, 105
 - pEpRatingMistrust, 105
 - pEpRatingReliable, 105
 - pEpRatingTrusted, 105
 - pEpRatingTrustedAndAnonymized, 105
 - pEpRatingUndefined, 105
 - pEpRatingUnderAttack, 105
 - pEpRatingUnencrypted, 105
 - pEpRatingUnencryptedForSome, 106
 - pEpRatingUnreliable, 106
 - value, 106
- foundation.pEp.jniadapter.Status, 106
 - getByInt, 108
 - pEpBufferTooSmall, 108
 - pEpCannotConfig, 108
 - pEpCannotCreateKey, 109
 - pEpCannotCreateTempFile, 109
 - pEpCannotDecryptUnknown, 109
 - pEpCannotDeleteKey, 109
 - pEpCannotEditKey, 109
 - pEpCannotEncode, 109
 - pEpCannotExportKey, 109
 - pEpCannotFindAlias, 109
 - pEpCannotFindIdentity, 110
 - pEpCannotFindPerson, 110
 - pEpCannotIncreaseSequence, 110
 - pEpCannotReencrypt, 110
 - pEpCannotSendKey, 110
 - pEpCannotSetAlias, 110
 - pEpCannotSetIdentity, 110
 - pEpCannotSetPepVersion, 110
 - pEpCannotSetPerson, 111
 - pEpCannotSetPgpKeyPair, 111
 - pEpCannotSetTrust, 111
 - pEpCommitFailed, 111
 - pEpConstraintsViolated, 111
 - pEpDecrypted, 111
 - pEpDecryptedAndVerified, 111
 - pEpDecryptNoKey, 111
 - pEpDecryptSignatureDoesNotMatch, 112
 - pEpDecryptWrongFormat, 112
 - pEpDistributionIllegalMessage, 112
 - pEpGetKeyFailed, 112
 - pEpIllegalValue, 112
 - pEpInitCannotConfigGpgAgent, 112
 - pEpInitCannotDetermineGpgVersion, 112
 - pEpInitCannotLoadGpgme, 112
 - pEpInitCannotOpenDb, 113
 - pEpInitCannotOpenSystemDb, 113
 - pEpInitGpgmeInitFailed, 113
 - pEpInitNetpgpInitFailed, 113
 - pEpInitNoGpgHome, 113
 - pEpInitSqlite3WithoutMutex, 113
 - pEpInitUnsupportedGpgVersion, 113
 - pEpKeyBlacklisted, 113
 - pEpKeyHasAmbigName, 114
 - pEpKeyImported, 114
 - pEpKeyImportStatusUnknown, 114
 - pEpKeyNotFound, 114
 - pEpKeyNotReset, 114
 - pEpKeyUnsuitable, 114
 - pEpMalformedKeyResetMsg, 114
 - pEpMessageConsume, 114
 - pEpMessageIgnore, 115
 - pEpNoKeyImported, 115
 - pEpNoTrust, 115
 - pEpOutOfMemory, 115
 - pEpPhraseNotFound, 115
 - pEpRecordNotFound, 115
 - pEpSendFunctionNotRegistered, 115
 - pEpSomeKeysImported, 115
 - pEpStatemachineCannotSend, 116
 - pEpStatemachineError, 116
 - pEpStatemachineInhibitedEvent, 116
 - pEpStatemachineInvalidAction, 116
 - pEpStatemachineInvalidCondition, 116
 - pEpStatemachineInvalidEvent, 116
 - pEpStatemachineInvalidState, 116
 - pEpStatusOk, 116
 - pEpSyncCannotEncrypt, 117
 - pEpSyncCannotStart, 117
 - pEpSyncIllegalMessage, 117
 - pEpSyncNoChannel, 117
 - pEpSyncNoInjectCallback, 117
 - pEpSyncNoMessageSendCallback, 117
 - pEpSyncNoNotifyCallback, 117
 - pEpTrustwordNotFound, 117
 - pEpTrustwordsDuplicateFpr, 118
 - pEpTrustwordsFprWrongLength, 118
 - pEpUnencrypted, 118
 - pEpUnknownDbError, 118
 - pEpUnknownError, 118
 - pEpVerified, 118
 - pEpVerifiedAndTrusted, 118
 - pEpVerifyNoKey, 118
 - pEpVerifySignerKeyRevoked, 119
 - pEpVersionMismatch, 119
 - value, 119
- foundation.pEp.jniadapter.Sync, 119
 - foundation.pEp.jniadapter.Sync.DefaultCallback, 35
 - messageToSend, 35
 - needsFastPollCallFromC, 35
 - notifyHandshake, 35
 - foundation.pEp.jniadapter.Sync.MessageToSendCallback, 58
 - messageToSend, 58
 - foundation.pEp.jniadapter.Sync.NeedsFastPollCallback, 59
 - needsFastPollCallFromC, 59
 - foundation.pEp.jniadapter.Sync.NotifyHandshakeCallback, 59

- notifyHandshake, 59
- foundation.pEp.jniadapter.SyncHandshakeResult, 119
 - getByInt, 120
 - SyncHandshakeAccepted, 120
 - SyncHandshakeCancel, 120
 - SyncHandshakeRejected, 120
 - value, 120
- foundation.pEp.jniadapter.SyncHandshakeSignal, 121
 - getByInt, 121
 - SyncNotifyAcceptedDeviceAccepted, 121
 - SyncNotifyAcceptedDeviceAdded, 121
 - SyncNotifyAcceptedGroupCreated, 121
 - SyncNotifyInGroup, 122
 - SyncNotifyInitAddOtherDevice, 122
 - SyncNotifyInitAddOurDevice, 122
 - SyncNotifyInitFormGroup, 122
 - SyncNotifySole, 122
 - SyncNotifyTimeout, 122
 - SyncNotifyUndefined, 122
 - value, 122
- fpr
 - foundation.pEp.jniadapter._Identity, 21
 - foundation.pEp.jniadapter.Identity, 48
- get_identity
 - foundation.pEp.jniadapter.Engine, 42
- get_languagelist
 - foundation.pEp.jniadapter.Engine, 42
- get_message_trustwords
 - foundation.pEp.jniadapter.Engine, 42
- get_trustwords
 - foundation.pEp.jniadapter.Engine, 42
- get_trustwords_for_fprs
 - foundation.pEp.jniadapter.Engine, 43
- getAttachments
 - foundation.pEp.jniadapter.Message, 52
- getBcc
 - foundation.pEp.jniadapter.Message, 52
- getByInt
 - foundation.pEp.jniadapter.CipherSuite, 23
 - foundation.pEp.jniadapter.Color, 25
 - foundation.pEp.jniadapter.DecryptFlags, 33
 - foundation.pEp.jniadapter.IdentityFlags, 49
 - foundation.pEp.jniadapter.Message.Direction, 36
 - foundation.pEp.jniadapter.Message.EncFormat, 37
 - foundation.pEp.jniadapter.Message.TextFormat, 123
 - foundation.pEp.jniadapter.Rating, 104
 - foundation.pEp.jniadapter.Status, 108
 - foundation.pEp.jniadapter.SyncHandshakeResult, 120
 - foundation.pEp.jniadapter.SyncHandshakeSignal, 121
- getCc
 - foundation.pEp.jniadapter.Message, 53
- getComments
 - foundation.pEp.jniadapter.Message, 53
- getCrashdumpLog
 - foundation.pEp.jniadapter.Engine, 43
- getDir
 - foundation.pEp.jniadapter.Message, 53
- getEncFormat
 - foundation.pEp.jniadapter.Message, 53
- getFrom
 - foundation.pEp.jniadapter.Message, 53
- getHandle
 - foundation.pEp.jniadapter.Message, 53
- getId
 - foundation.pEp.jniadapter.Message, 53
- getInReplyTo
 - foundation.pEp.jniadapter.Message, 53
- getKeywords
 - foundation.pEp.jniadapter.Message, 54
- getLongmsg
 - foundation.pEp.jniadapter.Message, 54
- getLongmsgFormatted
 - foundation.pEp.jniadapter.Message, 54
- getOptFields
 - foundation.pEp.jniadapter.Message, 54
- getRating
 - foundation.pEp.jniadapter.Identity, 48
- getRecv
 - foundation.pEp.jniadapter.Message, 54
- getRecvBy
 - foundation.pEp.jniadapter.Message, 54
- getReferences
 - foundation.pEp.jniadapter.Message, 54
- getReplyTo
 - foundation.pEp.jniadapter.Message, 54
- getSent
 - foundation.pEp.jniadapter.Message, 55
- getShortmsg
 - foundation.pEp.jniadapter.Message, 55
- getTo
 - foundation.pEp.jniadapter.Message, 55
- Html
 - foundation.pEp.jniadapter.Message.TextFormat, 123
- Identity
 - foundation.pEp.jniadapter.Identity, 47
- identity_rating
 - foundation.pEp.jniadapter.Engine, 43
- importKey
 - foundation.pEp.jniadapter.Engine, 43
- Incoming
 - foundation.pEp.jniadapter.Message.Direction, 36
- Inline
 - foundation.pEp.jniadapter.Message.EncFormat, 37
- key_reset_all_own_keys
 - foundation.pEp.jniadapter.Engine, 43
- key_reset_identity
 - foundation.pEp.jniadapter.Engine, 43
- key_reset_trust
 - foundation.pEp.jniadapter.Engine, 44
- key_reset_user

- foundation.pEp.jniadapter.Engine, 44
- keyMistrusted
 - foundation.pEp.jniadapter.Engine, 44
- keyResetTrust
 - foundation.pEp.jniadapter.Engine, 44
- lang
 - foundation.pEp.jniadapter._Identity, 21
 - foundation.pEp.jniadapter.Identity, 48
- leave_device_group
 - foundation.pEp.jniadapter.Engine, 44
- me
 - foundation.pEp.jniadapter._Identity, 21
 - foundation.pEp.jniadapter.Identity, 49
- Message
 - foundation.pEp.jniadapter.Message, 52
- messageToSend
 - foundation.pEp.jniadapter.Sync.DefaultCallback, 35
 - foundation.pEp.jniadapter.Sync.MessageToSendCallback, 58
- mime_type
 - foundation.pEp.jniadapter.Blob, 23
- myself
 - foundation.pEp.jniadapter.Engine, 44
- needsFastPollCallFromC
 - foundation.pEp.jniadapter.Sync.DefaultCallback, 35
 - foundation.pEp.jniadapter.Sync.NeedsFastPollCallback, 59
- None
 - foundation.pEp.jniadapter.Message.EncFormat, 37
- notifyHandshake
 - foundation.pEp.jniadapter.Sync.DefaultCallback, 35
 - foundation.pEp.jniadapter.Sync.NotifyHandshakeCallback, 59
- OpenPGP_list_keyinfo
 - foundation.pEp.jniadapter.Engine, 44
- Other
 - foundation.pEp.jniadapter.Message.TextFormat, 123
- Outgoing
 - foundation.pEp.jniadapter.Message.Direction, 36
- outgoing_message_rating
 - foundation.pEp.jniadapter.Engine, 45
- outgoing_message_rating_preview
 - foundation.pEp.jniadapter.Engine, 45
- own_identities_retrieve
 - foundation.pEp.jniadapter.Engine, 45
- own_message_private_key_details
 - foundation.pEp.jniadapter.Engine, 45
- Pair
 - foundation.pEp.jniadapter.Pair< F, S >, 60
- PEP
 - foundation.pEp.jniadapter.Message.EncFormat, 37
 - PEP_ct_b0rken_crypto
 - foundation.pEp.jniadapter.CommType, 28
 - PEP_ct_CMS
 - foundation.pEp.jniadapter.CommType, 28
 - PEP_ct_CMS_unconfirmed
 - foundation.pEp.jniadapter.CommType, 28
 - PEP_ct_compromized
 - foundation.pEp.jniadapter.CommType, 28
 - PEP_ct_confirmed
 - foundation.pEp.jniadapter.CommType, 28
 - PEP_ct_confirmed_enc_anon
 - foundation.pEp.jniadapter.CommType, 28
 - PEP_ct_confirmed_encryption
 - foundation.pEp.jniadapter.CommType, 28
 - PEP_ct_key_b0rken
 - foundation.pEp.jniadapter.CommType, 28
 - PEP_ct_key_expired
 - foundation.pEp.jniadapter.CommType, 29
 - PEP_ct_key_not_found
 - foundation.pEp.jniadapter.CommType, 29
 - PEP_ct_key_revoked
 - foundation.pEp.jniadapter.CommType, 29
 - PEP_ct_key_too_short
 - foundation.pEp.jniadapter.CommType, 29
 - PEP_ct_mistrusted
 - foundation.pEp.jniadapter.CommType, 29
 - PEP_ct_my_key_not_included
 - foundation.pEp.jniadapter.CommType, 29
 - PEP_ct_no_encrypted_channel
 - foundation.pEp.jniadapter.CommType, 29
 - PEP_ct_no_encryption
 - foundation.pEp.jniadapter.CommType, 29
 - PEP_ct_OpenPGP
 - foundation.pEp.jniadapter.CommType, 30
 - PEP_ct_OpenPGP_unconfirmed
 - foundation.pEp.jniadapter.CommType, 30
 - PEP_ct_OpenPGP_weak
 - foundation.pEp.jniadapter.CommType, 30
 - PEP_ct_OpenPGP_weak_unconfirmed
 - foundation.pEp.jniadapter.CommType, 30
 - PEP_ct_OTR
 - foundation.pEp.jniadapter.CommType, 30
 - PEP_ct_OTR_unconfirmed
 - foundation.pEp.jniadapter.CommType, 30
 - PEP_ct_pEp
 - foundation.pEp.jniadapter.CommType, 30
 - PEP_ct_PEP_unconfirmed
 - foundation.pEp.jniadapter.CommType, 30
 - PEP_ct_security_by_obscurity
 - foundation.pEp.jniadapter.CommType, 31
 - PEP_ct_SMIME
 - foundation.pEp.jniadapter.CommType, 31
 - PEP_ct_SMIME_unconfirmed
 - foundation.pEp.jniadapter.CommType, 31
 - PEP_ct_strong_but_unconfirmed
 - foundation.pEp.jniadapter.CommType, 31
 - PEP_ct_strong_encryption

- foundation.pEp.jniadapter.CommType, 31
- PEP_ct_to_be_checked
 - foundation.pEp.jniadapter.CommType, 31
- PEP_ct_to_be_checked_confirmed
 - foundation.pEp.jniadapter.CommType, 31
- PEP_ct_unconfirmed_enc_anon
 - foundation.pEp.jniadapter.CommType, 31
- PEP_ct_unconfirmed_encryption
 - foundation.pEp.jniadapter.CommType, 32
- PEP_ct_unknown
 - foundation.pEp.jniadapter.CommType, 32
- pEpBufferTooSmall
 - foundation.pEp.jniadapter.pEpBufferTooSmall, 61
 - foundation.pEp.jniadapter.Status, 108
- pEpCannotConfig
 - foundation.pEp.jniadapter.pEpCannotConfig, 61
 - foundation.pEp.jniadapter.Status, 108
- pEpCannotCreateKey
 - foundation.pEp.jniadapter.pEpCannotCreateKey, 62
 - foundation.pEp.jniadapter.Status, 109
- pEpCannotCreateTempFile
 - foundation.pEp.jniadapter.pEpCannotCreateTempFile, 62
 - foundation.pEp.jniadapter.Status, 109
- pEpCannotDecryptUnknown
 - foundation.pEp.jniadapter.pEpCannotDecryptUnknown, 63
 - foundation.pEp.jniadapter.Status, 109
- pEpCannotDeleteKey
 - foundation.pEp.jniadapter.pEpCannotDeleteKey, 63
 - foundation.pEp.jniadapter.Status, 109
- pEpCannotEditKey
 - foundation.pEp.jniadapter.pEpCannotEditKey, 64
 - foundation.pEp.jniadapter.Status, 109
- pEpCannotEncode
 - foundation.pEp.jniadapter.pEpCannotEncode, 64
 - foundation.pEp.jniadapter.Status, 109
- pEpCannotExportKey
 - foundation.pEp.jniadapter.pEpCannotExportKey, 65
 - foundation.pEp.jniadapter.Status, 109
- pEpCannotFindAlias
 - foundation.pEp.jniadapter.pEpCannotFindAlias, 65
 - foundation.pEp.jniadapter.Status, 109
- pEpCannotFindIdentity
 - foundation.pEp.jniadapter.pEpCannotFindIdentity, 66
 - foundation.pEp.jniadapter.Status, 110
- pEpCannotFindPerson
 - foundation.pEp.jniadapter.pEpCannotFindPerson, 66
 - foundation.pEp.jniadapter.Status, 110
- pEpCannotIncreaseSequence
 - foundation.pEp.jniadapter.pEpCannotIncreaseSequence, 67
 - foundation.pEp.jniadapter.Status, 110
- pEpCannotReencrypt
 - foundation.pEp.jniadapter.pEpCannotReencrypt, 67
 - foundation.pEp.jniadapter.Status, 110
- pEpCannotSendKey
 - foundation.pEp.jniadapter.pEpCannotSendKey, 68
 - foundation.pEp.jniadapter.Status, 110
- pEpCannotSetAlias
 - foundation.pEp.jniadapter.pEpCannotSetAlias, 68
 - foundation.pEp.jniadapter.Status, 110
- pEpCannotSetIdentity
 - foundation.pEp.jniadapter.pEpCannotSetIdentity, 69
 - foundation.pEp.jniadapter.Status, 110
- pEpCannotSetPepVersion
 - foundation.pEp.jniadapter.pEpCannotSetPepVersion, 69
 - foundation.pEp.jniadapter.Status, 110
- pEpCannotSetPerson
 - foundation.pEp.jniadapter.pEpCannotSetPerson, 70
 - foundation.pEp.jniadapter.Status, 111
- pEpCannotSetPgpKeypair
 - foundation.pEp.jniadapter.pEpCannotSetPgpKeypair, 70
 - foundation.pEp.jniadapter.Status, 111
- pEpCannotSetTrust
 - foundation.pEp.jniadapter.pEpCannotSetTrust, 71
 - foundation.pEp.jniadapter.Status, 111
- pEpCipherSuiteCv25519
 - foundation.pEp.jniadapter.CipherSuite, 24
- pEpCipherSuiteDefault
 - foundation.pEp.jniadapter.CipherSuite, 24
- pEpCipherSuiteP256
 - foundation.pEp.jniadapter.CipherSuite, 24
- pEpCipherSuiteP384
 - foundation.pEp.jniadapter.CipherSuite, 24
- pEpCipherSuiteP521
 - foundation.pEp.jniadapter.CipherSuite, 24
- pEpCipherSuiteRsa2k
 - foundation.pEp.jniadapter.CipherSuite, 24
- pEpCipherSuiteRsa3k
 - foundation.pEp.jniadapter.CipherSuite, 24
- pEpCipherSuiteRsa4k
 - foundation.pEp.jniadapter.CipherSuite, 25
- pEpCipherSuiteRsa8k
 - foundation.pEp.jniadapter.CipherSuite, 25
- PEPColorGreen
 - foundation.pEp.jniadapter.Color, 26
- PEPColorNoColor
 - foundation.pEp.jniadapter.Color, 26
- PEPColorRed
 - foundation.pEp.jniadapter.Color, 26
- PEPColorYellow
 - foundation.pEp.jniadapter.Color, 26
- pEpCommitFailed
 - foundation.pEp.jniadapter.pEpCommitFailed, 71
 - foundation.pEp.jniadapter.Status, 111

- pEpConstraintsViolated
 - foundation.pEp.jniadapter.pEpConstraintsViolated, [72](#)
 - foundation.pEp.jniadapter.Status, [111](#)
- pEpDecrypted
 - foundation.pEp.jniadapter.pEpDecrypted, [72](#)
 - foundation.pEp.jniadapter.Status, [111](#)
- pEpDecryptedAndVerified
 - foundation.pEp.jniadapter.pEpDecryptedAndVerified, [73](#)
 - foundation.pEp.jniadapter.Status, [111](#)
- pEpDecryptFlagConsumed
 - foundation.pEp.jniadapter.DecryptFlags, [33](#)
- pEpDecryptFlagDontTriggerSync
 - foundation.pEp.jniadapter.DecryptFlags, [34](#)
- pEpDecryptFlagIgnored
 - foundation.pEp.jniadapter.DecryptFlags, [34](#)
- pEpDecryptFlagOwnPrivateKey
 - foundation.pEp.jniadapter.DecryptFlags, [34](#)
- pEpDecryptFlagSrcModified
 - foundation.pEp.jniadapter.DecryptFlags, [34](#)
- pEpDecryptFlagUntrustedServer
 - foundation.pEp.jniadapter.DecryptFlags, [34](#)
- pEpDecryptNoKey
 - foundation.pEp.jniadapter.pEpDecryptNoKey, [73](#)
 - foundation.pEp.jniadapter.Status, [111](#)
- pEpDecryptSignatureDoesNotMatch
 - foundation.pEp.jniadapter.pEpDecryptSignatureDoesNotMatch, [74](#)
 - foundation.pEp.jniadapter.Status, [112](#)
- pEpDecryptWrongFormat
 - foundation.pEp.jniadapter.pEpDecryptWrongFormat, [74](#)
 - foundation.pEp.jniadapter.Status, [112](#)
- pEpDistributionIllegalMessage
 - foundation.pEp.jniadapter.pEpDistributionIllegalMessage, [75](#)
 - foundation.pEp.jniadapter.Status, [112](#)
- pEpException
 - foundation.pEp.jniadapter.pEpException, [76](#)
- pEpGetKeyFailed
 - foundation.pEp.jniadapter.pEpGetKeyFailed, [76](#)
 - foundation.pEp.jniadapter.Status, [112](#)
- pEpIdfDevicegroup
 - foundation.pEp.jniadapter.IdentityFlags, [50](#)
- pEpIdfList
 - foundation.pEp.jniadapter.IdentityFlags, [50](#)
- pEpIdfNotForSync
 - foundation.pEp.jniadapter.IdentityFlags, [50](#)
- pEpIllegalValue
 - foundation.pEp.jniadapter.pEpIllegalValue, [77](#)
 - foundation.pEp.jniadapter.Status, [112](#)
- pEpInitCannotConfigGpgAgent
 - foundation.pEp.jniadapter.pEpInitCannotConfigGpgAgent, [78](#)
 - foundation.pEp.jniadapter.Status, [112](#)
- pEpInitCannotDetermineGpgVersion
 - foundation.pEp.jniadapter.pEpInitCannotDetermineGpgVersion, [78](#)
 - foundation.pEp.jniadapter.Status, [112](#)
- pEpInitCannotLoadGpgme
 - foundation.pEp.jniadapter.pEpInitCannotLoadGpgme, [79](#)
 - foundation.pEp.jniadapter.Status, [112](#)
- pEpInitCannotOpenDb
 - foundation.pEp.jniadapter.pEpInitCannotOpenDb, [79](#)
 - foundation.pEp.jniadapter.Status, [113](#)
- pEpInitCannotOpenSystemDb
 - foundation.pEp.jniadapter.pEpInitCannotOpenSystemDb, [80](#)
 - foundation.pEp.jniadapter.Status, [113](#)
- pEpInitGpgmeInitFailed
 - foundation.pEp.jniadapter.pEpInitGpgmeInitFailed, [80](#)
 - foundation.pEp.jniadapter.Status, [113](#)
- pEpInitNetpgpInitFailed
 - foundation.pEp.jniadapter.pEpInitNetpgpInitFailed, [81](#)
 - foundation.pEp.jniadapter.Status, [113](#)
- pEpInitNoGpgHome
 - foundation.pEp.jniadapter.pEpInitNoGpgHome, [81](#)
 - foundation.pEp.jniadapter.Status, [113](#)
- pEpInitSqlite3WithoutMutex
 - foundation.pEp.jniadapter.pEpInitSqlite3WithoutMutex, [82](#)
 - foundation.pEp.jniadapter.Status, [113](#)
- pEpInitUnsupportedGpgVersion
 - foundation.pEp.jniadapter.pEpInitUnsupportedGpgVersion, [82](#)
 - foundation.pEp.jniadapter.Status, [113](#)
- pEpKeyBlacklisted
 - foundation.pEp.jniadapter.pEpKeyBlacklisted, [83](#)
 - foundation.pEp.jniadapter.Status, [113](#)
- pEpKeyHasAmbigName
 - foundation.pEp.jniadapter.pEpKeyHasAmbigName, [83](#)
 - foundation.pEp.jniadapter.Status, [114](#)
- pEpKeyImported
 - foundation.pEp.jniadapter.pEpKeyImported, [84](#)
 - foundation.pEp.jniadapter.Status, [114](#)
- pEpKeyImportStatusUnknown
 - foundation.pEp.jniadapter.pEpKeyImportStatusUnknown, [84](#)
 - foundation.pEp.jniadapter.Status, [114](#)
- pEpKeyNotFound
 - foundation.pEp.jniadapter.pEpKeyNotFound, [85](#)
 - foundation.pEp.jniadapter.Status, [114](#)
- pEpKeyNotReset
 - foundation.pEp.jniadapter.pEpKeyNotReset, [85](#)
 - foundation.pEp.jniadapter.Status, [114](#)
- pEpKeyUnsuitable
 - foundation.pEp.jniadapter.pEpKeyUnsuitable, [86](#)
 - foundation.pEp.jniadapter.Status, [114](#)
- pEpMalformedKeyResetMsg

- foundation.pEp.jniadapter.pEpMalformedKeyResetMsg, [86](#)
- foundation.pEp.jniadapter.Status, [114](#)
- pEpMessageConsume
 - foundation.pEp.jniadapter.pEpMessageConsume, [87](#)
 - foundation.pEp.jniadapter.Status, [114](#)
- pEpMessageIgnore
 - foundation.pEp.jniadapter.pEpMessageIgnore, [87](#)
 - foundation.pEp.jniadapter.Status, [115](#)
- pEpNoKeyImported
 - foundation.pEp.jniadapter.pEpNoKeyImported, [88](#)
 - foundation.pEp.jniadapter.Status, [115](#)
- pEpNoTrust
 - foundation.pEp.jniadapter.pEpNoTrust, [88](#)
 - foundation.pEp.jniadapter.Status, [115](#)
- pEpOutOfMemory
 - foundation.pEp.jniadapter.pEpOutOfMemory, [89](#)
 - foundation.pEp.jniadapter.Status, [115](#)
- pEpPhraseNotFound
 - foundation.pEp.jniadapter.pEpPhraseNotFound, [89](#)
 - foundation.pEp.jniadapter.Status, [115](#)
- pEpRatingB0rken
 - foundation.pEp.jniadapter.Rating, [104](#)
- pEpRatingCannotDecrypt
 - foundation.pEp.jniadapter.Rating, [104](#)
- pEpRatingFullyAnonymous
 - foundation.pEp.jniadapter.Rating, [104](#)
- pEpRatingHaveNoKey
 - foundation.pEp.jniadapter.Rating, [105](#)
- pEpRatingMistrust
 - foundation.pEp.jniadapter.Rating, [105](#)
- pEpRatingReliable
 - foundation.pEp.jniadapter.Rating, [105](#)
- pEpRatingTrusted
 - foundation.pEp.jniadapter.Rating, [105](#)
- pEpRatingTrustedAndAnonymized
 - foundation.pEp.jniadapter.Rating, [105](#)
- pEpRatingUndefined
 - foundation.pEp.jniadapter.Rating, [105](#)
- pEpRatingUnderAttack
 - foundation.pEp.jniadapter.Rating, [105](#)
- pEpRatingUnencrypted
 - foundation.pEp.jniadapter.Rating, [105](#)
- pEpRatingUnencryptedForSome
 - foundation.pEp.jniadapter.Rating, [106](#)
- pEpRatingUnreliable
 - foundation.pEp.jniadapter.Rating, [106](#)
- pEpRecordNotFound
 - foundation.pEp.jniadapter.pEpRecordNotFound, [90](#)
 - foundation.pEp.jniadapter.Status, [115](#)
- pEpSendFunctionNotRegistered
 - foundation.pEp.jniadapter.pEpSendFunctionNotRegistered, [90](#)
 - foundation.pEp.jniadapter.Status, [115](#)
- pEpSomeKeysImported
 - foundation.pEp.jniadapter.pEpSomeKeysImported, [91](#)
 - foundation.pEp.jniadapter.Status, [115](#)
- pEpStatemachineCannotSend
 - foundation.pEp.jniadapter.pEpStatemachineCannotSend, [91](#)
 - foundation.pEp.jniadapter.Status, [116](#)
- pEpStatemachineError
 - foundation.pEp.jniadapter.pEpStatemachineError, [92](#)
 - foundation.pEp.jniadapter.Status, [116](#)
- pEpStatemachineInhibitedEvent
 - foundation.pEp.jniadapter.pEpStatemachineInhibitedEvent, [92](#)
 - foundation.pEp.jniadapter.Status, [116](#)
- pEpStatemachineInvalidAction
 - foundation.pEp.jniadapter.pEpStatemachineInvalidAction, [93](#)
 - foundation.pEp.jniadapter.Status, [116](#)
- pEpStatemachineInvalidCondition
 - foundation.pEp.jniadapter.pEpStatemachineInvalidCondition, [93](#)
 - foundation.pEp.jniadapter.Status, [116](#)
- pEpStatemachineInvalidEvent
 - foundation.pEp.jniadapter.pEpStatemachineInvalidEvent, [94](#)
 - foundation.pEp.jniadapter.Status, [116](#)
- pEpStatemachineInvalidState
 - foundation.pEp.jniadapter.pEpStatemachineInvalidState, [94](#)
 - foundation.pEp.jniadapter.Status, [116](#)
- pEpStatusOk
 - foundation.pEp.jniadapter.Status, [116](#)
- pEpSyncCannotEncrypt
 - foundation.pEp.jniadapter.pEpSyncCannotEncrypt, [95](#)
 - foundation.pEp.jniadapter.Status, [117](#)
- pEpSyncCannotStart
 - foundation.pEp.jniadapter.pEpSyncCannotStart, [95](#)
 - foundation.pEp.jniadapter.Status, [117](#)
- pEpSyncIllegalMessage
 - foundation.pEp.jniadapter.pEpSyncIllegalMessage, [96](#)
 - foundation.pEp.jniadapter.Status, [117](#)
- pEpSyncNoChannel
 - foundation.pEp.jniadapter.pEpSyncNoChannel, [96](#)
 - foundation.pEp.jniadapter.Status, [117](#)
- pEpSyncNoInjectCallback
 - foundation.pEp.jniadapter.pEpSyncNoInjectCallback, [97](#)
 - foundation.pEp.jniadapter.Status, [117](#)
- pEpSyncNoMessageSendCallback
 - foundation.pEp.jniadapter.pEpSyncNoMessageSendCallback, [97](#)
 - foundation.pEp.jniadapter.Status, [117](#)
- pEpSyncNoNotifyCallback
 - foundation.pEp.jniadapter.pEpSyncNoNotifyCallback,

- 98
- foundation.pEp.jniadapter.Status, 117
- pEpTrustwordNotFound
 - foundation.pEp.jniadapter.pEpTrustwordNotFound, 98
 - foundation.pEp.jniadapter.Status, 117
- pEpTrustwordsDuplicateFpr
 - foundation.pEp.jniadapter.pEpTrustwordsDuplicateFpr, 99
 - foundation.pEp.jniadapter.Status, 118
- pEpTrustwordsFprWrongLength
 - foundation.pEp.jniadapter.pEpTrustwordsFprWrongLength, 99
 - foundation.pEp.jniadapter.Status, 118
- pEpUnencrypted
 - foundation.pEp.jniadapter.pEpUnencrypted, 100
 - foundation.pEp.jniadapter.Status, 118
- pEpUnknownDbError
 - foundation.pEp.jniadapter.pEpUnknownDbError, 100
 - foundation.pEp.jniadapter.Status, 118
- pEpUnknownError
 - foundation.pEp.jniadapter.pEpUnknownError, 101
 - foundation.pEp.jniadapter.Status, 118
- pEpVerified
 - foundation.pEp.jniadapter.pEpVerified, 101
 - foundation.pEp.jniadapter.Status, 118
- pEpVerifiedAndTrusted
 - foundation.pEp.jniadapter.pEpVerifiedAndTrusted, 102
 - foundation.pEp.jniadapter.Status, 118
- pEpVerifyNoKey
 - foundation.pEp.jniadapter.pEpVerifyNoKey, 102
 - foundation.pEp.jniadapter.Status, 118
- pEpVerifySignerKeyRevoked
 - foundation.pEp.jniadapter.pEpVerifySignerKeyRevoked, 103
 - foundation.pEp.jniadapter.Status, 119
- pEpVersionMismatch
 - foundation.pEp.jniadapter.pEpVersionMismatch, 103
 - foundation.pEp.jniadapter.Status, 119
- PGPMIME
 - foundation.pEp.jniadapter.Message.EncFormat, 38
- Plain
 - foundation.pEp.jniadapter.Message.TextFormat, 123
- rating
 - foundation.pEp.jniadapter.Engine.decrypt_message_Return, 33
- re_evaluate_message_rating
 - foundation.pEp.jniadapter.Engine, 45
- second
 - foundation.pEp.jniadapter.Pair< F, S >, 60
- set_identity_flags
 - foundation.pEp.jniadapter.Engine, 45
- setAttachments
 - foundation.pEp.jniadapter.Message, 55
- setBcc
 - foundation.pEp.jniadapter.Message, 55
- setCc
 - foundation.pEp.jniadapter.Message, 55
- setComments
 - foundation.pEp.jniadapter.Message, 55
- setDir
 - foundation.pEp.jniadapter.Message, 56
- setEncFormat
 - foundation.pEp.jniadapter.Message, 56
- setFrom
 - foundation.pEp.jniadapter.Message, 56
- setId
 - foundation.pEp.jniadapter.Message, 56
- setInReplyTo
 - foundation.pEp.jniadapter.Message, 56
- setKeywords
 - foundation.pEp.jniadapter.Message, 56
- setLongmsg
 - foundation.pEp.jniadapter.Message, 56
- setLongmsgFormatted
 - foundation.pEp.jniadapter.Message, 57
- setOptFields
 - foundation.pEp.jniadapter.Message, 57
- setOwnKey
 - foundation.pEp.jniadapter.Engine, 45
- setRecv
 - foundation.pEp.jniadapter.Message, 57
- setRecvBy
 - foundation.pEp.jniadapter.Message, 57
- setReferences
 - foundation.pEp.jniadapter.Message, 57
- setReplyTo
 - foundation.pEp.jniadapter.Message, 57
- setSent
 - foundation.pEp.jniadapter.Message, 57
- setShortmsg
 - foundation.pEp.jniadapter.Message, 58
- setTo
 - foundation.pEp.jniadapter.Message, 58
- SMIME
 - foundation.pEp.jniadapter.Message.EncFormat, 38
- SyncHandshakeAccepted
 - foundation.pEp.jniadapter.SyncHandshakeResult, 120
- SyncHandshakeCancel
 - foundation.pEp.jniadapter.SyncHandshakeResult, 120
- SyncHandshakeRejected
 - foundation.pEp.jniadapter.SyncHandshakeResult, 120
- SyncNotifyAcceptedDeviceAccepted
 - foundation.pEp.jniadapter.SyncHandshakeSignal, 121
- SyncNotifyAcceptedDeviceAdded
 - foundation.pEp.jniadapter.SyncHandshakeSignal, 121

- SyncNotifyAcceptedGroupCreated
 - foundation.pEp.jniadapter.SyncHandshakeSignal, [121](#)
- SyncNotifyInGroup
 - foundation.pEp.jniadapter.SyncHandshakeSignal, [122](#)
- SyncNotifyInitAddOtherDevice
 - foundation.pEp.jniadapter.SyncHandshakeSignal, [122](#)
- SyncNotifyInitAddOurDevice
 - foundation.pEp.jniadapter.SyncHandshakeSignal, [122](#)
- SyncNotifyInitFormGroup
 - foundation.pEp.jniadapter.SyncHandshakeSignal, [122](#)
- SyncNotifySole
 - foundation.pEp.jniadapter.SyncHandshakeSignal, [122](#)
- SyncNotifyTimeout
 - foundation.pEp.jniadapter.SyncHandshakeSignal, [122](#)
- SyncNotifyUndefined
 - foundation.pEp.jniadapter.SyncHandshakeSignal, [122](#)

- toString
 - foundation.pEp.jniadapter.Blob, [22](#)
 - foundation.pEp.jniadapter.Identity, [48](#)
- trustOwnKey
 - foundation.pEp.jniadapter.Engine, [46](#)
- trustPersonalKey
 - foundation.pEp.jniadapter.Engine, [46](#)
- trustwords
 - foundation.pEp.jniadapter.Engine, [46](#)

- unset_identity_flags
 - foundation.pEp.jniadapter.Engine, [46](#)
- updateIdentity
 - foundation.pEp.jniadapter.Engine, [46](#)
- user_id
 - foundation.pEp.jniadapter._Identity, [21](#)
 - foundation.pEp.jniadapter.Identity, [49](#)
- username
 - foundation.pEp.jniadapter._Identity, [21](#)
 - foundation.pEp.jniadapter.Identity, [49](#)

- value
 - foundation.pEp.jniadapter.CipherSuite, [25](#)
 - foundation.pEp.jniadapter.Color, [26](#)
 - foundation.pEp.jniadapter.CommType, [32](#)
 - foundation.pEp.jniadapter.DecryptFlags, [34](#)
 - foundation.pEp.jniadapter.IdentityFlags, [50](#)
 - foundation.pEp.jniadapter.Message.Direction, [36](#)
 - foundation.pEp.jniadapter.Message.EncFormat, [38](#)
 - foundation.pEp.jniadapter.Message.TextFormat, [124](#)
 - foundation.pEp.jniadapter.Rating, [106](#)
 - foundation.pEp.jniadapter.Status, [119](#)
 - foundation.pEp.jniadapter.SyncHandshakeResult, [120](#)
 - foundation.pEp.jniadapter.SyncHandshakeSignal, [122](#)